



Wood Care: Ultra Low Odor Waterbased Sealer

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Fire Hazard	0	0	
Reactivity	0	0	

Version Number: 1

Preparation date: 2009-01-26

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Wood Care: Ultra Low Odor Waterbased Sealer

MSDS #: MS0300348
Product Code: 5142219
Recommended use: Industrial/Institutional. Floor care.

Manufacturer, importer, supplier:
 US Headquarters
 Diversey, Inc.
 8310 16th St.
 Sturtevant, Wisconsin 53177-1964
 Phone: 1-888-352-2249
 MSDS Internet Address: www.diversey.com

Canadian Headquarters
 Diversey, Inc. - Canada, Inc.
 2401 Bristol Circle
 Oakville, Ontario L6H 6P1
 Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
 CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principal routes of exposure: Eye contact. Skin contact. Inhalation.
Eye contact: May be mildly irritating to eyes.
Skin contact: May be mildly irritating to skin.
Inhalation: None
Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Diisobutyl adipate	141-04-8	0.1 - 1.5%	5676	Not available	Not available
Dipropylene glycol methyl ether	34590-94-8	1 - 5%	5230	9500 mg/kg	Not available

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. If irritation develops, get medical attention.
Skin contact: Flush immediately with plenty of water. If irritation develops, get medical attention.
Inhalation: No specific first aid measures are required.
Ingestion: No specific first aid measures are required.
Aggravated Medical Conditions: None known

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.
Specific hazards: Not applicable
Unusual hazards: None known
Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment
Environmental precautions and clean-up methods: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
 No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Dipropylene glycol methyl ether	34590-94-8	150 ppm (STEL) 100 ppm (TWA)	Skin 100 ppm (TWA) 600 mg/m ³ (TWA)	150 ppm (STEL) 900 mg/m ³ (STEL) 100 ppm (TWA) 60 mg/m ³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

<p>Physical State: Liquid Appearance: Liquid Specific gravity: 1.04 Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Partially Soluble Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0 % by wt. pH: 8.0 Explosion limits: - upper: Not determined - lower: Not determined</p>	<p>Bulk density: No information available Evaporation Rate: No information available Color: Amber Odor: Sweet Melting point/range: Not determined Autoignition temperature: No information available Density: 8.67 lbs/gal Flash point: >200 °F >93.4 °C Viscosity: No information available VOC: 100 g/L (40 CFR §59.400) Dilution pH: No information available.</p>
--	--

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur
Hazardous decomposition products: None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg
Component Information: See Section 3
Chronic toxicity: None known

Wood Care: Ultra Low Odor Waterbased Sealer

2 of 4

Specific effects

Carcinogenic effects: None known
Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, <http://naextranet.diverse.com/dot/>, for up to date shipping information.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Diisobutyl adipate	141-04-8	-	-	-	-
Dipropylene glycol methyl ether	34590-94-8	X	X	X	X
Water	7732-18-5	-	-	-	-
Proprietary	TS*	-	-	-	-

CERCLA/ SARA

SARA 311/312 Hazard Categories

Immediate: -
Delayed: -
Fire: -
Reactivity: -
Sudden Release of Pressure: -

Canada

WHMIS hazard class: Non-controlled

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: None

Wood Care: Ultra Low Odor Waterbased Sealer

3 of 4

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.