CY 2227;CY2219

MATERIAL SAFETY DATA SHEET

Preparation date: 2009-01-26

Min

TON,



Wood Care: Ultra Low Odor Waterbased Sealer

		Tate Day Trace Daged Oegle				
	HMIS		NFPA	Personal protective equipment		
	<u>Health</u>	<u> </u>	1	· · · · · · · · · · · · · · · · · · ·		
	Fire Hazard	0	0	None / Aucune / Ninguno		
	Reactivity	0	0			
	Version Number: 1					

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Wood Care: Ultra Low Odor Waterbased Sealer

M SDS #: Product Code:

MS0300348 5142219

Recommended use:

Industrial/Institutional. Floor care.

Manufacturer, importer, supplier:

US Headquarters JohnsonDiversey, Inc.

8310 16th St. Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number:

2401 Bristol Circle

Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

Canadian Headquarters

JohnsonDiversey - Canada, Inc.

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION, MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

TEXT

Principle routes of exposure:

Eye contact. Skin contact, Inhalation. May be mildly irritating to eyes. May be mildly irritating to skin.

Eye contact: Skin contact: Inhalation:

#X

None

Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients					
Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat	LD50 Dermal -	LC50 Inhalation -
Dipropylene glycol methyl ether	04505 04.0		(mg/kg)	Rabbit	Rat .
Disobulyl adipate	34590-94-8	1 - 5%	5135	9500 ma/ka	Not available
Lisobutyl adipate	<u> 141-04-8</u>	<u> 0.1 - 1.5%</u>	5676	Not available	Not available

4. FIRST AID MEASURES

Eye contact:

Flush immediately with plenty of water. If irritation develops, get medical attention.

Skin contact: Inhalation:

Flush immediately with plenty of water. If irritation develops, get medical attention.

Ingestion:

No specific first aid measures are required. No specific first aid measures are required.

Aggravated Medical Conditions:

- 14 May 1

None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing medla:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire,

7160gg

Specific hazards:

Not applicable

Unusual hazards:

None know n

Specific methods:

No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Use personal protective equipment

Wood Care: Ultra Low Odor Waterbased Sealer

1 of 3

Y.,

Lating

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions and clean-up methods:

**** Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

W.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes, FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection: Hand protection:

No special requirements under normal use conditions. No special requirements under normal use conditions

Skin and body protection: Respiratory protection:

Hygiene measures:

No special requirements under normal use conditions. No special requirements under normal use conditions.

Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS#	ACGIH		<u> </u>
Dipropylene glycol methyl ether	34590-94-8	150 ppm (STEL) 100 ppm (TWA)	OSHA Skin 100 ppm (TWA) 600 mg/m³ (TWA)	Mexico 900 mg/m³ (STEL) 150 ppm (STEL) 100 ppm (TWA) 60 mg/m³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Liquid

Appearance:

8.0 Liquid

Color: Odor:

pH:

Amber Sw eet 1.04

Specific gravity: Density:

8.67 lbs/gal

VOC:

100g/L (40 CFR §59.400)

Flash point:

>200°F >93.34°C

Solubility:

Partially Soluble

Viscosity:

No information available

Bulk density:

Dilution pH:

Vapor density: Evaporation Rate

Boiling point/range: Melting point/range:

Decomposition temperature: Autoignition temperature:

Partition coefficient (n-octanol/water): No information available

Solubility in other solvents: No information available

Elemental Phosphorus:

0 %P

V

Not applicable

Not determined

Not determined

Not determined

No information available

No information available

No information available

No information available

10. STABILITY AND REACTIVITY

Stability:

Polymerization:

The product is stable

Hazardous decomposition products:

Hazardous polymerization does not occur

None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Component Information:

Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

See Section 3

Chronic toxicity:

None know n

Specific effects

Carcinogenic effects: Mutagenic effects:

None know n None know n None know n

Reproductive toxicity: Target organ effects:

N. 1864 (1963)

None know n

12. ECOLOGICAL INFORMATION

Environmental Information:

はながががか

No data available

13. DISPOSAL CONSIDERATIONS

Wood Care: Ultra Low Odor Waterbased Sealer

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

3.X*X

Dispose of according to all federal, state and local applicable regulations

140

14. TRANSPORT INFORMATION

T. W. Z.

XX.:

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

ingredient(s)	CAS#	MARTK:	NURTK:	PARTK.	RIRTK:
Dipropylene glycol methyl ether	34590-94-8	X	X	X	NIKI N
Water	7732-18-5				
Diisobutyl adipate	141-04-8		-		-
Proprietary	LTS*_	-		-	

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Souther 242
Dipropylene glycol methyl ether	34590-94-8	1 - 5%			Section 313

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Dipropylene glycol methyl ether	X		OUX FROITY FORGIANTS

SARA 311/312 Hazard Categories

immediate:

Delayed:

Fire:

Reactivity: - Sudden Release of Pressure: -

Canada

WHIS hazard class: Non-controlled.

Ingredient(s)	CAS#	NPRI
Dipropylene glycol methyl ether	34590-94-8	X

16. OTHER INFORMATION

Reason for revision:

Not applicable

Prepared by:

NAPRAC None

Additional advice:

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.