

# SAFETY DATA SHEET

## 1. Identification

| Product number<br>Product identifier        | CL244 - 1000010344<br>CLAIRE CITRUS BURST ODOR ELIMINATOR                                 |            |
|---|---|------------|
| Version #                                   | 01  |            |
| Recommended use<br>Recommended restrictions | Claire Manufacturing Company<br>1005 S. Westgate Drive<br>Addison, IL 60101 United States |            |
| 2. Hazard(s) identification                 | 630-543-7600  |            |
| Physical hazards                            | Flammable aerosols  | Category 1 |
| Health hazards                              | Aspiration hazard   | Category 1 |
| OSHA defined hazards                        | Not classified.   |            |
| Label elements                              |   |            |



| Signal word                                  | Danger   |   |
|--|--|---|
| Hazard statement                             | Extremely flammable aerosol. May be fatal if swallowed and enters airways.                         |   |
| Prevention                                   | Keep away from heat/sparks/open flames/hot s<br>flame or other ignition source. Pressurized con    | surfaces No smoking. Do not spray on an open<br>ntainer: Do not pierce or burn, even after use. |
| Response                                     | If swallowed: Immediately call a poison center/  | /doctor. Do NOT induce vomiting.  |
| Storage                                      | Store locked up. Protect from sunlight. Do not   | expose to temperatures exceeding 50°C/122°F.  |
| Disposal                                     | Dispose of contents/container in accordance w  | vith local/regional/national/international regulations.   |
| Hazard(s) not otherwise<br>classified (HNOC) | Not classified.  |   |
| Environmental hazards                        | Hazardous to the aquatic environment, acute hazard   | Category 3  |
|  | Hazardous to the aquatic environment, long-term hazard   | Category 3  |
| Supplemental information                     |  |   |
| Hazard statement                             | Harmful to aquatic life. Harmful to aquatic life v   | with long lasting effects.  |
| Prevention                                   | Avoid release to the environment.  |   |
|  | ts of component(s) of unknown acute hazards to<br>inknown long-term hazards to the aquatic enviror | •   |

# 3. Composition/information on ingredients

#### **Mixtures**

### Hazardous components

| Chemical name                                  | Common name and synonyms | CAS number | %        |
|--|--------------------------|------------|----------|
| Distillates (Petroleum),<br>Hydrotreated Light |                          | 64742-47-8 | 10 - 20  |
| Butane   |                          | 106-97-8   | 2.5 - 10 |
| Propane  |                          | 74-98-6    | 2.5 - 10 |
| Other components below reporta                 | ble levels               |            | 60 - 80  |

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

| Inhalation   | If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. |
|--------------|--|
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Eye contact  | Rinse with water. Get medical attention if irritation develops and persists.             |

| Ingestion  | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis.  |
|--|--|
| Most important<br>symptoms/effects, acute and<br>delayed                     | Direct contact with eyes may cause temporary irritation.   |
| Indication of immediate<br>medical attention and special<br>treatment needed | Provide general supportive measures and treat symptomatically.   |
| General information  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.   |
| 5. Fire-fighting measures  |  |
| Suitable extinguishing media   | Powder. Alcohol resistant foam. Dry chemicals. Carbon dioxide (CO2).   |
| Unsuitable extinguishing media   | Do not use water jet as an extinguisher, as this will spread the fire.   |
| Specific hazards arising from the chemical                                   | Contents under pressure. Pressurized container may explode when exposed to heat or flame.  |
| Special protective equipment<br>and precautions for firefighters             | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.   |
| Fire-fighting<br>equipment/instructions                                      | Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.  |
| Specific methods   | Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not breathe fumes.   |
| 6. Accidental release meas   | sures  |
| Personal precautions,<br>protective equipment and<br>emergency procedures    | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.  |
| Methods and materials for containment and cleaning up                        | Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Collect spillage. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the MSDS. |
| Environmental precautions  | Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains water environment.   |

### 7. Handling and storage

Precautions for safe handling
Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Do not empty into drains.
Conditions for safe storage, including any incompatibilities
Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the MSDS). Level 1 Aerosol (NFPA 30B)

discharge into drains, water courses or onto the ground.

### 8. Exposure controls/personal protection

### **Occupational exposure limits**

| US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) |      |                        |  |
|---|------|------------------------|--|
| Components  | Туре | Value                  |  |
| Propane (CAS 74-98-6)   | PEL  | 1800 mg/m3<br>1000 ppm |  |

| Components                      | Туре  | Value                  |  |  |
|---------------------------------|---|------------------------|--|--|
| Butane (CAS 106-97-8)           | TWA   | 1900 mg/m3             |  |  |
|                                 |   | 800 ppm                |  |  |
| Propane (CAS 74-98-6)           | TWA   | 1800 mg/m3             |  |  |
|                                 |   | 1000 ppm               |  |  |
| ological limit values           | No biological exposure limits noted   | for the ingredient(s). |  |  |
| propriate engineering<br>ntrols | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |                        |  |  |
| lividual protection measure     | asures, such as personal protective equipment   |                        |  |  |
| Eye/face protection             | Wear safety glasses with side shields (or goggles).   |                        |  |  |
| Hand protection                 | Wear protective gloves.   |                        |  |  |
| Other                           | Wear appropriate chemical resistan  | it clothing.           |  |  |
| Respiratory protection          | If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an<br>air-supplied respirator.  |                        |  |  |
| Thermal hazards                 | Wear appropriate thermal protective clothing, when necessary.   |                        |  |  |
| neral hygiene<br>nsiderations   | When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such<br>as washing after handling the material and before eating, drinking, and/or smoking. Routinely<br>wash work clothing and protective equipment to remove contaminants.   |                        |  |  |

# 9. Physical and chemical properties

| Appearance                   |                              |
|------------------------------|------------------------------|
| Color                        | Not available.               |
| Form                         | Aerosol.                     |
| Physical state               | Gas.                         |
| Flash point                  | 33.28 °F (0.71 °C) estimated |
| Melting point/freezing point | Not available.               |
| Odor                         | Not available.               |
| рН                           | Not available.               |
| Solubility(ies)              | Not available.               |
| Vapor density                | Not available.               |
| Vapor pressure               | 42.2 psig @70F estimated     |
| Viscosity                    | Not available.               |
| Other information            |                              |
| Specific gravity             | 0.788 estimated              |

# 10. Stability and reactivity

| Reactivity                            | Strong oxidizing agents.                       |
|---------------------------------------|--|
| Chemical stability                    | Material is stable under normal conditions.    |
| Possibility of hazardous<br>reactions | Hazardous polymerization does not occur.       |
| Conditions to avoid                   | Avoid temperatures exceeding the flash point.  |
| Hazardous decomposition<br>products   | No hazardous decomposition products are known. |

# 11. Toxicological information

### Information on likely routes of exposure

| Ingestion  | May be fatal if swallowed and enters airways.            |  |
|--|--|--|
| Inhalation   | May be fatal if swallowed and enters airways.            |  |
| Skin contact   | Not available.   |  |
| Eye contact  | Direct contact with eyes may cause temporary irritation. |  |
| Symptoms related to the physical, chemical and toxicological characteristics | Direct contact with eyes may cause temporary irritation. |  |
| Information on toxicological effects   |  |  |

| Acute toxicity                                     | May be fatal if swallowed and enters airways.                               |   |
|--|---|---|
| Product  | Species   | Test Results  |
| FABRIC REFRESHER AEROSOL                           | (CAS Mixture)   |   |
| Acute  |   |   |
| Inhalation   |   |   |
| LC50   | Cat   | 2904.9844 mg/l, If <1L: Consumer<br>Commodity Hours, estimated  |
|  | Mouse   | 27667.4453 mg/l, 10 Minutes, estimated                          |
|  |   | 13084.1123 mg/l, If <1L: Consumer<br>Commodity Hours, estimated |
|  |   | 12889.4082 mg/l, 2 Hours, estimated                             |
|  | Rabbit  | 27453.2715 mg/l, If <1L: Consumer<br>Commodity Hours, estimated |
|  | Rat   | 32072.5332 mg/l, 15 Minutes, estimated                          |
|  |   | 29595.0156 mg/l, 2 Hours, estimated                             |
|  |   | 19859.8125 mg/l, If <1L: Consumer<br>Commodity Hours, estimated |
|  |   | 14000.1396 mg/l, 4 Hours, estimated                             |
|  |   | 2302.3254 mg/l/4h, estimated                                    |
| LCL0   | Cat   | 19080.998 mg/l, If <1L: Consumer<br>Commodity Hours, estimated  |
|  | Rabbit  | 19080.998 mg/l, If <1L: Consumer<br>Commodity Hours, estimated  |
|  | Rat   | 5451.7134 mg/l, If <1L: Consumer<br>Commodity Hours, estimated  |
| Components   | Species   | Test Results  |
| Butane (CAS 106-97-8)                              | -   |   |
| Acute  |   |   |
| Inhalation   |   |   |
| LC50   | Mouse   | 680 mg/l, 2 Hours   |
|  | Rat   | 658 mg/l, 4 Hours   |
| Propane (CAS 74-98-6)                              |   |   |
| Acute  |   |   |
| Inhalation   |   |   |
| LC50   | Rat   | > 1442.847 mg/l, 15 Minutes                                     |
|  |   | 658 mg/l/4h   |
| * Estimates for product may b                      | e based on additional component data not shown.                             |   |
| Skin corrosion/irritation                          | Prolonged skin contact may cause temporary irritation                       | on.   |
| Serious eye damage/eye<br>irritation               | Direct contact with eyes may cause temporary irritat                        | ion.  |
| Respiratory sensitization                          | Not available.  |   |
| Skin sensitization                                 | This product is not expected to cause skin sensitizat                       | ion.  |
| Germ cell mutagenicity                             | No data available to indicate product or any compon mutagenic or genotoxic. | ents present at greater than 0.1% are                           |
| Carcinogenicity                                    | This product is not considered to be a carcinogen by                        | IARC, ACGIH, NTP, or OSHA.                                      |
| Reproductive toxicity                              | This product is not expected to cause reproductive of                       | r developmental effects.  |
| Specific target organ toxicity - single exposure   | Not classified.   |   |
| Specific target organ toxicity - repeated exposure | Not classified.   |   |
| Aspiration hazard                                  | May be fatal if swallowed and enters airways.                               |   |
| 12. Ecological information                         | I   |   |
| Ecotoxicity  | Harmful to aquatic life with long lasting effects. Accu                     | mulation in aquatic organisms is expected.                      |

| Product                       |   | Species  | Test Results                         |
|-------------------------------|---|--|--------------------------------------|
| FABRIC REFRESHER AER          | OSOL (CAS Mix   | ture)  |                                      |
| Crustacea                     | EC50  | Daphnia  | 82753.5156 mg/L, 48 Hours, estimated |
| Fish                          | LC50  | Fish   | 22.4917 mg/L, 96 Hours, estimated    |
| Components                    |   | Species  | Test Results                         |
| Distillates (Petroleum), Hydr | otreated Light (C   | CAS 64742-47-8)  |                                      |
| Aquatic                       |   |  |                                      |
| Fish                          | LC50  | Rainbow trout,donaldson trout<br>(Oncorhynchus mykiss) | 2.9 mg/l, 96 hours                   |
| * Estimates for product may   | be based on add   | ditional component data not shown.                     |                                      |
| rsistence and degradability   | No data is av   | ailable on the degradability of this product           | t.                                   |
| accumulative potential        | No data avai  | No data available.                                     |                                      |
| Partition coefficient n-octa  | nol / water (log  |  |                                      |
| Propane<br>Butane             |   | 2.36<br>2.89   |                                      |
|                               | 2.69<br>No data available.  |  |                                      |
| bility in soil                |   |  |                                      |
| ner adverse effects           | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.   |  |                                      |
| . Disposal consideratio       | ons   |  |                                      |
| sposal instructions           | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |  |                                      |
| cal disposal regulations      | Dispose in a  | Dispose in accordance with all applicable regulations. |                                      |
| zardous waste code            | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.  |  |                                      |

Waste from residues / unused<br/>productsDispose of in accordance with local regulations. Empty containers or liners may retain some<br/>product residues. This material and its container must be disposed of in a safe manner (see:<br/>Disposal instructions).Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

#### DOT

| UN number                    | UN1950  |
|------------------------------|---|
| UN proper shipping name      | Aerosols, flammable   |
| Transport hazard class(es)   | 2.1   |
| Subsidiary class(es)         | Not available.  |
| Packing group                | Not available.  |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Labels required              | 2.1   |
| Special provisions           | N82   |
| Packaging exceptions         | 306   |
| Packaging non bulk           | None  |
| Packaging bulk               | None  |
|                              |   |

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

#### ΙΑΤΑ

| UN number                    | UN1950  |
|------------------------------|---|
| UN proper shipping name      | Aerosols, flammable   |
| Transport hazard class(es)   | 2.1   |
| Subsidiary class(es)         | -   |
| Packaging group              | Not available.  |
| Environmental hazards        | No  |
| Labels required              | 2.1   |
| ERG Code                     | 10L   |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Packaging Exceptions         | LTD QTY   |
|                              |   |

IMDG

| UN number<br>UN proper shipping name   | UN1950<br>AEROSOLS  |
|--|---|
| Transport hazard class(es)   | 2.1   |
| Subsidiary class(es)   | -   |
| Packaging group  | Not available.  |
| Environmental hazards  |   |
| Marine pollutant   | No  |
| Labels required  | 2.1   |
| EmS  | F-D, S-U  |
| Special precautions for user   | Read safety instructions, SDS and emergency procedures before handling. |
| Packaging Exceptions   | LTD QTY   |
| Transport in bulk according to<br>Annex II of MARPOL 73/78 and<br>the IBC Code | Not applicable.   |

### DOT





# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

| TSCA Section 12(b) Export N<br>Not regulated.                        | lotification (40 CFR 707, Subpt. D)  |  |
|--|--|--|
| CERCLA Hazardous Substance List (40 CFR 302.4)                       |  |  |
| Not listed.  |  |  |
| US. OSHA Specifically Regu   | lated Substances (29 CFR 1910.1001-1050)   |  |
| Not listed.  |  |  |
| SARA 304 Emergency releas  | e notification   |  |
| Not regulated.   |  |  |
| Superfund Amendments and Reauthorization Act of 1986 (SARA)          |  |  |
| Hazard categories  | Immediate Hazard - Yes<br>Delayed Hazard - Yes<br>Fire Hazard - Yes<br>Pressure Hazard - Yes<br>Reactivity Hazard - No |  |
| SARA 302 Extremely<br>hazardous substance                            | No   |  |
| SARA 311/312 Hazardous<br>chemical                                   | No   |  |
| Other federal regulations  |  |  |
| Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List |  |  |

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Safe Drinking Water Act Not regulated.

### (SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Food and Drug Not regulated. Administration (FDA)

#### US state regulations

### US. New Jersey Worker and Community Right-to-Know Act

| Butane (CAS 106-97-8)                       | 500 lbs |
|---|---------|
| Propane (CAS 74-98-6)                       | 500 lbs |
| US. Pennsylvania RTK - Hazardous Substances |         |
| Butane (CAS 106-97-8)                       |         |

Propane (CAS 74-98-6)

### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

| Country(s) or region        | Inventory name  | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                        | Yes                    |
| Canada                      | Domestic Substances List (DSL)  | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                       | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)                | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical<br>Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                    | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)                  | Yes                    |
| Korea                       | Existing Chemicals List (ECL)   | No                     |
| New Zealand                 | New Zealand Inventory   | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)         | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                             | Yes                    |

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

| Issue date          | 06-04-2014  |
|---------------------|---|
| Version #           | 01  |
| Further information | Not available.  |
| Disclaimer          | The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. |