SAFETY DATA SHEET

1. Identification

Product number CP081 - 1000007018

Product identifier BRADY GERMBAC DISINFECTANT

BRADY INDUSTRIES Company information

7055 LINDELL ROAD

LAS VEGAS, NV 89118 United States

1-866-836-8855 **Emergency telephone US Emergency telephone outside** 1-952-852-4646

01 Version #

CLEANER Recommended use **Recommended restrictions** None known.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Health hazards Not classified. Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol.

Precautionary statement

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open Prevention

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Response If exposed or concerned: Get medical advice/attention.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. **Storage**

Disposal Not available. Hazard(s) not otherwise None known.

classified (HNOC)

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethyl Alcohol		64-17-5	40 - 60
1,1-Difluoroethane		75-37-6	20 - 40
2-Phenylphenol		90-43-7	0.1 - 1
Other components below reportable le	evels		20 - 40

^{#:} This substance has workplace exposure limit(s).

Product name: 15.5 OZ GERMBAC DISINFECTANT LB 12PK Product #: 1000007018 Version #: 01 Issue date: 05-20-2015

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

If symptoms develop move victim to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention if symptoms persist.

Skin contact

Wash off immediately with plenty of water for at least 15 minutes.

Eye contact Ingestion Call a physician or Poison Control Center immediately.

Most important

Rinse mouth. Get medical attention if symptoms occur.

symptoms/effects, acute and delayed

Headache. Irritation of eyes and mucous membranes. Irritation of nose and throat. Coughing. Skin irritation.

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically.

treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

General information

5. Fire-fighting measures

Suitable extinguishing media

Powder, Alcohol resistant foam, Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Fire

Special protective equipment

may produce irritating, corrosive and/or toxic gases.

Firefighters must use standard protective equipment including flame retardant coat, helmet with

and precautions for firefighters

face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire-fighting equipment/instructions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

.

General fire hazards

Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Pay attention to flashback. Wear appropriate protective equipment and clothing during clean-up. Avoid skin contact and inhalation of vapors during disposal of spills. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of low areas. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. If possible, turn leaking containers so that gas escapes rather than liquid. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. This material and its container must be disposed of as hazardous waste.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid contact with skin. Avoid prolonged exposure. Use only in area provided with appropriate exhaust ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. The pressure in sealed containers can increase under the influence of heat. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Refrigeration recommended. Keep away from food, drink and animal feedingstuffs. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

211	OSHA Ta	hla 7-1 l	imite for	Air Con	taminants	129 C	FR 1910	1000\
UO.	USHA IA	DIE Z-1 I	-11111115 101	All Coll	laiiiiiaiilo	125 6	FR IJIU	. וטטטו

Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Values	•		
Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Chem	ical Hazards		
Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
US. Workplace Environmental Exp	osure Level (WEEL) Guides		
Components	Type	Value	
1,1-Difluoroethane (CAS 75-37-6)	TWA	2700 mg/m3	
•		1000 ppm	

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s). Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Other Choose body protection according to the amount and concentration of the dangerous substance at

the work place.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Do not get in eyes. When using do not smoke. Avoid contact with skin. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

9. Physical and chemical properties

Appearance

Physical state Gas. Form Aerosol.
Color colorless
Odor fruity alcoholic

Odor threshold Not available.

oH 9.5 - 10.5 estimated

Melting point/freezing point

Not available.

212 °F (100 °C) estimated

Initial boiling point and boiling range

Flash point -58.0 °F (-50.0 °C) Propellant estimated

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

4.2 % estimated

(%)

Flammability limit - upper

16.9 % estimated

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 65 - 75 psig @ 70F estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 737.1 °F (391.72 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Specific gravity 1.133 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Risk of ignition. Stable at normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point. Do not mix with other

chemicals. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Amines. Isocyanates. Acids.

Hazardous decomposition May include oxides of nitrogen. May include oxide

products

May include oxides of nitrogen. May include oxides of phosphorus. No hazardous decomposition

products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Headache. Irritation of nose and throat. Irritation of eyes and mucous membranes. Coughing. Skin

irritation.

Information on toxicological effects

Acute toxicity Acute LC50: 84 mg/l/4h, Rat, Inhalation

15.5 OZ GERMBAC DISINFECTANT LB 12PK (CAS Mixture)	Product	Species	Test Results
Inhalation	15.5 OZ GERMBAC DISINFI	ECTANT LB 12PK (CAS Mixture)	
LC50 Rat 84 mg/l/4h Oral LD50 Rat Components Species Test Results 1,1-Difluoroethane (CAS 75-37-6) Acute Acute Inhalation LC50 Rat 44 - 437500 %, 4 Hours 2-Phenylphenol (CAS 90-43-7) Acute 44 - 437500 %, 4 Hours Demal Rat > 5000 mg/kg, 24 Hours LD50 Rat > 949 mg/m3, If <1L: Consumer Commodity Hours LC50 Rat > 949 mg/m3, If <1L: Consumer Commodity Hours Oral LD50 Rat > 2500 mg/kg Ethyl Alcohol (CAS 64-17-5) Acute 36 mg/m3, 4 Hours Acute Acute 43.68 mg/l, 6 Hours Inhalation LC50 Cat 85.41 mg/l, 4.5 Hours LC50 Cat 85.41 mg/l, 4.5 Hours 60000 ppm Acute 79.43 mg/l, 6 Hours 79.43 mg/l, 134 Minutes 79.43 mg/l, 134 Minutes Ethyl Alcohol (CAS 64-17-5) Acute 60000 pm/lg 6	Acute		
Oral LD50			
LD50 Rat Components Species Test Results 1,1-Diffuorcethane (CAS 75-37-6) Acute Inhalation 44 - 437500 %, 4 Hours LC50 Rat 44 - 437500 %, 4 Hours 2-Phenylphenol (CAS 90-43-7) Acute Femal LD50 Rabbit > 5000 mg/kg, 24 Hours LD50 Rat > 949 mg/m3, If <1L: Consumer Commodity Hours	LC50	Rat	84 mg/l/4h
Components Species Test Results 1,1-Difluoroethane (CAS 75-37-6) Acute Inhalation 44 - 437500 %, 4 Hours 1,1-Difluoroethane (CAS 90-43-7) 44 - 437500 %, 4 Hours 2-Phenylphenol (CAS 90-43-7) Acute Dermal 5000 mg/kg, 24 Hours LD50 Rat > 2000 mg/kg, 24 Hours Inhalation LC50 Rat > 949 mg/m3, lf <1L: Consumer Commodity Hours			
1,1-Difluoroethane (CAS 75-37-6)	LD50	Rat	
Acute Inhalation LC50		_	Test Results
Inhalation LC50	1,1-Difluoroethane (CAS 75-	37-6)	
LC50 Rat 44-437500 %, 4 Hours 2-Phenylphenol (CAS 90-43-7) Acute Dermal LD50 Rabbit > 5000 mg/kg, 24 Hours Rat > 2000 mg/kg, 24 Hours Inhalation LC50 Rat > 949 mg/m3, If <1L: Consumer Commodity Hours > 36 mg/m3, 4 Hours Ethyl Alcohol (CAS 64-17-5) Acute Inhalation LC50 Rat \$85.41 mg/l, 4.5 Hours Acute Inhalation LC50 Cat \$85.41 mg/l, 4.5 Hours 43.68 mg/l, 6 Hours Mouse > 60000 ppm 79.43 mg/l, 134 Minutes Paril 115.9 mg/l, 4 Hours Oral LD50 Rat \$115.9 mg/l, 4 Hours Oral Acute Inhalation Acute	Acute		
2-Phenylphenol (CAS 90-43-7)			
Acute Dermal 25000 mg/kg, 24 Hours LD50 Ratbit > 5000 mg/kg, 24 Hours Inhalation 2000 mg/kg, 24 Hours LC50 Rat > 949 mg/m3, lf <1L: Consumer Commodity Hours			44 - 437500 %, 4 Hours
Dermal LD50		-7)	
LD50 Rabbit S000 mg/kg, 24 Hours Rat S000 mg/kg, 24 Hours Inhalation LC50 Rat S949 mg/m3, If <1L: Consumer Commodity Hours 200 mg/kg, 24 Hours 200 mg/kg, 24 Hours 200 mg/kg, 24 Hours 200 mg/m3, If <1L: Consumer Commodity Hours 200 mg/m3, 4 Hours 200 mg/kg 2500 mg/kg			
Rat		D. 11.11	5000 # 0444
Inhalation LC50	LD50		
LC50 Rat		Rat	> 2000 mg/kg, 24 Hours
Commodity Hours Safe mg/m3, 4 Hours Safe mg/m3, 6 Hours Safe mg/m3, 6 Hours Safe mg/m3, 4 Hours Sa			
Oral LD50 Rat > 2500 mg/kg Ethyl Alcohol (CAS 64-17-5) Acute Inhalation Cat 85.41 mg/l, 4.5 Hours LC50 Cat 85.41 mg/l, 6 Hours Mouse > 60000 ppm 79.43 mg/l, 134 Minutes 79.43 mg/l, 134 Minutes LD50 Rat > 115.9 mg/l, 4 Hours LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg	LC50	Rat	
LD50 Rat > 2500 mg/kg Ethyl Alcohol (CAS 64-17-5) Acute Inhalation LC50 Cat 85.41 mg/l, 4.5 Hours 43.68 mg/l, 6 Hours 43.68 mg/l, 6 Hours 43.68 mg/l, 134 Minutes 79.43 mg/l, 134 Minutes 79.43 mg/l, 134 Minutes 51.3 mg/l, 6 Hours 51.3 mg/l, 6 Hours 10500 mg/kg Mouse Mouse Mouse Mouse Mouse Mouse Rat 1187 - 2769 mg/kg Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse			> 36 mg/m3, 4 Hours
Ethyl Alcohol (CAS 64-17-5) Acute Inhalation LC50 Cat Mouse Mouse Rat Rat Para Oral LD50 Monkey Mouse Mouse Mouse Monkey Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Monkey Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Rat Mouse Mouse Mouse Rat Mouse Mouse Mouse Rat Mouse Mouse Rat Mouse Mouse Rat Mouse Mouse Rat Mouse Rat Mouse Mouse Rat Mouse Mouse Rat Mouse Rat Mouse Mouse Rat Mouse Rat Mouse Mouse Rat Mouse	Oral		
Acute Inhalation UC50 Cat 85.41 mg/l, 4.5 Hours 43.68 mg/l, 6 Hours Image: Acceptable of the problem of t	LD50	Rat	> 2500 mg/kg
Inhalation LC50	Ethyl Alcohol (CAS 64-17-5)		
LC50 Cat 85.41 mg/l, 4.5 Hours 43.68 mg/l, 6 Hours 43.68 mg/l, 6 Hours Mouse > 60000 ppm 79.43 mg/l, 134 Minutes > 115.9 mg/l, 4 Hours 51.3 mg/l, 6 Hours 51.3 mg/l, 6 Hours Oral Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg	Acute		
Mouse 43.68 mg/l, 6 Hours 26000 ppm 79.43 mg/l, 134 Minutes 79.43 mg/l, 134 Minutes 79.43 mg/l, 4 Hours 51.3 mg/l, 6 Hours 51.3 mg/l, 6 Hours 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg 6000			
Mouse > 60000 ppm 79.43 mg/l, 134 Minutes Pat > 115.9 mg/l, 4 Hours 51.3 mg/l, 6 Hours Oral LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg	LC50	Cat	85.41 mg/l, 4.5 Hours
79.43 mg/l, 134 Minutes Rat 79.43 mg/l, 134 Minutes > 115.9 mg/l, 4 Hours 51.3 mg/l, 6 Hours Oral LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg			43.68 mg/l, 6 Hours
Rat > 115.9 mg/l, 4 Hours 51.3 mg/l, 6 Hours Oral LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg		Mouse	> 60000 ppm
51.3 mg/l, 6 Hours Oral LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg			79.43 mg/l, 134 Minutes
Oral LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg		Rat	> 115.9 mg/l, 4 Hours
Oral LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg			51.3 mg/l, 6 Hours
LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg	Oral		•
Mouse 10500 ml/kg Rat 1187 - 2769 mg/kg		Monkey	6000 mg/kg
Rat 1187 - 2769 mg/kg		•	
		·	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Not expected to be hazardous by OSHA criteria.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by WHMIS criteria.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Phenylphenol (CAS 90-43-7) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

Chronic effects Possible risks of irreversible effects.

Further information Danger of very serious irreversible effects. This product has no known adverse effect on human

health.

12. Ecological information

Ecotoxicity LC50: 1730 mg/L, Fish, 96.00 Hours

EC50: 931 mg/L, Daphnia, 48.00 Hours

Product		Species	Test Results
15.5 OZ GERMBAC D	DISINFECTANT LB	12PK (CAS Mixture)	
Aquatic			
Algae	IC50	Algae	556 mg/L, 72 Hours
Crustacea	EC50	Daphnia	931 mg/L, 48 Hours
Fish	LC50	Fish	1730 mg/L, 96 Hours
Components		Species	Test Results
2-Phenylphenol (CAS	90-43-7)		
Aquatic			
Algae	IC50	Algae	0.85 mg/L, 72 Hours
Crustacea	EC50	Daphnia	1.75 mg/L, 48 Hours
		Water flea (Daphnia magna)	1 - 2.4 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	3.4 mg/l, 96 hours
Ethyl Alcohol (CAS 64	l-17-5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7700 - 11200 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100.1 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

1,1-Difluoroethane0.752-Phenylphenol3.09Ethyl Alcohol-0.31

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into

sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations. Dispose of contents/container in accordance with

local/regional/national/international regulation.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT

UN number UN1950 UN proper shipping name Aerosols

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 153, N82
Packaging exceptions LTD QTY
Packaging non bulk None
Packaging bulk None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Other information

Allowed.

aircraft

Cargo aircraft only Allowed.

Packaging Exceptions LTD QTY

IMDG

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards

Marine pollutant No.

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions LTD QTY

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

Product name: 15.5 OZ GERMBAC DISINFECTANT LB 12PK
Product #: 1000007018 Version #: 01 Issue date: 05-20-2015



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Anhydrous Ammonia	7664-41-7	100	500 lbs		

Anhydrous Ammonia

No

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
2-Phenylphenol	90-43-7	0.1 - 1	
t-Butyl Alcohol	75-65-0	0.1 - 1	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

1,1-Difluoroethane (CAS 75-37-6)

Safe Drinking Water Act Not regulated.

(SDWA)

Product name: 15.5 OZ GERMBAC DISINFECTANT LB 12PK

Product #: 1000007018 Version #: 01 Issue date: 05-20-2015

FIFRA Information This chemical is a pesticide product registered by the United States Environmental Protection

Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also

includes other important information, including directions for use.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer. US. Massachusetts RTK - Substance List

1,1-Difluoroethane (CAS 75-37-6) 2-Phenylphenol (CAS 90-43-7) Ethyl Alcohol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

1,1-Difluoroethane (CAS 75-37-6) 2-Phenylphenol (CAS 90-43-7) Ethyl Alcohol (CAS 64-17-5)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Phenylphenol (CAS 90-43-7) Ethyl Alcohol (CAS 64-17-5)

US. Rhode Island RTK

1,1-Difluoroethane (CAS 75-37-6) 2-Phenylphenol (CAS 90-43-7)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

2-Phenylphenol (CAS 90-43-7) Listed: August 4, 2000

International Inventories

Country(s) or region

	mironio, y manno	• · · · · · · · · · · · · · · · · · · ·
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 05-20-2015

Version # 01

United States & Puerto Rico

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

Toxic Substances Control Act (TSCA) Inventory

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision Information Product and Company Identification: Alternate Trade Names

Transport Information: Material Transportation Information

Product name: 15.5 OZ GERMBAC DISINFECTANT LB 12PK Product #: 1000007018 Version #: 01 Issue date: 05-20-2015 Yes

On inventory (ves/no)*