

# Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division: Janitorial

**CUTTER EXP HW**Product Number: 2925

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Non-Hazardous Products

NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate	Health: *2 - Moderate; Chronic Hazard
Fire: 1- Slight	Fire: 1- Slight
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

#### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Hydrotreated naphthenic oil	50-60	64742-52-5	5 (oil mist)	Not Established	Not Established	No
Chlorinated paraffin	15-20	63449-39-8	Not Established	Not Established	Not Established	No
Carboxylic acids amine salt	5-10	Proprietary	Not Established	Not Established	Not Established	No
Metal carboxylate	1-5	Proprietary	Not Established	Not Established	Not Established	No
2-(N-Butylamino) ethanol	1-5	111-75-1	Not Established	Not Established	Not Established	No
Organic nitrogen compound	1-5	Proprietary	Not Established	Not Established	Not Established	No
Mineral oil	1-5	64742-54-7	5 (oil mist)	Not Established	Not Established	No
Potassium carboxylate	1-5	Proprietary	Not Established	Not Established	Not Established	No
Alcohol ethoxylate	1-5	34398-01-1	Not Established	Not Established	Not Established	No
Oleic acid	1-5	112-80-1	Not Established	Not Established	Not Established	No
Triazinetriethanol	1-5	4719-04-4	Not Established	Not Established	Not Established	No

## SECTION III: PHYSICAL DATA

Boiling Point: > 300 °F	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Forms an emulsion
pH: 10% Solution: 10.0-10.8	Specific Gravity (H <sub>2</sub> O=1): 0.977
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 95-100
Physical State: Liquid	
 Appearance & Oder: +	

Appearance & Odor: Transparent brown liquid / Mild amine odor

#### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 230°F		Method Used: Estimate		
Flammable Limits:		Flame Extension: N/A		
Extinguishing Media:	Foam, dry chemical, CO2, water fog	or spray.		
Special Fire Fighting Procedures:	Use air supplied breathing equipmen	t for enclosed areas. Avoid breathing vapor or fumes.		
	: Do not mix or store with strong oxidants like liquid chlorine or concentrated oxygen.			
ECTION V: HEALTH HAZARD DATA		1		
Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes and Oral		
	Causes eye irritation: Symptoms ma			
Conditions to Avoid:	<ul> <li>Cause skin irritation: Symptoms may include redness, pain and possible dermatitis.</li> <li>Harmful if swallowed: Symptoms include stomach or intestinal upset.</li> </ul>			
		stude stomach or intestinal upset. <b>se respiratory irritation:</b> Symptoms include irritation to nose, throat		
	and airways.	se respiratory initiation. Symptoms include initiation to nose, tilical		
	Contains petroleum distillates which	h may be aspirated into the lungs during swallowing or vomiting		
		ther lung injury. The effects of prolonged or repeated exposure are		
		exposure may cause liver and kidney effects.		
	• •	clothing. Do not swallow. Avoid breathing product mists. Wash		
Conditions Aggravated by Use:	thoroughly after handling.	reexisting skin; eye and respiratory disorders including asthma and		
Conditions Aggravated by Ose.	dermatitis.	eexisting skin, eye and respiratory disorders including astrina and		
Emergency & First Aid Procedures:	dermanus.			
	s: Immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attentio			
·	if irritation persists.			
Skin:		sh skin thoroughly with soap and water. Get medical attention if		
	irritation persists. Wash contaminate	ed clothing before reuse.		
Ingestion:	Do not induce vomiting. Call a physic	cian immediately.		
Inhalation:	Move person to fresh air. Get medica	al attention if irritation persists.		
Note to Physician: Contains petroleun	n distillates. Possible aspiration hazar	d.		
•	•			
SECTION VI: REACTIVITY DATA				
Stability	0.11	Incompatible Materials: Strong oxidizing agents		
Stability:				
Hazardous Decomposition Products:	CO, CO2, sulfur oxides if burned	Hazardous Polymerization: Will Not Occur		
ECTION VII: SPILL OR LEAK PROC	EDURES			
Steps to be Taken in Case				
•	Prevent liquid from entering sewers.	watercourses or low areas. Contain spilled liquid with sand, earth or		
	other inert absorbent. Do not use co	mbustible materials such as sawdust. In addition it is recommended determine if there are local reporting requirements.		
Waste Disposal Method:	Consult an expert on disposal of recovered material and ensure conformity with federal, state and local			
	regulations.	<u> </u>		
ECTION VIII: SPECIAL PROTECTION	ON INFORMATION			
Respiratory Protection:	Not normally required when adequate	e ventilation is provided. However, if exposure limits are exceeded		
respiratory Protections.	Not normally required when adequate ventilation is provided. However, if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, use of a NIOSH approved respirator appropriate for the conditions of use and chemicals in Section II should be considered.			
Ventilation:		rial ventilation recommendations. Mechanical (Recommended)-		
	Provide ventilation suitable for type of			

## SECTION IX: SPECIAL PRECAUTIONS

Eye Protection(Specify Type):

Precautions; Handling & Storing: Store in a cool dry place away from strong oxidizers and extreme heat. Keep containers sealed and stored upright when not in use.

Provide ventilation suitable for type of building structure and work area.

Protective Gloves(Specify Type): Rubber or other impervious gloves are recommended when handing undiluted product. Gloves are also

Splash goggles are recommended to prevent eye contact.

Other Protective Equipment: For further guidance see 29 CFR 1910.132-138.

recommended when working with the diluted product for individuals with sensitive skin.

Other Precautions:

### Keep out of reach of children.

© SCC 06/08/2012 Name: Ronald T. Cook Title: Manager, Regulatory Affairs

CUTTER EXP HW Effective Date: 06/08/2012 Supercedes: 06/08/2009

Ref: 29 CFR 1910.1200 (OSHA) Changes: General Review

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.