

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

52-3096

▼SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): **XTRACTION II**

Product Division:

Spartan Chemical Company, Inc.

Janitorial

Product Number: 3096

1110 Spartan Drive

Product/Technical Information: 1-(800)-537-8990 Medical Emergency:1-(888)-314-6171 (24 hours)

Maumee OH 43537

Chemical Leak/Spill CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds	s, liquid, n.o.s.
NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate	Health: *2 - Moderate; Chronic Hazard
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

▼ SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency

			Table Z-1 - A			
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	NTP, IARC or OSHA Carcinogen
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Sodium carbonate	1-5	497-19-8	Not Established	Not Established	Not Established	No
*2-Butoxyethanol	1-5	111-76-2	240 [skin] 96	Not Established	Not Established	No
Sodium alkylnaphthalenesulfonate	1-5	Proprietary	Not Established	Not Established	Not Established	No
Tetrasodium EDTA	1-5	64-02-8	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Not determined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	
pH:	11.3-11.8	Specific Gravity (H ₂ O=1):	1.049
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	10-15
Physical State:	Liquid		
Appearance & Odor	Appearance & Odor: Light green liquid, floral fragrance		

▼SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212	°F	Method Used: ASTM-D56	
Flammable Limits: Not F	stablished	Flame Extension: N/A	
Extinguishing Media: Prod	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Wea Procedures: fire-	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Com Hazards:	bustion products are tox	ric.	

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes; Oral
Conditions to Avoid:	Causes eye irritation: Sympto conjunctiva. Causes skin irritation: Sympto through the skin. May be harmful if swallowed diarrhea. Inhalation of product mist mocoughing and difficulty breathing Contains 2-butoxyethanol with symptoms such as head to 2-butoxyethanol may cause animal data. Do not get in eyes, on skin, or mist.	toms may include pain and it. Symptoms may include all ay cause respiratory irritaing. hich may cause central nidache; dizziness; nausease blood cell; liver and kid	redness. Harmful if absorbed bdominal pain, nausea and ation: Symptoms may include servous system depression a and drowsiness. Exposure dney damage based on
Conditions Aggravated by Use:	Use of this product may aggrav including asthma and dermatiti	vate preexisting skin; eye an s.	d respiratory disorders

Emergency & First Aid Procedures:

Eyes:	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Remove contaminated clothing. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
	Do not induce vomiting unless advised to do so by a doctor or poison control center. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation or dizziness; move person to fresh air. Get medical attention if irritation persists.

▼SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong oxidizing agents
Hazardous Decomposition Products:	Hazardous Will Not Occur Polymerization:

SECTION VII: SPILL OR LEAK PROCEDURES

Waterial is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal.
Waste Disposal Method:	Assure conformance with federal, state and local regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good ventilation is provided.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Impervious rubber or other waterproof gloves are recommended when handing undiluted product.
Eye Protection(Specify Type):	Splash goggles are recommended when handling undiluted product.
	See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling &	Keep from freezing.
Storing:	
Other Precautions:	Keep out of reach of children.

© SCC 11/01/2007 XTRACTION II

Name: Effective Ronald T. Cook

Title:

Manager, Regulatory Affairs

Supercedes: 07/07/2005

Date:

11/01/2007

Ref: 29 CFR 1910,1200 (OSHA) Changes:

Revised formula

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.