Spartan Chemical Company, Inc. **Material Safety Data Sheet**

54-3014-5

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

XTREME RAPID TRANSIT

Product Number: 3014

Product Division: Janitorial

Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee OH 43537

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate Fire: 0 - Minimal Reactivity: 0 - Minimal	Health: 2 - Moderate Fire: 0 - Minimal
	Reactivity: 0 - Minimal Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

	l		Table Z-1-A			_
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Ethoxylated alkyl quaternary	1-5	61791-10-4	Not Established	Not Established	Not Established	No
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Tetrasodium EDTA	1-5	64-02-8	Not Established	Not Established	Not Established	No
Sodium silicate	1-5	1344-09-8	Not Established	Not Established	Not Established	No
Alkyl polyglycoside	1-5	68515-73-1	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Bailing Paint: 212 °F	Vapor Pressure: Not determined
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: 11,5-12.5	Specific Gravity (H ₂ O=1): 1.04
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 10-15
Physical State: Liquid	
Appearance & Odor: Blue liquid, mild odor	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustion	. Use extinguishing media appropriate for surrounding fire.
Wear NIOSH approved self-contained containers with water spray.	d breathing apparatus and protective clothing. Cool fire-exposed
Unusual Fire & Explosive Hazards: Combustion products are toxic.	

SECTION V: HEALTH HAZARD D	ATA				
Threshold Limit Valu	ie: Not Establish	ed	Primary Rout	es of Entry: Tabalation, Skin Court, 1	
Effects of Overexposus	e Causes sevi	are eve irritation: S	mptoms may include i	es of Entry: Inhalation, Skin Contact, Eyes; Ora pain, swelling and redness.	
	riet De Hari	III III II SWAIINWAA' V	s may include pain, sw Symptoms may include	and the state of t	
	Inhalation (of product mist may	Cause respiratory in	abdominal pain, nausea and diarrhea. r ritation: Symptoms may include coughing an	
	Do not get	in eyes, on skin, or	on clothing. Do no	t swallow. Avoid breathing product mist	
Conditions					
		roduct may aggravate	preexisting skin; eye a	nd respiratory disorders including asthma and	
Emergency & First Aid Procedur	es:		 -		
Еуе	s: Flush eyes wi	th water for at least 11	5 minutes Damova con	ntact lenses. Get medical attention.	
Skir	n: Remove cont	aminated dothing. Flu	sh skin with water for	at least 15 minutes. Get medical attention if	
	militarion pers	isಟ, wash contaminat	'PO Cothina before rous	CO.	
Ingestion	 Do not induce 	vomiting. Drink one	or two glasses of water	r to dilute product. Get medical attention. Do	
Innalation	i: In case of res persists.	piratory irritation or di: 	zziness; move person t	o fresh air. Get medical attention if irritation	
SECTION VI: REACTIVITY DATA					
Stability	: Stable		Incompatible	Materials: Strong oxidizing agents	
Hazardous Decomposition Products	None		Hazardous Polym	nerization: Will Not Occur	
Steps to be Taken in Case Material is Released or Spilled	Permitted by the	aco acmei regulations.	i. Dike and contain lan	of water to sanitary sewer system (If ge spills with inert material and transfer liquid	
Waste Disposal Method	TO COLICIANTE S 1	to containers for disposal. Keep spill out of storm sewers and waterways. Assure conformance with federal, state and local regulations.			
			te and local regulation	5.	
SECTION VIII: SPECIAL PROTECT	ION INFORMA	TION			
Respiratory Protection:	AZ ON C. CACCELLO	A OF TESDIFACORY ITTILATI	neral ventilation is provion occurs, use of a Nicon II should be conside	vided. However, if exposure limits (see Section OSH approved respirator suitable for the	
Ventilation:					
Protective Gloves(Specify Type):	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.				
Eye Protection(Specify Type):					
Other Protective Equipment:	See 20 CED 10	10 122 129 for firstern	en nandling undiluted	product.	
	366 23 CFK 19	10.132-138 for further	guidance.		
ECTION IX: SPECIAL PRECAUTION	NS				
Precautions; Handling & Storing:	Knon from fund	:			
Other Precautions:			 ,		
Outer Frecautions:	Keep out of rea	ch of children.			
© SCC 11/20/2006	Name:	Ronald T. Cook	Title:	Manager Besidet 455 :	
XTREME RAPID TRANSIT	Effective Date:		• 1515-1	Manager, Regulatory Affairs	
Ref: 29 CFR 1910.1200 (OSHA)	Changes:	New Product			

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.