Product Name	Sapphire Scientific Concrete, Tile and Grout Cleaner	
CAS #	Mixture	
Product use	Concrete, Tile & Grout Cleaner	
Manufacturer	Sapphire Scientific 2604 Liberator Prescott, AZ 86301 US Phone: 1-800-932-3030 Emergency: 1-800-535-5053	
	2. Hazards Identification	
Emergency overview	DANGER CORROSIVE	
Potential short term health effects		
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.	
Eyes	Causes chemical burns. May cause blindness.	
Skin	Causes chemical burns.	
Inhalation	May cause respiratory tract irritation or chemical burns.	
Ingestion	Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.	
Target organs	Eyes. Skin. Mucous membranes. Respiratory system.	
Chronic effects	Prolonged or repeated exposure can cause drying, defatting and dermatitis.	
Signs and symptoms	The product causes burns of eyes, skin and mucous membranes.	
OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Potential environmental effects	Components of this product have been identified as having potential environmental concerns.	

1. Product and Company Identification

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Sodium hydroxide	1310-73-2	10 - 30
Phosphonic acid, [nitrilotris(methylene)]tris-, sodium salt	20592-85-2	1 - 5

4. First Aid Measures

First aid procedures	
Eye contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
Skin contact	Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Obtain medical attention if irritation persists.
Inhalation	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately.
Ingestion	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
Notes to physician	Symptoms may be delayed.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Exposure limits	
8. Fx	posure Controls / Personal Protection
Storage	Keep out of the reach of children. Store in a closed container away from incompatible materials.
Handling	Do not get in eyes, on skin or on clothing. Use good industrial hygiene practices in handling this material. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.
	7. Handling and Storage
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Environmental precautions	Do not contaminate water.
Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
	6. Accidental Release Measures
Sensitivity to static discharge	Not available
Explosion data Sensitivity to mechanical impact	Not available
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of phosphorus. Oxides of sodium.
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Specific hazards arising from the chemical	Not available
Protection of firefighters	
Unsuitable extinguishing media	5
Extinguishing media Suitable extinguishing media	Treat for surrounding material.
Flammable properties	Not flammable by WHMIS/OSHA criteria.

Ingredient(s)		Exposure Limits
Phosphonic acid, [nitrilotris(methylene)]tris-, sodium salt		ACGIH-TLV
		Not established
		OSHA-PEL
		Not established
Sodium hydroxide		ACGIH-TLV
		Ceiling: 2 mg/m3
		OSHA-PEL
		TWA: 2 mg/m3
Engineering controls	Use only under good ventilation conditions or with respiratory protection.	
Personal protective equipment		
Eye / face protection	Wear chemical goggles.	
Hand protection	Rubber gloves. Confirm with a reputable supplier first.	
Skin and body protection	As required by employer code. Rubber apron recommended.	
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirate	

General hygiene considerations Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

Appearance	Clear.
Color	Colorless
Form	Liquid
Odor	Mild
Odor threshold	Not available
Physical state	Liquid
рН	12
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Percent volatile	Not available

9. Physical and Chemical Properties

10. Stability and Reactivity

Reactivity	Reacts vigorously with acids.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Oxidizers. Acids. Organic materials.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of phosphorus. Oxides of sodium.

11. Toxicological Information

Component analysis - LC50			
Ingredient(s)		LC50	
Phosphonic acid, [nitrilotris(methylene)]tris-, sodium salt		Not available	
Sodium hydroxide		Not available	
Component analysis - Oral LD50			
Ingredient(s)		LD50	
Phosphonic acid, [nitrilotris(methylene)]tris-, sodium salt		2100 mg/kg rat	
Sodium hydroxide		Not available	
Effects of acute exposure			
Eye	Causes chemical burns. May cause blindness.		
Skin	Causes chemical burns.		
Inhalation	May cause respiratory tract irritation or chemical burns.		
Ingestion Harmful if swallowed		d. May cause chemical burns to mouth, throat and stomach.	

Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.		
Ecotoxicity - Freshwater Fish - Acut	te Toxicity Data		
Sodium hydroxide 13	310-73-2 96 Hr LC50 Oncorhynchus mykiss: 45.4 mg/L [static]		
Persistence / degradability	Not available		
Bioaccumulation / accumulation	Not available		
Mobility in environmental media	Not available		
Environmental effects	Not available		
Aquatic toxicity	Not available		
Partition coefficient	Not available		
Chemical fate information	Not available		
Other adverse effects	Not available		
	13. Disposal Considerations		
Disposal instructions	Review federal, state/provincial, and local government requirements prior to disposal.		
Waste from residues / unused products	Not available		
Contaminated packaging	Not available		
	14. Transport Information		

U.S. Department of Transportati	on (DOT)	
Basic shipping requirement	s:	
Proper shipping name	Corrosive liquid, basic, inorganic, n.o.s. (SODIUM HYDROXIDE RQ = 8000 lbs)	
Hazard class	8	
UN number	UN3266	AST MAL
Packing group	II	CODDOCIVE
Additional information:		CUNNUSIVE
Special provisions	B2, IB2, T11, TP2, TP27	8
Packaging exceptions	154	
ERG number	154	

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

Proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)	
Hazard class	8	
UN number	UN3266	AST MAL
Packing group	П	E
Additional information:		
Special provisions	16	8

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlle Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.		
Canada - WHMIS - Ingredient	Disclosure List		
Sodium hydroxide	1310-73-2 1 %		
WHMIS status	Controlled		
WHMIS classification	Class E - Corrosive Material		
WHMIS labeling			
Occupational Safety and Hea	th Administration (OSHA)		
29 CFR 1910.1200 hazard chemical	bus Yes		
US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
U.S CERCLA/SARA - Hazar	lous Substances and their Reportable Quantities		
Sodium hydroxide U.S CWA (Clean Water Act)	1310-73-2 1000 Lb final RQ; 454 kg final RQ - Hazardous Substances		
Sodium hydroxide	1310-73-2 Present		
CERCLA (Superfund) reporta	ble quantity		
Sodium hydroxide: 1000.00	00		
Superfund Amendments and	Reauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
Section 302 extremely	No		
hazardous substance			
Section 311 hazardous cl	emical Yes		
	emical Yes Not available		

State regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.				
U.S California - 8 CCR Sectio	n 339 - Director's	List of Hazardous Substances			
Sodium hydroxide	1310-73-2	Present			
U.S Louisiana - Reportable Q	uantity List for Po	bllutants			
Sodium hydroxide	1310-73-2	1000 Lb final RQ; 454 kg final RQ			
U.S Massachusetts - Right To	o Know List				
Sodium hydroxide	1310-73-2	Present			
U.S Minnesota - Hazardous S	ubstance List				
Sodium hydroxide	1310-73-2	Present			
U.S New Jersey - Right to Know Hazardous Substance List					
Sodium hydroxide	1310-73-2	sn 1706			
U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances					
Sodium hydroxide	1310-73-2	1000 Lb RQ (air); 100 lb RQ (land/water)			
U.S Pennsylvania - RTK (Rigl	nt to Know) List				
Sodium hydroxide	1310-73-2	Environmental hazard			
U.S Rhode Island - Hazardous	s Substance List				
Sodium hydroxide	1310-73-2	Toxic; Flammable			
Inventory name					
Country(s) or region	Inventory name		On inventory (yes/no)*		
Canada	Domestic Substances List (DSL)		Yes		
Canada	Non-Don	Non-Domestic Substances List (NDSL)			
United States & Puerto Rico	Toxic Su	bstances Control Act (TSCA) Inventory	Yes		
A "Yes" indicates that all compone	ents of this product	comply with the inventory requirements administered by the go	verning country(s)		

16. Other Information

/ 3

0

0

в

Health

Flammability

Physical Hazard

Personal Protection

LEGEND HMIS/NFPA Severe 4 Serious 3 Moderate 2 Slight 1 Minimal 0

Disclaimer

have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.		
29-Aug-2011		
01-Dec-2010		
01-Dec-2013		
Dell Tech Laboratories Ltd. (519) 858-5021		
For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.		

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

 $\mathbf{0}$

0

3

Information contained herein was obtained from sources considered technically accurate

and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material