

Clothing

ADVANCE GLASS CLEANER

Fire Hazard **National Fire Hazardous Material** Health 2 **Protection Information System Fire Hazard** 2 Reactivity Health Association (HMIS) Reactivity 0 (NFPA) **Specific Hazard**

Protective

Emergency Blue. Liquid.

WARNING: COMBUSTIBLE. May cause eye and skin irritation.

Section 1. Chemical Product and Company Identification				
Product Name	ADVANCE GLASS CLEANER		Code	3318410
Product Use	Industrial/Institutional		PMS#	Not available.
MSDS#	F-00502001	0502001		3/23/2004
U.S. Headquarters JohnsonDiversey, Inc. 8310 16th Street		Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle	Print Date	3/23/2004
			Supersedes	3/23/2004.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversey.com		Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131	In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Dipropylene Glycol Methyl Ether	34590-94-8	1-5	OSHA (United States). Skin TWA: 600 mg/m³ 8 hour(s). STEL: 900 mg/m³ ACGIH (United States). Skin TWA: 606 mg/m³ STEL: 909 mg/m³	ORAL (LD50): Acute: 7500 mg/kg [Dog]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit].
Isopropyl Alcohol	67-63-0	1-5	OSHA (United States). TWA: 980 mg/m³ STEL: 1225 mg/m³ ACGIH (United States). TWA: 983 mg/m³ STEL: 1230 mg/m³ : Refers to Appendix A Carcinogens. ACGIH 2003 Adoption STEL: 400 ppm 15 minute(s). TWA: 200 ppm 8 hour(s)	ORAL (LD50): Acute: 5045 mg/kg [Rat]. 6410 mg/kg [Rabbit]. 3600 mg/kg [Mouse]. DERMAL (LD50): Acute: 12800 mg/kg [Rabbit]. VAPOR (LC50): Acute: 16000 ppm 8 hour(s) [Rat].
Water	7732-18-5	60-100	Not available.	Not available.



ADVANCE GLASS CLEANER

Section 3. Hazards Identification		
Routes of Entry	Skin Contact. Eye contact. Inhalation.	
Potential Acute Health Effe	ects	
Eyes	May be moderately irritating to eyes.	
Skin	May be moderately irritating to skin.	
Inhalation	May be irritating to nose, throat, and respiratory tract.	
Ingestion	May cause abdominal discomfort, nausea, vomiting and diarrhea. May be irritating to mouth, throat and stomach.	
Medical Conditions Aggravated by Overexposure:	Persons with pre-existing skin disorders may be more susceptable to irritating effects.	
See Toxicological Informat	ion (section 11)	

Section 4. First Aid Measures	
Eye Contact	Flush immediately with plenty of water. If irritation persists, get medical attention.
Skin Contact	Flush immediately with plenty of water. If irritation persists, get medical attention.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.
Ingestion	Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

Section 5. Fire Fighting Measures	
Flammability of the	COMBUSTIBLE.
Product Flash Points	Open cup: 48.3°C (118.9°F) Closed cup: 48.3°C (118.9°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire exposed containers cool. dry chemical, carbon dioxide.
Protective Clothing (Fire) Special Remarks on Fire and Explosion Hazards	Put on appropriate personal protective equipment (see Section 8). Material may burn in heat of fire.

Section 6. Accidental Release Measures	
Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage	
Handling	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Use only in well-ventilated areas. FOR COMMERCIAL AND INSTITUTIONAL USE ONLY
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. KEEP OUT OF REACH OF CHILDREN.

Page: 2/4



Section 8. Exposure Controls/Personal Protection **Engineering Controls**

No special ventilation requirements. General room ventilation is adequate

Personal Protection

Eyes Safety glasses recommended.

Hands For prolonged or repeated contact with skin: Chemical resistant gloves.

Respiratory No special requirements under normal use conditions.

Feet No special requirements under normal use conditions.

Body If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and

Appearance

Liquid.

Blue.

Color

9.5 (Conc. (% w/w): 100) [Basic.]

Specific Gravity

Boiling/Condensation

100°C (212°F)

Point VOC

рH

483.6 g/l

Solubility in water Not available.

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Conditions of Instability

None known.

Incompatibility with Various Substances

Reactive with oxidizing agents, acids.

Hazardous Decomposition None known.

Products

Hazardous Polymerization Will not occur.

Section 11. Toxicological Information

Acute toxicity Estimated to be greater than 5000 mg/kg (rat).

Effects of Chronic

Exposure

None known.

Other Toxic Effects None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information Undiluted product is regulated under environmental and transportation laws as an ignitable

waste. Dispose of according to all federal, state and local applicable regulations

Section 14. Transport Information

DOT Classification

DOT Proper Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Shipping Name

TDG Classification

Please refer to the Bill of Lading/receiving documents for up to date shipping information. TDG Proper

Shipping Name

Continued on Next Page

Page: 3/4

ADVANCE GLASS CLEANER

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 302/304/311/312 hazardous chemicals: Dipropylene Glycol Methyl Ether, Isopropyl

Alcohol

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Dipropylene

Glycol Methyl Ether, Isopropyl Alcohol

SARA 313 toxic chemical notification and release reporting: Isopropyl Alcohol

CERCLA: Hazardous substances.: Isopropyl Alcohol

State New Jersey spill list: Isopropyl Alcohol

New Jersey: Dipropylene Glycol Methyl Ether, Isopropyl Alcohol

Massachusetts spill list: Isopropyl Alcohol

Massachusetts RTK: Dipropylene Glycol Methyl Ether, Isopropyl Alcohol Pennsylvania RTK: Dipropylene Glycol Methyl Ether, Isopropyl Alcohol

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

Canadian Regulations

WHMIS Classification Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

Class D-2B: Material causing other toxic effects (TOXIC).

WHMIS Icon





Registered Product Not applicable. Information

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special

Not available.

Considerations

1.03 Version

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.