

AUTO-CHLOR POT AND PAN ULTRA

Fire Hazard National Fire Hazardous Material Health Protection **Information System** Fire Hazard 0 Reactivity **Association** (HMIS) Health Reactivity 0 (NFPA) Specific Hazard


Protective Clothing

Emergency Orange. Liquid. See Section 9.

Overview CAUTION: May cause eye and skin irritation.

Section 1. 0	Chemical Product and Company Identificatio	n	
Product Name	AUTO-CHLOR POT AND PAN ULTRA	Code	3177645
Product Use	Industrial applications	PMS#	Not available.
MSDS#	F-00517001	Validation Date	5/14/2004
U.S. Headquarters		Print Date	5/14/2004
Auto-C, LLC		Supersedes	No Previous Validation.
746 Poplar Avenue Memphis, TN 38105 For General Information: 800-477-3693		In Case of Emergency	Emergency Telephone: (800) 851-7145
MSDS Internet Address: www.auto-chlor.com			

Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Alcohol Ethoxylates Water	68439-46-3 7732-18-5	5-10 30-60	Not available. Not available.	ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit Not available.
Sodium Xylene Sulfonate	1300-72-7	1-5	Not available.	Not available.
Alkyl Poly Glycoside	110615-47-9		Not available.	Not available.
Ethyl Alcohol	64-17-5	0.1-1	OSHA (United States). TWA: 1900 mg/m³ ACGIH (United States). TWA: 1880 mg/m³ ACGIH TLV (United States, 2003). Notes: 1996 Adoption Refers to Appendix A Carcinogens. TWA: 1880 mg/m³ 8 hour(s). TWA: 1000 ppm 8 hour(s). OSHA PEL (United States, 1993). Notes: TWA: 1900 mg/m³ 8 hour(s). TWA: 1000 ppm 8 hour(s). TWA: 1000 ppm 8 hour(s).	ORAL (LD50): Acute: 7060 mg/kg [Rat]. 6300 mg/kg [Rabbit]. 3450 mg/kg [Mouse]. VAPOF (LC50): Acute: 20000 ppm 10 hour(s) [Rat].
Alkanolamide	68603-42-9	1-5	Not available.	Not available.
Sodium methyl ester and fatty acids	149456-07-1	5-10	Not available.	Not available.
Dodecylbenzene sulfonic acid, magnesium salt	27479-45-4	10-30	Not available.	Not available.
Glycols, polyethylene, dodecyl ether, monsulphonate ammonium salt	32612-48-9	1-5	Not available.	ORAL (LD50): Acute: 630 mg/kg [Rat].



Section 3. Hazards	dentification
Routes of Entry	Skin Contact. Eye contact. Inhalation.
Potential Acute Health Effo	ects
Eyes	May be moderately irritating to eyes.
Skin	May be moderately irritating to skin.
Inhalation	May cause irritation and corrosive effects to nose, throat and respiratory tract.
Ingestion	May cause abdominal discomfort, nausea, vomiting and diarrhea. May be irritating to mouth, throat and stomach.
Medical Conditions Aggravated by Overexposure:	Persons with pre-existing skin disorders may be more susceptable to irritating effects. Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.
See Toxicological Informat	cion (section 11)

Section 4. Firs	st Aid Measures
Eye Contact	Flush immediately with plenty of water. If irritation persists, get medical attention.
Skin Contact	Flush immediately with plenty of water. If irritation persists, get medical attention.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

Section 5. Fire Fig.	hting Measures
Flammability of the Product	None known.
Flash Points	Open cup: >100°C (212°F) Closed cup: >100°C (212°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Special Remarks on Fire and Explosion Hazards	None known.

Section 6. Acciden	tal Release Measures
Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Ha	andling and Storage
Handling	Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. FOR COMMERCIAL AND INSTITUTIONAL USE ONLY
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

reported contiletion about the coefficient to control sinks are levels. Descriptory protection
general ventilation should be sufficient to control airborne levels. Respiratory protection required if good ventilation is maintained.
glasses recommended.
ecial requirements under normal use conditions.
/

Continued on Next Page



Respiratory If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Feet No special requirements under normal use conditions.

Body If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and

Liquid.

Appearance

Orange. (Slight.) Odor

Color Orange. 6.5 [Acidic.] рH

1.07 Specific Gravity

Boiling/Condensation

>100°C (212°F)

Point

VOC 1 %

Solubility in water Not available.

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Conditions of Instability None known. **Incompatibility** with Not available.

Various Substances

Hazardous Decomposition None known.

Products

Hazardous Polymerization Will not occur.

Section 11. Toxicological Information

Estimated to be between 2500 and 5000 mg/kg (rat). Acute toxicity

Effects of Chronic None known.

Exposure

Other Toxic Effects None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

No special precautions. Dispose of according to all federal, state and local applicable Waste Information

regulations.

Section 14. Transport Information

DOT Classification

Please refer to the Bill of Lading/receiving documents for up to date shipping information. **DOT Proper**

Shipping Name

DOT Class Not available.

TDG Classification

TDG Proper Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Shipping Name

TDG Class Not applicable.

Page: 3/4

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 302/304/311/312 hazardous chemicals: Ethyl Alcohol

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Ethyl Alcohol

CERCLA: Hazardous substances.: Ethyl Alcohol

State New Jersey: Ethyl Alcohol

Massachusetts spill list: Ethyl Alcohol Massachusetts RTK: Ethyl Alcohol Pennsylvania RTK: Ethyl Alcohol

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

Canadian Regulations

WHMIS Classification Class D-2B: Material causing other toxic effects (TOXIC).

WHMIS Icon



Registered Product Not applicable.
Information

Chemical Inventory

Chemical Inventory
Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special Not available.

Considerations

Version 0.01

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.