

JON-WOOD Hardener

HMIS NFPA		NFPA	Personal protective equipment
Health	3*	3	Min I man
Fire Hazard	2	2	
Reactivity	1	1	

Version Number: 1 Preparation date: 2005-03-11

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: JON-WOOD Hardener

MSDS #: F-00613001
Product code: F-00613001
Recommended use: Floor care.

Manufacturer, importer, supplier:

US Headquarters Canadian Headquarters
JohnsonDiversey, Inc. JohnsonDiversey - Canada, Inc.

8310 16th St. 2401 Bristol Circle
Sturtevant, Wisconsin 53177-0902 Oakville, Ontario L6H 6P1
Phone: 1-888-352-2249 Phone: 1-800-668-3131

MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER. CORROSIVE TO EYES. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE ALLERGIC RESPIRATORY REACTION. HARMFUL OR FATAL IF INHALED.

Principle routes of exposure: Eyes. Skin. Inhalation.

Skin contact: Moderately irritating to the skin. Skin contact may cause allergic reactions in some individuals .

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Inhalation: May be irritating to nose, throat, and respiratory tract. Exposure above the occupational health limits may

cause shortness of breath and reduced lung function . Persons with pre-existing, nonspecific bronchial hyperreactivity can respond to concentrations below the occupational exposure limits with similar

symptoms as well as asthma episodes .

Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Γ	Ingredient	CAS#	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
	Hexamethylene-1,6-diisocyanate	822-06-0	0.1 - 1.5%	Not available	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Flush immediately with plenty of water. If irritation persists, get medical attention.

Inhalation:

If breathing is affected, remove to fresh air. If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably by mouth to mouth, if possible. Get medical attention immediately.

Aggravated Medical Conditions:

Allergy to isocyanates , Persons with pre-existing respiratory conditions should be particularly careful about possible respiratory effects .

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Not applicable

JON-WOOD Hardener 1 of 3

Specific hazards: Not applicable Unusual hazards: None known

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or

equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons:

No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Use personal protective equipment

Environmental precautions and clean-up methods:

No information available

7. HANDLING AND STORAGE

Handling:

FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing.

Storage:

Keep this product dry in original tightly closed container when not in use. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Use only in well-ventilated areas . Ventilate the area until completely dry and before allowing use of the room .

Personal Protective Equipment

Eye protection: Chemical splash goggles. Hand protection: nitrile or neoprene gloves . Skin and body protection: Protective footwear.

Respiratory protection: If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory

protection to avoid over-exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: No information available

 Color:
 Colourless
 Boiling point/range: Not determined

 Odor:
 Solvent
 Melting point/range: Not determined

Specific gravity:1.05pH:7Dilution pH:No information availableDensity:8.78

Bulk density:No information availableDecomposition temperature:Not determinedVapor density:No information availableAutoignition temperature:No information available

Evaporation rate: No information available **Solubility:** No information available

Solubility in other No information available **VOC:** 22.6

solvents:

Viscosity: No information available Flash point: 148 (°F) 64.4 (°C)

Partition coefficient (n-octanol/water): No information available

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerisation does not occur

Hazardous decomposition products:

Materials to avoid:

None reasonably foreseeable Strong oxidising agents.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Oral, LD50 estimated to be greater than 5000 mg/kg, Dermal, LD50 estimated to be > 2000 mg/kg.

Component Information: See Section 3

Chronic toxicity: Repeated eye, skin, or inhalation exposure may have cumulative effects

Repeated overexposures or a single large exposure can cause isocyanate allergy in some individuals .

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known

JON-WOOD Hardener 2 of 3

Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: no data available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Hexamethylene-1,6-diisocyanate	822-06-0	Listed	-	-	-	Listed	-
Aliphatic polyisocyanate NJ TSRN	TS*	-	-	-	-	-	-
80100051-5012							
Dipropylene Glycol Dimethyl Ether	111109-77-4	-	-	-	-	-	-

CERCLA / SARA

Ingredient	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Hexamethylene-1,6-diisocyanate	822-06-0	0.1 - 1.5%	100		Listed.

Ingredient	CAA HAP	CAA ODS	CWA Priority Pollutants
Hexamethylene-1,6-diisocyanate	Listed.		

Canada

WHMIS hazard class: D2B Toxic materials, B3 Combustible liquid.



16. OTHER INFORMATION

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

JON-WOOD Hardener 3 of 3