

# BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER

Product number: 111010



## SAFETY DATA SHEET

### 1. Identification

Product identifier	BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER	
Other means of identification		
Product number	111010	
Recommended use	Cleaner/Maintainer	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Brulin & Company, Inc.	
Address	P.O. Box 270 Indianapolis, IN 46206 United States	
Telephone	Phone:	317-923-3211
	Fax:	317-925-4596
Website	www.Brulin.com	
Emergency phone number	CHEMTREC	1-800-424-9300

### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Not classified
	Acute toxicity, dermal	Not classified
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
OSHA defined hazards	Not classified.	

#### Label elements



Signal word	Warning
Hazard statement	Causes serious eye irritation. Causes skin irritation.
Prevention	Wear safety glasses with side shields (or goggles). Wear protective gloves. Wash hands thoroughly after handling.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store away from incompatible materials. Do not freeze. Keep out of the reach of children.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None known.

### 3. Composition/information on ingredients

#### Mixtures

# BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER

Product number: 111010

Chemical name	CAS number	% by weight
2-Butoxyethanol	111-76-2	5 - <10
Nonylphenol Ethoxylate	9016-45-9	5 - <10
Isopropyl alcohol	67-63-0	1 - <5

## 4. First-aid measures

<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Notes to physician</b>	Provide general supportive measures and treat symptomatically.
<b>Most important symptoms/effects, acute and delayed</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Wear appropriate personal protective equipment. Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. Avoid prolonged exposure. Provide adequate ventilation. Do not mix with other chemicals. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep at temperatures between 4 and 49C. Keep out of the reach of children.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm

# BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER

Product number: 111010

## US. ACGIH Threshold Limit Values Components

### Type

### Value

TWA

200 ppm

## Control parameters

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

#### Components

#### Type

#### Value

2-Butoxyethanol (CAS  
111-76-2)

PEL

240 mg/m<sup>3</sup>

Isopropyl alcohol (CAS  
67-63-0)

PEL

50 ppm

980 mg/m<sup>3</sup>

400 ppm

## Biological limit values

### ACGIH Biological Exposure Indices

#### Components

#### Value

#### Determinant

#### Specimen

#### Sampling Time

2-Butoxyethanol (CAS  
111-76-2)

200 mg/g

Butoxyacetic  
acid (BAA),  
with hydrolysis  
Acetone

Creatinine in  
urine

\*

Isopropyl alcohol (CAS  
67-63-0)

40 mg/l

Urine

\*

\* - For sampling details, please see the source document.

## Appropriate engineering controls

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.  
Provide eyewash station.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear safety glasses with side shields (or goggles).

### Skin protection

#### Hand protection

Wear protective gloves.

#### Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

## General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

clear

### Form

Liquid.

### Color

white

### Odor

mild

### Odor threshold

Not available.

### pH

8.4

### Melting point/freezing point

32 °F (0 °C)

### Boiling point

212 °F (100 °C)

### Flash point

None to boiling.

### Evaporation rate

Not available.

### Flammability (solid, gas)

Not available.

## Upper/lower flammability or explosive limits

### Flammability limit - lower (%)

Not available.

# BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER

Product number: 111010

Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Water-thin
Specific gravity	1.01
VOC (Weight %)	7.2 %

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Do not freeze. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Toxicological data

Product	Test Results
BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg / Acute Oral LD50 Rat: > 5000 mg/kg /

### Information on likely routes of exposure

Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2)

3 Not classifiable as to carcinogenicity to humans.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Chronic effects	Prolonged inhalation may be harmful. May be harmful if absorbed through skin.  2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.

**Toxicological information** Occupational exposure to the substance or mixture may cause adverse effects.

# BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER

Product number: 111010

## 12. Ecological information

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

<b>DOT</b>	Not regulated as dangerous goods.
<b>IATA</b>	Not regulated as dangerous goods.
<b>IMDG</b>	Not regulated as dangerous goods.

## 15. Regulatory information

<b>US federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### CERCLA (Superfund) reportable quantity

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Hazard categories</b>	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--------------------------	---

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane Chloride	4080-31-3	0.1 - <1

# BRULIN NEUTRAL CONCRETE CLEANER REVITALIZER

Product number: 111010

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

### Safe Drinking Water Act (SDWA)

Not regulated.

## US state regulations

### US. Massachusetts RTK - Substance List

2-Butoxyethanol (CAS 111-76-2)

Isopropyl alcohol (CAS 67-63-0)

### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

### US. Pennsylvania RTK - Hazardous Substances

2-Butoxyethanol (CAS 111-76-2)

Isopropyl alcohol (CAS 67-63-0)

### US. Rhode Island RTK

Isopropyl alcohol (CAS 67-63-0)

### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 04-13-2015

**Version #** 01

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.