

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 29-Mar-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: JD-4
Product Number: 2905
Recommended Use: Cutting fluid

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity - Oral:

Acute toxicity - Inhalation (Dusts/Mists) Category 4
Skin Corrosion/Irritation:

Serious Eye Damage/Eye Irritation:
Category 1
Skin Sensitization:
Category 1
Reproductive Toxicity:
Category 1
Aspiration Toxicity:
Category 1
Category 1

GHS Label Elements

Signal Word: Danger

Symbols:



Hazard Statements: Harmful if swallowed.

Harmful if inhaled.

Causes severe skin burns and serious eye damage.

May cause an allergic skin reaction May damage fertility or the unborn child May be fatal if swallowed and enters airways

Precautionary Statements:

Prevention: Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Wash hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area.

Do not breathe mist, vapors or spray.

Contaminated work clothing should not be allowed out of the workplace

Response: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get

medical attention.

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

-Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting. Rinse mouth.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: • Keep out of reach of children.

• NOTE TO PHYSICIAN:

· Contains petroleum distillates. Possible aspiration hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---|-------------|----------|
| water | 7732-18-5 | 30-60 |
| petroleum distillates | 64742-52-5 | 10-30 |
| alkali metal compound | PROPRIETARY | 5-10 |
| triethanolamine | 102-71-6 | 3-7 |
| petroleum distillates | PROPRIETARY | 1-5 |
| sodium salt | PROPRIETARY | 1-5 |
| amine ethoxylate | PROPRIETARY | 1-5 |
| alkanolamine | PROPRIETARY | 1-5 |
| 2-butylaminoethanol | 111-75-1 | 1-5 |
| hexahydro-1,3,5-tris (2-hydroxy-ethyl)-s-triazine | 4719-04-4 | 1-5 |
| alcohol ethoxylate | 34398-01-1 | 1-5 |
| polyether polyphosphate | PROPRIETARY | 1-5 |
| polyalkylene glycol phosphate | 71662-44-7 | 1-5 |
| boron compound | PROPRIETARY | 1-5 |
| alkanolamine | PROPRIETARY | 1-5 |
| hexylene glycol | 107-41-5 | 1-5 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Revision Date: 29-Mar-2015 2905 - JD-4

-Skin Contact: Take off immediately all contaminated clothing and shoes. Rinse with water or shower for

at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash

contaminated clothing before reuse.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. -Inhalation:

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT induce vomiting. -Ingestion:

Rinse mouth. Never give anything by mouth to an unconscious person.

Note to Physicians: Contains petroleum distillates. Possible aspiration hazard.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Carbon dioxide, Foam, Dry chemical

Specific Hazards Arising from the

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Chemical: **Hazardous Combustion Products:**

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Clean-Up:

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material. (e.g. sand. earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|-----------------|-----------------|--|--------------------------------|
| hexylene glycol | Ceiling: 25 ppm | (vacated) Ceiling: 25 ppm | Ceiling: 25 ppm |
| 107-41-5 | | (vacated) Ceiling: 125 mg/m ³ | Ceiling: 125 mg/m ³ |

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection:

Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Liquid |
|------------------------------|
| Liquid |
| Brown |
| Mild Amine odor |
| 9.0-10.0 |
| No information available. |
| > 100 °C / 212 °F |
| > 100 °C / > 212 °F ASTM D56 |
| < 1 (Butyl acetate = 1) |
| No information available. |
| 1.01 |
| Miscible in water |
| No information available. |
| |

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carb

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness, blistering and possible chemical burn. May cause sensitization by skin

contact

-Inhalation: Nasal discomfort and coughing.

-Ingestion: Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and

diarrhea. Potential for aspiration if swallowed.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system. -Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 1051 mg/kg
ATEmix (dermal): 10066 mg/kg
ATEmix (inhalation-dust/mist): 2.9 mg/l

Component Acute Toxicity Information

| Somponent Acute Texicity information | | | | | |
|--------------------------------------|-----------------|---------------|-----------------|--|--|
| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 | | |
| water 7732-18-5 | > 90 mL/kg(Rat) | Not Available | Not Available | | |

| petroleum distillates 64742-52-5 | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 5 mg/L (Rat)4 h |
|---|--------------------|-----------------------|---------------------|
| 2-butylaminoethanol 111-75-1 | = 1150 mg/kg (Rat) | Not Available | Not Available |
| hexahydro-1,3,5-tris (2-hydroxy-ethyl)-s-triazine 4719-04-4 | = 763 mg/kg(Rat) | > 2 g/kg(Rat) | Not Available |
| hexylene glycol 107-41-5 | = 3692 mg/kg (Rat) | = 8560 μL/kg (Rabbit) | > 310 mg/m³(Rat)1 h |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|-------------------------------------|----------------------|--|----------------------------|--|
| petroleum distillates 64742-52-5 | Not Available | 5000: 96 h Oncorhynchus mykiss mg/L LC50 | Not Available | 1000: 48 h Daphnia magna mg/L EC50 |
| hexylene glycol 107-41-5 | Not Available | 10500 - 11000: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static 8690: 96 h Pimephales promelas mg/L LC50 flow-through 10700: 96 h Pimephales promelas mg/L LC50 static | Not Available | 2700 - 3700: 48 h Daphnia magna mg/L EC50 |

Persistence and Degradability:
Bioaccumulation:

Other Adverse Effects:

No information available.

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.
Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated

Proper Shipping Name: Non Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name California Proposition 65 |
|---|
|---|

| diethanolamine - 111-42-2 | Carcinogen |
|---------------------------|------------|
| propylene oxide - 75-56-9 | Carcinogen |
| dioxane - 123-91-1 | Carcinogen |

WARNING: This product contains a chemical known to the State of California to cause cancer.

16. OTHER INFORMATION

NFPA Health Hazards: 3 Flammability: 1 Instability: 0 Special: N/A

HMIS Health Hazards: 3* Flammability: 1 Physical Hazards: 0

Revision Date: 29-Mar-2015

Reasons for Revision: No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet