



# Safety Data Sheet

## Spartan Chemical Company, Inc.

Revision Date: 18-May-2015

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product Identifier

**Product Name:** MARBLE POLISH  
**Product Number:** 4088  
**Recommended Use:** Abrasive  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
[www.spartanchemical.com](http://www.spartanchemical.com)

#### **24 Hour Emergency Phone Numbers:**

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Skin Corrosion/Irritation: Category 1  
Serious Eye Damage/Eye Irritation: Category 1

#### **GHS Label Elements**

**Signal Word:**

**Symbols:**

**Danger**



#### **Hazard Statements:**

Causes severe skin burns and serious eye damage.

#### **Precautionary Statements:**

#### **Prevention:**

Do not breathe mist, vapors or spray.

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

**IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### **Response:**

**-Eyes**

**-Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

**-Inhalation:**

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**-Ingestion:**

Rinse mouth. Do NOT induce vomiting. Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**-Specific Treatment:**

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents and container in accordance with local, state and federal regulations.

**Hazards Not Otherwise Classified:** Not Applicable

**Other Information:**

- Harmful if swallowed
- Contains oxalic acid which may cause kidney damage if ingested.
- Inhalation of product dust may cause respiratory tract irritation and/or kidney damage.
- Keep out of reach of children.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
water	7732-18-5	40-70
aluminum oxide	1344-28-1	10-30
oxalic acid	144-62-7	3-7

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**

- Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
- Skin Contact:** Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.
- Note to Physicians:** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

- Suitable Extinguishing Media:** Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
- Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.
- Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**7. HANDLING AND STORAGE**

- Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Make sure the work surface stays wet. Do not polish to dryness. Wash thoroughly after handling.
- Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
- Incompatible Materials:** Strong bases.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits:**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
aluminum oxide 1344-28-1	TWA: 1 mg/m <sup>3</sup> respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	-
oxalic acid 144-62-7	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 2 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>

**Engineering Controls:**

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

**Personal Protective Equipment****Eye/Face Protection:**

Wear splash goggles.

**Skin and Body Protection:**

Wear rubber or other chemical-resistant gloves. Use of impervious boots should be considered in order to prevent or minimize contact with this product.

**Respiratory Protection:**

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

**General Hygiene Considerations:**

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance/Physical State:</b>	Cream
<b>Color:</b>	White
<b>Odor:</b>	Mild
<b>pH:</b>	< 1.0
<b>Melting Point / Freezing Point:</b>	No information available.
<b>Boiling Point / Boiling Range:</b>	100 °C / 212 °F
<b>Flash Point:</b>	> 100 °C / > 212 °F ASTM D56
<b>Evaporation Rate:</b>	< 1 (Butyl acetate = 1)
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper Flammability Limit:</b>	No information available.
<b>Lower Flammability Limit:</b>	No information available.
<b>Vapor Pressure:</b>	No information available.
<b>Vapor Density:</b>	No information available.
<b>Specific Gravity:</b>	1.24
<b>Solubility(ies):</b>	Insoluble
<b>Partition Coefficient:</b>	No information available.
<b>Autoignition Temperature:</b>	No information available.
<b>Decomposition Temperature:</b>	No information available.
<b>Viscosity:</b>	No information available.

## 10. STABILITY AND REACTIVITY

**Reactivity:**

This material is considered to be non-reactive under normal conditions of use.

**Chemical Stability:**

Stable under normal conditions.

**Possibility of Hazardous Reactions:**

Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas.

**Conditions to Avoid:**

Extremes of temperature and direct sunlight.

**Incompatible Materials:**

Strong bases.

**Hazardous Decomposition Products:**May include carbon monoxide, carbon dioxide (CO<sub>2</sub>) and other toxic gases or vapors.**11. TOXICOLOGICAL INFORMATION****Likely Routes of Exposure:**

Eyes, Skin, Ingestion, Inhalation.

**Symptoms of Exposure:****-Eye Contact:**

Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.

**-Skin Contact:**

Pain, redness, blistering and possible chemical burn.

**-Inhalation:**

Inhalation of product dust may cause respiratory tract irritation and/or kidney damage.

**-Ingestion:**

Pain, nausea, vomiting and diarrhea. Contains oxalic acid which may cause kidney damage if ingested.

**Immediate, Delayed, Chronic Effects****Product Information:**

Data not available or insufficient for classification.

**Target Organ Effects:**

-Eyes. kidney. Respiratory System. -Skin.

**Numerical Measures of Toxicity**

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

5460 mg/kg

ATEmix (dermal):

16996 mg/kg

**Component Acute Toxicity Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg ( Rat )	Not Available	Not Available
aluminum oxide 1344-28-1	> 5000 mg/kg ( Rat )	Not Available	Not Available
oxalic acid 144-62-7	= 7500 mg/kg ( Rat )	= 20000 mg/kg ( Rat )	Not Available

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
oxalic acid 144-62-7	Not Available	4000: 24 h Lepomis macrochirus mg/L LC50 static	Not Available	125 - 150: 48 h Daphnia magna mg/L EC50 Static

**Persistence and Degradability:**

No information available.

**Bioaccumulation:**

No information available.

**Other Adverse Effects:**

No information available.

**13. DISPOSAL CONSIDERATIONS****Disposal of Wastes:**

Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging:**

Dispose of in accordance with federal, state and local regulations.

**US EPA Waste Number:**

D002

**14. TRANSPORT INFORMATION****DOT:**

Not Regulated

**Proper Shipping Name:**

Non-Hazardous Product

**Special Provisions:**

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**15. REGULATORY INFORMATION****TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**

This product does not contain listed substances above the "de minimus" level

**SARA 311/312 Hazard Categories**

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**16. OTHER INFORMATION****NFPA****Health Hazards:** 3**Flammability:** 0**Instability:** 0**Special:** N/A**HMIS****Health Hazards:** 3**Flammability:** 0**Physical Hazards:** 0**Revision Date:**

18-May-2015

**Reasons for Revision:**

No information available.

**Disclaimer:**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**