

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): **SPARCLING** Product Number: 7118 Product Division: Janitorial

Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990 Medical Emergency: 1-(888)-314-6171 (24 hours) Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: UN 1760, Corrosive liquids, n.o.s., (contains hydrochloric (muriatic) acid), 8, III

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m ^³	STEL mg/m ^³	CEILING mg/m ^³	NTP, IARC or OSHA Carcinogen
*Hydrochloric acid	5-10	7647-01-0	Not Established	Not Established	7 (3 ACGIH)	No
Betaines	1-5	70750-46-8	Not Established	Not Established	Not Established	No
bis(hydroxyethyl)tallow alkyl	-	-	-	-	-	-

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

Boiling Point: 210-212 °F	Vapor Pressure: Undetermined
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: < 1	Specific Gravity (H ₂ O=1): 1.04
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 8-10
Physical State: Liquid	
Appearance & Odor: Green liquid, mint fragrance	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 210°F	Method Used: ASTM-D56		
Flammable Limits: Not Established	Flame Extension: N/A		
Extinguishing Media: Product does not support combustion	. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures: Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.			
Unusual Fire & Explosive Hazards: Combustion products are toxic. Acid	action on most metals may release hydrogen, an explosive gas.		

Threshold Limit value.	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Ora		
Effects of Overexposure-				
Conditions to Avoid:	CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS: Symptoms may include pain, redness,			
	swelling and tissue damage. Harmful if absorbed through the skin.			
	HARMFUL IF SWALLOWED. Symptoms may include nausea, vomiting, pain and diarrhea. INHALATION OF SPRAY MIST MAY CAUSE RESPIRATORY HARM OR IRRITATION. Breathing spray mist may cause coughing and difficulty breathing.			
	Do not get in eyes on skin or clothing. Do not swallow. Avoid breathing product mist.			
	Wash thoroughly with soap and water after handling .			
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and			
	dermatitis.			
mergency & First Aid Procedures:	:			
Eyes:	Hold eye open and rinse slowly and g	ently with water for 15-20 minutes. Remove contact lenses after		
	the first 5 minutes then continue rinsir	ng eye. Call a poison control center or doctor for treatment advice.		
Skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a			
	poison control center or doctor for trea	atment advice. Wash contaminated clothing before reuse.		
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water			
	if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do			
	not give anything by mouth to an unconscious person.			
Inhalation:	In case of respiratory irritation; move person to fresh air. If person is not breathing call 911 or an			
	ambulance then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control			
	center or doctor for further treatment advice.			
	5 ,	se of gastric lavage.		
ECTION VI: REACTIVITY DATA Stability:		Incompatible Materials: Strong alkalis; hypochlorites (bleach		
Stability:	Stable	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides.		
Stability:	Stable	Incompatible Materials: Strong alkalis; hypochlorites (bleach		
Stability: Hazardous Decomposition Products:	Stable HCL, CO, CO _{2 H}	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides.		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case	Stable HCL, CO, CO _{2 H} EDURES	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur		
Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case	Stable HCL, CO, CO _{2 н} EDURES Dike and contain spill with inert mater	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur ial (sand, earth, commercial absorbent, etc.) and transfer to		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case	Stable HCL, CO, CO _{2 н} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	Stable HCL, CO, CO _{2 н} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways.	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur iial (sand, earth, commercial absorbent, etc.) and transfer to <i>i</i> ith water and flush to sanitary sewer. Keep spill out of storm		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled:	Stable HCL, CO, CO _{2 н} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways.	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur ial (sand, earth, commercial absorbent, etc.) and transfer to		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method:	Stable HCL, CO, CO _{2 н} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways. Dispose of in compliance with all fede	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur iial (sand, earth, commercial absorbent, etc.) and transfer to <i>r</i> ith water and flush to sanitary sewer. Keep spill out of storm		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: ECTION VIII: SPECIAL PROTECTIO	Stable HCL, CO, CO _{2 H} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways. Dispose of in compliance with all fede IN INFORMATION Not normally required when good gen	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur ial (sand, earth, commercial absorbent, etc.) and transfer to rith water and flush to sanitary sewer. Keep spill out of storm eral, state and local laws and regulations.		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: ECTION VIII: SPECIAL PROTECTIO Respiratory Protection: Ventilation:	Stable HCL, CO, CO _{2 H} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways. Dispose of in compliance with all fede N INFORMATION Not normally required when good gen II) are exceeded or respiratory irritatio use-conditions and chemicals in Sect Provide good general ventilation. Loc	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur ial (sand, earth, commercial absorbent, etc.) and transfer to <i>rith</i> water and flush to sanitary sewer. Keep spill out of storm eral, state and local laws and regulations. heral ventilation is provided. However, if exposure limits (see Section on occurs, use of a NIOSH approved respirator suitable for the ion II should be considered. cal exhaust ventilation may be necessary for some operations.		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: ECTION VIII: SPECIAL PROTECTIO Respiratory Protection: Ventilation:	Stable HCL, CO, CO _{2 H} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways. Dispose of in compliance with all fede N INFORMATION Not normally required when good gen II) are exceeded or respiratory irritatio use-conditions and chemicals in Sect Provide good general ventilation. Loc	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur ial (sand, earth, commercial absorbent, etc.) and transfer to <i>rith</i> water and flush to sanitary sewer. Keep spill out of storm eral, state and local laws and regulations. heral ventilation is provided. However, if exposure limits (see Section on occurs, use of a NIOSH approved respirator suitable for the ion II should be considered. cal exhaust ventilation may be necessary for some operations.		
Stability: Hazardous Decomposition Products: ECTION VII: SPILL OR LEAK PROC Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: ECTION VIII: SPECIAL PROTECTIO Respiratory Protection: Ventilation:	Stable HCL, CO, CO _{2 H} EDURES Dike and contain spill with inert mater containers for disposal. Rinse area w sewers and waterways. Dispose of in compliance with all fede N INFORMATION Not normally required when good gen II) are exceeded or respiratory irritation use-conditions and chemicals in Sect Provide good general ventilation. Loo Rubber or neoprene gloves are recom	Incompatible Materials: Strong alkalis; hypochlorites (bleach ammonia; cyanides. Hazardous Polymerization: Will Not Occur ial (sand, earth, commercial absorbent, etc.) and transfer to ith water and flush to sanitary sewer. Keep spill out of storm eral, state and local laws and regulations. eral ventilation is provided. However, if exposure limits (see Section on occurs, use of a NIOSH approved respirator suitable for the ion II should be considered. cal exhaust ventilation may be necessary for some operations. nmended.		

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing	Do not contaminate water, food or feed by storage or disposal. Keep from freezing. Do not use with other chemicals. Mixtures of this product with other chemicals, particularly those containing chlorine bleach or ammonia may result in the production of toxic gases, fire or explosion.			
Other Precautions	E Keep out of rea	ich of children.		
© SCC 06/01/2013	Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs
SPARCLING	Effective Date:	e: 06/01/2013	Supercedes:	06/01/2010
Ref: 29 CFR 1910.1200 (OSHA)	Changes:	Revise Shipping Description		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as

to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.