Safety Data Sheet 1632



Product Name:	uct Name: Power 92		
Description:	Heavy Duty Cleaner/Degreaser		
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product is not intended to be used without prior dilution if specified on product label.		
Supplier's Information:	Maintex 13300 E. Nelson Ave City of Industry, CA 91746 800-446-1888 (Customer Service)		
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chemtel 24 hrs)		
2 Hazards Identification			
Classification of Mixture:	Serious Eye Damage: Category 1 Skin Irritation: Category 2 Acute Toxicity Inhalation: Category 4		
Signal Word:	WARNING		
Hazard Statements:	Fatal if inhaled. Causes skin irritation. Causes serious eye damage		
Precautionary Statements	•		
General:	KEEP OUT OF REACH OF CHILDREN. Read label before use.		
Prevention:	Use in a well-ventilated area.		
Response:	IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin with water. If skin irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses, present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention IF INHALED: Remove person to fresh air and keep comfortable for breathing. If prob persists, call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention immediately.		

Hazardous Ingredients	CAS Number	Concentration Range %
Sodium Metasilicate Pentahydrate	6834-92-0	1-10
Tetrapotassium Pyrophosphate	7320-34-5	10-15
Potassium Hydroxide	1310-58-3	10-20
Phosphate Ester	111-76-2	1-5

4 First Aid Measures	S
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

6 Accidental Release Measures		
Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.	
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.	
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.	
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.	

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including an Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

5/15/2015	1632	Power 92	Page 2 of 5

8 Exposure Controls/Personal Protect	ction		
Control Parameters:			
Hazardous Ingredients	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Metasilicate Pentahydrate	10 mg/m3		15 mg/m3 N/A
Tetrapotassium Pyrophosphate	10 mg/m3		15 mg/m3
Potassium Hydroxide	N/A	N/A	N/A
Phosphate Ester	N/A	N/A	N/A

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.	
Personal Protection		
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.	
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.	
Skin Protection:	Use apron if splashing or spray-back is likely.	
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.	
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.	

9 Physical and Chemical Properties

Physical State: Color: Odor: pH:	Liquid Brown None 13.5-14	Specific Gravity: Evapporation Rate: Solubility in Water: VOC (g/L):	1.35 < 1 Complete N/A	Vapour Pressure (mm Hg): Vapour Density: Freezing Point (°F): Boiling Point (°F): Flash Point (°F):	< 17 mm Hg > 1 < 40 > 212 > 200
		< means less than	> m	eans greater than	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

5/15/2015 1632	Power 92	Page 3 of 5
----------------	----------	-------------

11 Toxological Information

Symptoms:							
e jpierier	Eye Contact:	Adverse sym	ptoms may include	e the following: irritation, wateri	ng, redness		
	Skin Contact:	-		e the following: irritation, redne	-		
	Inhalation:	Adverse symptoms may include the following: respiratory tract irritation, coughing					
	Ingestion:	Adverse symptoms may include the following: stomach pains					
Acute Toxicity:							
	Eye Contact:	Causes eye i	rritation.				
	Skin Contact:	Causes severe burns.					
	Inhalation:	Causes respiratory system irritation.					
	Ingestion:	Causes burns to mouth, throat and stomach					
Toxicity Data:							
Hazardous Ing			<u>Result</u>	<u>Species</u>	Dose		
	cate Pentahydrate		LD 50- Oral	Rat	800 mg/kg		
Tetrapotassium	Pyrophosphate		LD 50- Oral	Rat	2980 mg/kg		
			LD 50- Dermal	Rabbit	> 4640 mg/kg		
Potassium Hydr			LD50-Oral	Rat	214 mg/kg		
Phosphate Este	r	No data available					
Chronic Effects:		No known s	No known significant effects or critical hazards				
12 Ecologica	al Information						
Ecotoxicity:		May be har	mful to the environ	iment.			
Aquatic Toxici	tv:						
Hazardous Ing			Result	Species	Dose		
	icate Pentahydrate		LC50	Mosquito Fish			
			LC50	Water Flea	113 mg/l/48 hrs		
			LC50	Scud	160 mg/l/96 hrs		
•	Pyrophosphate	No Data Available					
Potassium Hydr	roxide		LC50	Mosquito Fish	80 mg/l/96 hrs		
			LC50	Fathead Minnow	179 mg/l/96 hrs		
			EC50	Daphnia magna	60 mg/l/48 hrs		
Dhaanhata Esta			ErC50	Selenastrum capriconutum	61 mg/L 96 hrs		
Phosphate Este)r	No Data Available					
Other Adverse I	Effects:	No known significant effects or critical hazards.					
13 Disposal	Considerations						
Disposal Metho	ds:			t to sanitary sewer. Discard en ce with federal, state, and local			

14 Transportation Information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. Ground Transport

45 Demulaters Information	
Hazardous Contents:	Potassium Hydroxide
Hazardous Division:	Corrosive liquids, n.o.s
Packaging Group:	II
Transport Hazard Class:	8
UN Number:	UN1760
DOT Classification:	Regulated
Ground Transport	

15 Regulatory Information 5/15/2015 Power 92 Page 4 of 5 1632

16 Other Information			
HMIS/NFPA Hazard Rating:	Health: 2	Flammability: 1	Reactivity: 0

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use therof. For further information consult Maintex.

MSDS Revision Date: 4/9/2015