

#### **BRIGHT BLAST**

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : BRIGHT BLAST

Other means of identification: Not applicable

Recommended use Floor Stripper

Restrictions on use Reserved for industrial and professional use.

Product dilution information 5.88 % - 11.11 %

Ecolab Inc. Company

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 08/20/2014

# **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Flammable liquids : Category 4 Skin corrosion : Category 1A Serious eye damage : Category 1

Specific target organ systemic toxicity - single

exposure

: Category 3 (Respiratory system)

#### **Product AT USE DILUTION**

Skin corrosion Category 1A Serious eye damage Category 1

# **GHS Label element**

## **Product AS SOLD**

Hazard pictograms





Signal Word : Danger

**Hazard Statements** : Combustible liquid.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

: Prevention: **Precautionary Statements** 

> Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face

protection. Response:

916759-03 1/12

## **BRIGHT BLAST**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

#### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

#### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

#### **Product AT USE DILUTION**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

| Chemical Name          | CAS-No.    | Concentration (%) |
|------------------------|------------|-------------------|
| 2-butoxyethanol        | 111-76-2   | 10 - 30           |
| ethanolamine           | 141-43-5   | 5 - 10            |
| sodium hydroxide       | 1310-73-2  | 5 - 10            |
| Sodium Xylenesulfonate | 1300-72-7  | 1 - 5             |
| alcohol ethoxylate     | 68551-12-2 | 1 - 5             |

**Product AT USE DILUTION** 

Chemical Name CAS-No. Concentration (%)

916759-03 2 / 12

# **BRIGHT BLAST**

| 2-butoxyethanol  | 111-76-2  | 1 - 5   |
|------------------|-----------|---------|
| ethanolamine     | 141-43-5  | 1 - 5   |
| sodium hydroxide | 1310-73-2 | 0.1 - 1 |

# **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

**Product AT USE DILUTION** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

See toxicological information (Section 11)

#### SECTION 5. FIRE-FIGHTING MEASURES

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous combustion : Decomposition products may include the following materials:

916759-03 3 / 12

# **BRIGHT BLAST**

products Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

#### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling.

916759-03 4 / 12

## **BRIGHT BLAST**

Conditions for safe storage : Keep away from heat and sources of ignition. Do not store near acids.

Keep away from oxidizing agents. Keep out of reach of children. Store

in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Product AS SOLD Ingredients with workplace control parameters

| Ingredients      | CAS-No.   | Form of exposure | Permissible concentration | Basis     |
|------------------|-----------|------------------|---------------------------|-----------|
| 2-butoxyethanol  | 111-76-2  | TWA              | 20 ppm                    | ACGIH     |
|                  |           | TWA              | 5 ppm<br>24 mg/m3         | NIOSH REL |
|                  |           | TWA              | 50 ppm<br>240 mg/m3       | OSHA Z-1  |
| ethanolamine     | 141-43-5  | TWA              | 3 ppm                     | ACGIH     |
|                  |           | STEL             | 6 ppm                     | ACGIH     |
|                  |           | TWA              | 3 ppm<br>8 mg/m3          | NIOSH REL |
|                  |           | ST               | 6 ppm<br>15 mg/m3         | NIOSH REL |
|                  |           | TWA              | 3 ppm<br>6 mg/m3          | OSHA Z-1  |
| sodium hydroxide | 1310-73-2 | С                | 2 mg/m3                   | ACGIH     |
|                  |           | С                | 2 mg/m3                   | NIOSH REL |
|                  |           | TWA              | 2 mg/m3                   | OSHA Z-1  |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

916759-03 5 / 12

## **BRIGHT BLAST**

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Color : colorless colorless

Odor : sweet aromatic

pH : 13.25, 100 % 12.75 - 13.0

Flash point : 82 °C closed cup, Sustains combustion

Odor Threshold : No data available Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available

Relative density : 1.06
Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

916759-03 6 / 12

## **BRIGHT BLAST**

Autoignition temperature : No data available

Thermal decomposition : No data available

Viscosity, kinematic : 0.945 mm2/s (40 °C)

Explosive properties : No data available
Oxidizing properties : No data available
Molecular weight : No data available
VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

916759-03 7 / 12

## **BRIGHT BLAST**

Chronic Exposure : Health injuries are not known or expected under normal use.

## Experience with human exposure

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

## **Toxicity**

**Product AS SOLD** 

Acute oral toxicity : Acute toxicity estimate : 3,695 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 31.6 mg/l

Acute dermal toxicity : Acute toxicity estimate : 3,095 mg/kg

Skin corrosion/irritation : Causes severe burns.

Serious eye damage/eye

irritation

: Irreversible effects on the eye

Respiratory or skin

sensitization

: No data available

Carcinogenicity

IARC No component of this product present at levels greater than or equal

to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

# **SECTION 12. ECOLOGICAL INFORMATION**

916759-03 8 / 12

## **BRIGHT BLAST**

**Product AS SOLD Ecotoxicity** 

**Environmental Effects** : Harmful to aquatic life.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Ingredients

Toxicity to fish : 2-butoxyethanol

96 h LC50: 1,474 mg/l

alcohol ethoxylate 96 h LC50 Fish: 1.5 mg/l

Ingredients

Toxicity to daphnia and other : 2-butoxyethanol aquatic invertebrates

48 h EC50: 690 mg/l

ethanolamine

48 h EC50 Daphnia: 65 mg/l

sodium hydroxide 48 h EC50: 40 mg/l

Ingredients

Toxicity to algae : 2-butoxyethanol

72 h EC50: 911 mg/l

Sodium Xylenesulfonate 96 h EC50: 230 mg/l

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : The product should not be allowed to enter drains, water courses or

> the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

9/12 916759-03

## **BRIGHT BLAST**

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

#### **Product AT USE DILUTION**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3266

Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.

(sodium hydroxide, monoethanolamine)

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3266

Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(sodium hydroxide, monoethanolamine)

Class : 8
Packing group : II
Marine pollutant : no

## **Product AT USE DILUTION**

Not intended for transport.

# **SECTION 15. REGULATORY INFORMATION**

# **Product AS SOLD**

# **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

| Ingredients      | CAS-No.   | Component RQ (lbs) | Calculated product RQ |
|------------------|-----------|--------------------|-----------------------|
|                  |           |                    | (lbs)                 |
| sodium hydroxide | 1310-73-2 | 1000               | 19980                 |

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

916759-03 10 / 12

## **BRIGHT BLAST**

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-butoxyethanol 111-76-2 24.9125 %

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On TSCA Inventory

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

# Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

# New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

# Japan. ISHL - Inventory of Chemical Substances :

not determined

## Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

## China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory


## **SECTION 16. OTHER INFORMATION**

# **Product AS SOLD**

916759-03 11 / 12

# **BRIGHT BLAST**


### NFPA:



#### HMIS III:

| HEALTH          | 3 |
|-----------------|---|
| FLAMMABILITY    | 2 |
| PHYSICAL HAZARD | 0 |

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Issuing date : 08/20/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

916759-03 12 / 12