Safety Data Sheet

1585BRDY



1 Material and Supplier Identification

Product Name:	S2 Rust Spotter				
Description:	Rust Remover				
Recommended use of the Use only for the purpose on product label. This product is not intended to be u prior dilution if specified on product label.					
Supplier's Information: Brady Industries 7055 Lindell Rd Las Vegas, NV 89118 800-293-4698 (Customer Service)					
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chemtel 24 hrs)				
2 Hazards Identification					
Classification of Mixture:	Serious Eye Irritation: Category 2A Pictogram Skin Corrosion: Category 1C				
Signal Word:	DANGER				
Hazard Statements:	Causes severe skin burns and eye damage.				
Precautionary Statements					
General:	KEEP OUT OF REACH OF CHILDREN. Read label before use.				
Prevention:	Do not breath vapors. Wash hands thoroughly after handling. Wear protective gloves and eye protection.				
Response: IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin wit irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lense easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If pro call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention in					

3 Composition/Information on Ingredients

Hazardous Ingredients	CAS Number	Concentration Range %
Oxalic Acid	144-62-7	1-4
Citric Acid	77-92-9	1-5

4 First Aid Measures	3
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

6 Accidental Release Measures

Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.
	See Section 10 for incompatible materials.
	See Section 10 for incompatible materials.

8 Exposure Controls/Personal Protection			
Control Parameters:			
Hazardous Ingredients	ACGIH TLV	OSHA PEL	NIOSH IDLH
Oxalic Acid	N/A	N/A	N/A
Citric Acid	N/A	N/A	N/A

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.		
Personal Protection			
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.		
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.		
Skin Protection:	Use apron if splashing or spray-back is likely.		
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.		
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.		

9 Physical and Chemical Properties

Physical State: Color: Odor: pH:	liquid Clear Peppermint <2	Specific Gravity: Evaporation Rate: Solubility in Water: VOC (g/L):	1.026 <1 Complete <10 g/L	Vapour Pressure (mm Hg): Vapour Density: Freezing Point (°F): Boiling Point (°F): Flash Point (°F):	< 17 mm Hg >1 < 32 > 212 > 200
		< means less than	>	means greater than	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxological Information

•				
Symptoms:				
Eye Contact:	Adverse symptoms	may include the fol	lowing: irritation, watering	g, redness
Skin Contact:	Adverse symptoms may include the following: irritation, redness			
Inhalation:	Adverse symptoms may include the following: respiratory tract irritation, coughing			
Ingestion:	Adverse symptoms	may include the fol	lowing: stomach pains	
Acute Toxicity:				
Eye Contact:	Causes serious eye	-		
Skin Contact:	Causes severe burr			
Inhalation:	Causes severe resp	•		
Ingestion:	Causes burns to mo	outh, throat and sto	mach	
Toxicity Data:				
Hazardous Ingredients	<u>Resu</u>		pecies	Dose
Oxalic Acid			at	475 mg/kg
Citric Acid			abbit	2000 mg/kg
Citric Acid	LD50	Oral H	at	5400 mg/kg
Chronic Effects:	No known significa	nt effects or critical	hazards	
12 Ecological Information				
Ecotoxicity:	No data available.			
Aquatic Toxicity:				
Hazardous Ingredients	Resu		ies	Dose
Oxalic Acid		ata Available		
Citric Acid	LC50			440 mg/l
	EC5	D Daph	nia	1534 mg/l
Other Adverse Effects:	No known significa	nt effects or critical	hazards.	
13 Disposal Consideration	าร			
Disposal Methods:	Disposal			
14 Transportation Informa	tion			
Certain shipping modes or package	ge sizes may have exce	ptions from the trar	nsport regulations.	
The classification provided may n	ot reflect those exception	ns and may not ap	ply to all shipping modes	or package sizes.
Ground Transport				
DOT Classification:	Regulated			
UN Number:	1760			
Transport Hazard Class:	8			
Packaging Group:	111			
Hazardous Division:	Corrosive liquid, n.	0.5		
	•			
Hazardous Contents:	Contains Oxalic Ac			
15 Regulatory Information				
SARA Title III:	No			
California Proposition 65:	No			
Other Regulations:				
16 Other Information				
HMIS/NFPA Hazard Rating:	Health: 1	Flammability: 0	Reactivity: 0	
11/17/2017 1585BRE)Υ		S2 Rust Spotter	Page 4 of 5
			•	<u> </u>

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Brady Industries.

SDS Revision Date: 8/31/2017