

# MATERIAL SAFETY DATA SHEET

Page 1 of 4

# 1. PRODUCT AND COMPANY IDENTIFICATION

NAME: MIXMATE SANITATION SYSTEM SHURGUARD ULTIMATE

**USE:** QUAT SANITIZER

LABEL BRAND: U S CHEMICAL

MSDS # 5199098M CODE # 5199119, 5199160, 5392242, 5497407

USCHEMICAL, 316 HART STREET, WATERTOWN, WI 53094 USA

MEDICAL EMERGENCY #: 1-866-923-4913 USA SPILL EMERGENCY #: 1-800-424-9300 USA

PRODUCT INFORMATION #: 1-800-558-9566 (8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)

INTERNET ADDRESS: www.uschemical.com

REVIEWED 6-14-10 REVISED 6-14-10 SECTION REVISED: 1

# 2. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW:**

DANGER. CORROSIVE LIQUID. CAUSES EYE AND SKIN BURNS.

HARMFUL OR FATAL IF SWALLOWED.



PRINCIPLE ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION.

#### POTENTIAL ACUTE HEALTH EFFECTS

EYES: CORROSIVE. CAUSES EYE BURNS. MAY CAUSE PERMANENT DAMAGE INCLUDING BLINDNESS

WITHOUT IMMEDIATE FIRST AID TREATMENT.

SKIN: CORROSIVE. CAUSES SKIN BURNS. MAY CAUSE PERMANENT DAMAGE.

HARMFUL CONTACT MAY NOT CAUSE IMMEDIATE PAIN.

INHALATION: CORROSIVE. INHALATION OF MISTS MAY CAUSE CORROSIVE EFFECTS TO NOSE, THROAT,

AND RESPIRATORY SYSTEM.

**INGESTION:** CORROSIVE. MAY CAUSE BURNS TO MOUTH, THROAT AND STOMACH.

HARMFUL OR FATAL IF SWALLOWED.

MEDICAL CONDITIONS AGGRAVATED: NONE KNOWN.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| HAZARDOUS INGREDIENT                               | CAS#       | % BY WT   | LC50/LD50 |
|--|------------|-----------|-----------|
| OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE             | 32426-11-2 | 2.250     | N.AV.     |
| DIOCTYL DIMETHYL AMMONIUM CHLORIDE                 | 5538-94-3  | 1.125     | N.AV.     |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE                 | 7173-51-5  | 1.125     | N.AV.     |
| ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE            | 68424-85-1 | 3.000     | N.AV.     |
| ETHYL ALCOHOL                                      | 64-17-5    | BELOW 2.0 | N.AV.     |
| STATE RIGHT TO KNOW: THIS PRODUCT CONTAINS: EXEMPT |            |           |           |

### 4. FIRST AID MEASURES

Page 2 of 4

**EYES:** HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15 – 20 MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AFTER FIRST FIVE MINUTES, THEN CONTINUE RINSING EYE. **SKIN:** TAKE OFF CONTAMINATED CLOTHING. RINSE SKIN IMMEDIATELY WITH PLENTY OF WATER FOR 15 – 20 MINUTES.

INHALATION: MOVE PERSON TO FRESH AIR. IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY BY MOUTH –TO –MOUTH. INGESTION: CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. HAVE PERSON SIP A GLASS OF WATER IF ABLE TO SWALLOW. DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO BY A POISON CONTROL CENTER OR DOCTOR. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING POISON CENTER OR DOCTOR OR GOING FOR TREATMENT.

ADMINISTER FIRST AID TREATMENT AS STATED ABOVE, THEN CALL 1-866-923-4913 OR CONTACT PHYSICIAN FOR FURTHER MEDICAL INSTRUCTIONS.

**NOTE TO PHYSICIAN:** CALL 1-866-923-4913 FOR ASSISTANCE WITH THE MANAGEMENT OF EXPOSURES. PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE.

### 5. FIRE-FIGHTING MEASURES

FLAMMABILITY: NO HAZARD.

FLASH POINT: N.AP.

**PRODUCTS OF COMBUSTION: SEE SECTION 10.** 

**SUITABLE EXTINGUISHING MEDIA:** FOR FIRES IN AREA, USE APPROPRIATE MEDIA. FOR EXAMPLE: WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, OR ALCOHOL FOAM. **SPECIFIC HAZARDS:** CORROSIVE PRODUCT MAY REACT WITH CERTAIN METALS. SEE 8. AND 10.

SPECIFIC METHODS: NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.

# 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: PUT ON PERSONAL PROTECTIVE EQUIPMENT. SEE SECTION 8. SPILL RESPONSE: EVACUATE UNPROTECTED PERSONNEL FROM AREA. WEAR PROPER PROTECTIVE EQUIPMENT INCLUDING RUBBER BOOTS. VENTILATE AREA IF NEEDED. STOP LEAK IF YOU CAN DO SO WITHOUT RISK. DIKE OR DAM LARGE SPILLS. AVOID DIRECT DISCHARGE TO SEWER AND SURFACE WATERS. PUMP OR SCOOP TO CONTAINER OR SOAK UP WITH NON-COMBUSTIBLE INERT ABSORBENT MATERIALS. AFTER SPILL COLLECTION, RINSE AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES. BE CAREFUL AS SPILLS ARE SLIPPERY.

# 7. HANDLING AND STORAGE

**HANDLING:** FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INHALATION, INGESTION, AND CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT TASTE OR SWALLOW. REMOVE AND WASH CONTAMINATED CLOTHING AND FOOTWEAR BEFORE RE-USE. PRODUCT RESIDUE MAY REMAIN IN EMPTY CONTAINERS. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER.

**STORAGE**: ROTATE STOCK REGULARLY. KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F. PROTECT FROM FREEZING. STORAGE AT AMBIENT TEMPERATURES IN A DRY AREA OUT OF DIRECT SUNLIGHT IS RECOMMENDED. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF CHILDREN'S REACH.

### MIXMATE SANITATION SYSTEM SHURGUARD ULTIMATE MSDS # 5199098M

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Page 3 of 4

**EXPOSURE LIMITS:** ETHYL ALCOHOL = 1000 PPM TWA (ACGIH/OSHA)

**ENGINEERING CONTROLS:** NONE REQUIRED. GENERAL ROOM VENTILATION IS ADEQUATE.

#### PERSONAL PROTECTION

EYES: SPLASH PROOF SAFEY GLASSES, SAFETY GOGGLES AND AN EYE WASH STATION. HANDS: CHEMICAL RESISTANT GLOVES: RUBBER OR NEOPRENE. LONG TYPE IF NEEDED. **RESPIRATORY:** IF MISTS/VAPORS ARE NOT CONTROLLED BY VENTILATION, WEAR SUITABLE RESPIRATOR. FEET: WEAR PROTECTIVE FOOTWEAR DURING SPILL CLEAN-UP & WHEN EXPOSURE IS POSSIBLE.

**BODY:** IF MAJOR EXPOSURE IS POSSIBLE, WEAR FULL-COVER PROTECTIVE CLOTHING.

# PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT: N.AP. **COLOR:** YELLOW

**ODOR:** NONE UEL: N.AP. pH CONCENTRATE: 7.0 LEL: N.AP.

pH @ 2500 PPM SOLUTION: N.AP.

**EVAPORATION RATE:** N.AP. pH @ USE DILUTION: N.AP. **ODOR THRESHOLD: N.AP** PHYSICAL STATE: LIQUID **VAPOR PRESSURE:** N.AP **SPECIFIC GRAVITY**: 0.995 VAPOR DENSITY: N. AP. **VISCOSITY: NON-VISCOUS** COEFF. OIL/WATER: N.AP.

**BOILING POINT:** N.AP. WATER SOLUBILITY: COMPLETE

**MELTING POINT:** N.AP. OTHER: N.AP.

# 10. STABILITY AND REACTIVITY

**STABLE**: YES

CONDITIONS TO AVOID: AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F.

MATERIALS TO AVOID: AVOID MIXING DIRECTLY WITH ANY OTHER CLEANING PRODUCT. AVOID ACIDS AND VARIOUS METALS (ALUMINUM, ZINC, TIN, BRASS OR BRONZE) WHICH CAN GENERATE FLAMMABLE HYDROGEN GAS. MIX ONLY WITH WATER, UNLESS RTU.

**DECOMPOSITION PRODUCTS:** FIRE OR MIXING WITH INCOMPATIBLE MATERIALS MAY

PRODUCE OXIDES OF CARBON AND OTHER TOXIC OR IRRITATING FUMES.

POSSIBILITY OF HAZARDOUS REACTIONS: AVOID MIXING DIRECTLY WITH ACIDS.

# 11. TOXICOLOGICAL INFORMATION

**ACUTE EFFECTS:** CORROSIVE. SEE SECTION 2.

CHRONIC EFFECTS: NONE KNOWN. NO REPORTABLE, CARCINOGENS, MUTAGENS, SENSITIZERS, SYNERGISTIC MATERIALS, TERATOGENS, OR REPRODUCTIVE TOXINS.

LC50/LD50: N.AV.

TARGET ORGANS: EYES, SKIN, RESPIRATORY SYSTEM.

OTHER TOXIC EFFECTS: NONE KNOWN.

# 12. ECOLOGICAL INFORMATION

Page 4 of 4

NOT AVAILABLE.

### 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: UNDILUTED PRODUCT IS REGULATED UNDER ENVIRONMENTAL AND TRANSPORTATION LAWS AS A CORROSIVE WASTE (RCRA CLASS D002). DISPOSE OF ACCORDING TO ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS. CONSULT STATE AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. MANAGE CHEMICAL WASTES THROUGH AN APPROVED WASTE TREATMENT FACILITY. DO NOT REUSE EMPTY CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE DISCARDING CONTAINER IN ACCORDANCE WITH CURRENT LOCAL COMMUNITY CODES. PLEASE RECYCLE EMPTY CONTAINER WHENEVER POSSIBLE.

## 14. TRANSPORT INFORMATION

DOT/TDG: CONSUMER COMMODITY. ORM-D

**DOT RQ:** N.AP. **DOT ERG #:** 153

**DESCRIPTION FOR PACK SIZES LARGER THAN 1 GALLON:** 

UN1903, DISINFECTANTS, LIQUID, CORROSIVE, N.O.S. (QUATERNARY AMMONIUM CHLORIDE), 8, III

# 15. REGULATORY INFORMATION

EPA CERCLA RQ: N.AP.

**EPA REGISTERED**: YES (10324-81-7546)

**EPA VOC:** 1.13%

EPA VOC RULE: PRODUCT COMPLIES WITH THE EPA VOC EMISSIONS STANDARD.

**OSHA HAZARDOUS:** YES

**PHOSPHORUS CONTENT: 0.00%** 

PROPOSITION 65: N.AP.

SARA 311/312 HAZARDS: ACUTE SARA 313 CHEMICALS: N.AP.

**STATE RIGHT TO KNOW:** SEE SECTION 3 FOR STATE RTK CHEMICAL NAMES. **TSCA INVENTORY STATUS:** ALL COMPONENTS ARE LISTED ON THE INVENTORY.

## 16. OTHER INFORMATION

NFPA RATING: HEALTH-3/FLAMMABILITY-0/REACTIVITY-0/SPECIAL HAZARD-N.AP.

HMIS RATING: HEALTH-3/FLAMMABILITY-0/REACTIVITY-0/PERSONAL PROTECTION-SEE 8.0

N.AV. = NOT AVAILABLE N.AP. = NOT APPLICABLE PREPARED BY: HEALTH AND SAFETY

### NOTICE TO READER

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.