

**OSHA'S HAZARD COMMUNICATION STANDARD
U.S. DEPARTMENT OF LABOR
MATERIAL SAFETY DATA SHEET
MSDS**

29 CFR 1910.1200
IDENTITY NO: MPMW1600B

OMB NO: 1218-0072
NAME: MASTERPIECE BLACK MARBLE WAX

SECTION 1

MANUFACTURER'S/SHIPPER'S NAME: MASTERPIECE INDUSTRIES PRODUCTS
ADDRESS: 6683 SCHUSTER STREET **PHONE:** (702) 656-9767
CITY: LAS VEGAS **STATE:** NEVADA **CONTACT:** KEN WILLIAMS
DATE PREPARED: 4/15/02 **EMERGENCY PHONE (CHEMTREC):** (800) 424-9300

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
HYDROCARBON MIXTURE	8002-05-9	500PPM	500	
SOLVENT BLEND	64742-99-7N/E	N/	74%	
MINERAL SPIRITS	64742-95-6			
POLYETHYLENEHOMOPOLYMER	9002-88-3			

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 318-388° F **SPECIFIC GRAVITY:** 0.797 (h₂o=1)
VAPOR PRESSURE: 5.3 @100° F (mm hg) **MELTING POINT:** 250° F
VAPOR DENSITY: 4.1 (air=1) **EVAPORATION RATE:** N/A
SOLUBILITY IN WATER: N/A
APPEARANCE AND ODOR: WHITE OR BLACK "SWEET" WAX ODOR

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 106° F (TCC) **FLAMMABLE LIMITS:** % VOLUME IN AIR
LEL: 1 **UEL:** 7
pH: N/A **DOT #:** ORM-D
NFPA HAZARD RATING **H** **F** **R** **S**
(0=LEAST, 4=EXTREME) 1 1 0 0

EXTINGUISHING MEDIA: WATER FOG, DRY CHEMICAL, OR CO₂. **DO NOT** USE DIRECT STREAM OF WATER
SPECIAL FIRE FIGHTING PROCEDURES: DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR,
INCLUDING A POSITIVE NIOSH APPROVED SELF-CONTAINED APPARATUS. COOL FIRE EXPOSED CONTAINERS
WITH WATER

UNUSUAL FIRE AND EXPLOSION HAZARDS: CONTAINERS EXPOSED TO FIRE SHOULD BE COOLED WITH
WATER TO PREVENT VAPOR PRESSURE BUILD-UP WHICH COULD RESULT IN CONTAINER RUPTURE.

SECTION 5 - REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: AVOID HEAT, SPARKS, FLAMES
INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: NONE
HAZARDOUS POLYMERIZATION: NONE

SECTION 6 - HEALTH HAZARD DATA

MPMW1600B Page 2

ROUTES OF ENTRY

INHALATION: N/A

INGESTION: POSSIBLE

SKIN: POSSIBLE

HEALTH HAZARDS: SAME SIGNS & SYMPTOMS OF EXPOSURE

OSHA CARCINOGENICITY: NONE

NTP: NONE

IARC MONOGRAPHS: NONE

SIGNS & SYMPTOMS OF OVER EXPOSURE

EYES: IRRITATION

SKIN: DRYING

INGESTION: BURNING, IRRITATION

INHALATION: IRRITATION

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

SAME AS SIGNS AND SYMPTOMS OF OVER EXPOSURE.

EMERGENCY FIRST AID PROCEDURES:

EYES: FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS CALL PHYSICIAN.

SKIN: WASH WITH SOAP AND WATER.

INGESTION: DO NOT INDUCE VOMITING. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO THE LUNGS. GET MEDICAL HELP.

INHALATION: N/A (PASTE PRODUCT)

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: ELIMINATE POTENTIAL IGNITION. DIKE AND CONTAIN. SOAK UP USING AN ABSORBENT MATERIAL SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL.

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL, DRY PLACE.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. FOLLOW DIRECTIONS ON THE CONTAINER FOR PROPER USE OF THIS PRODUCT.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: NORMALLY NOT REQUIRED.

VENTILATION: LOCAL EXHAUST: IF AVAILABLE

SPECIAL: NONE

MECHANICAL: IF AVAILABLE

OTHER: NONE

PROTECTIVE GLOVES: NOT REQUIRED

EYE PROTECTION: NOT REQUIRED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: CHEMICAL RESISTANT CLOTHING

WORK HYGENIC PRACTICES: USE COMMON SENSE AND CARE AROUND CHEMICALS. NEVER MIX CHEMICALS. CONSULT YOUR SUPERVISOR FOR OTHER PRACTICES. ALL PRACTICES DEPEND ON YOUR SPECIFIC BUSINESS. DIRECTIONS FOR USE ARE NORMALLY FOUND ON LABEL WHICH WILL DICTATE ENGINEERING AND CONTROL MEASURES.

OTHER SPECIAL REQUIREMENTS: NONE

