Material Safety Data Sheet



QC 91 ACID BATHROOM CLEANER

Section 1. Chemical product and company identification

Trade name	: QC 91 ACID BATHROOM CLEANER
Product use	: Cleaning product
Supplier	: Ecolab, Professional Products Division
	370 Wabasha Street N
	St. Paul MN 55102
	5105 Tomken Road
	Mississauga ON L4W 2X5
	1-800-352-5326
Code	: 903544
Date of issue	: 19-September-2005
	EMERGENCY HEALTH INFORMATION: 1-800-328-0026 Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, Information on Ingredients

Name	CAS number% by weight		
Phosphoric acid	7664-38-2	15 - 40	
2-(2-butoxyethoxy)ethanol	112-34-5	10 - 30	
citric acid	77-92-9	10 - 30	
alcohols, c10-14, ethoxylated	66455-15-0	7 - 13	
amines, coco alkyldimethyl, n-oxides	61788-90-7	0.5 - 1.5	

Section 3. Hazards identification

Physical state	uid. (Liquid.)	
Emergency overview	NGER!	
	USES RESPIRATORY	TRACT, EYE AND SKIN BURNS.
	RMFUL IF SWALLOW	ED.
		in eyes, on skin or clothing. Do not breathe vapour or ed. Use only with adequate ventilation. Wash thoroughly
Routes of entry	in contact, Eye contact,	Inhalation, Ingestion
Potential acute health effect		
Eyes	rrosive to eyes.	
Skin	rrosive to the skin.	
Inhalation	rrosive to the respirator	y system.
Ingestion	rmful if swallowed. Car	uses burns to mouth, throat and stomach.
O = + + + + + + + + + + + + + + + + + +	4	

See toxicological Information (section 11)

Section 4. First aid measures

Eye contact	 In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Obtain medical attention immediately.
Skin Contact	In case of contact, immediately flush skin copiously with water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Obtain medical attention immediately.
Inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention immediately.
Ingestion	: Rinse mouth; then drink one or two large glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Obtain medical attention immediately.

Section 5. Fire fighting measures

: Not available.
: > 100°C
Not available.
Not available.
: Not available.
: Use an extinguishing agent suitable for surrounding fires.
Dike area of fire to prevent product run-off.
No specific hazard.
 Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Section 6. Accidental release measures

Personal Precautions	: Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas.
Environmental precautions Methods for cleaning up	 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material
	in an appropriate container for disposal

Section 7. Handling and storage

Handling	:	Do not ingest. Do not get in eyes, on skin or on clothing. Keep container closed. Use only with adequate ventilation. Do not breathe vapour or mist. Wash thoroughly after handling.
Storage	:	Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, well- ventilated area. Store between 10 and 50°C
Section 8.	E	xposure Controls, Personal Protection
Engineering controls	:	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protect	ion	
Eyes	:	Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.
Hands	:	Use chemical resistant, impervious gloves.
Skin	:	Use synthetic apron, other protective equipment as necessary to prevent skin contact.
Respiratory	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
<u>Name</u>		Exposure limits
Phosphoric acid		ACGIH TLV (United States, 9/2004).
		STEL: 3 mg/m ³ 15 minute(s) Form: All forms

TWA: 1 mg/m³ 8 hour(s). Form: All forms

Section 9. Physical and chemical properties

Physical state	: Liquid. (Liquid.)
Colour	: Green. (Dark.)
Odour	: Fragrance-like.
pH	: 0.1 (100%)
Boiling/condensation point	: 100 °C
Melting/freezing point	: Not available.
Specific gravity	: 1.264 (Water = 1)
Vapour pressure	: Not applicable.
Vapour density	: Not available.
Odour threshold	: Not available.
Evaporation rate	: Not available.
LogKow	: Not available.

Section 10. Stability and reactivity

Stability	:	The product is stable.
Conditions of instability	:	Not available.
Reactivity	:	Reactive with alkalis.
Incompatibility with various substances	:	Incompatible with chlorinated solvents.
Hazardous Decomposition Products	:	Not available.

Section 11. Toxicological information

Potential acute health effects

i otential acute nealth en	<u>eci</u> s								
Eyes	Corrosive to eyes.								
Skin	: Corrosive to the skin.								
Inhalation	: Corrosive to the respiratory system.								
Ingestion	Harmful if swallowed. Causes burns to mouth, throat and stomach.								
Irritancy of Product	: Hazardous by WHMIS criteria.								
Potential chronic health	<u>effect</u> s								
Carcinogenic effects	: No known sig	gnificant effects or	critical hazards.						
Mutagenic effects	: No known si	gnificant effects of	r critical hazards.						
Teratogenic effects	: No known sig	gnificant effects or	critical hazards.						
Reproductive effects	: No known si	gnificant effects or	r critical hazards.						
Sensitization to Product	: No known si	gnificant effects or	r critical hazards.						
Synergistic Products	: Not available).							
(Toxicologically)									
Toxicity data									
Ingredient name	Test	Result	Route	<u>Species</u>					
Phosphoric acid	LD50	1530 mg/kg	Oral	Rat					
	LD50	2740 mg/kg	Dermal	Rabbit					
2-(2-butoxyethoxy)ethanol		5660 mg/kg	Oral	Rat					
	LD50	2200 mg/kg	Oral	Rabbit					
	LD50	2400 mg/kg	Oral	Mouse					
	LD50	2700 mg/kg	Dermal	Rabbit					
citric acid	LD50	5040 mg/kg	Oral	Mouse					
Target organs :	Contains material white respiratory tract, skin,			organs: lungs, upper					

Section 12. Ecological information

Ecotoxicity data Ingredient name

Species

2-(2-butoxyethoxy)ethanol

Lepomis macrochirus (LC50)

Products of degradation

Period 96 hour(s) Result 1300 mg/l

: These products are carbon oxides (CO, CO₂) and water, phosphates.

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional Information
TDG Classification	UN1805	PHOSPHORIC ACID, LIQUID	8	111	Passenger Carrying Road or Rail Index 5

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

WHMIS

: Class E: Corrosive material.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Section 16. Other information

Date of issue

: 19-September-2005.

Responsible name

- 2 **Regulatory Affairs**
- Date of previous issue
- : 19-September-2005.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.