

The MSDS format adheres to the standards and regulatory requirements of the United States and may not meet regulatory requirements in other countries. DuPont 1 Page Material Safety Data Sheet DuPont(TM) RelyOn(TM) Multi-Purpose Disinfectant Cleaner (Powder/Tablets) ANTEC05 Revised 26-JUN-2006 \_\_\_\_\_ \_\_\_\_\_ CHEMICAL PRODUCT/COMPANY IDENTIFICATION \_\_\_\_\_ Material Identification RelyOn is a registered trademark of DuPont. Company Identification MANUFACTURER/DISTRIBUTOR DuPont Chemical Solutions Enterprise 1007 Market Street Wilmington, DE 19898 PHONE NUMBERS Product Information : 1-800-441-7515 (outside the U.S. 302 - 774 - 1000)Transport Emergency : CHEMTREC 1-800-424-9300(outside U.S. 703-527-3887) Medical Emergency : 1-800-441-3637 (outside the U.S. 302 - 774 - 1000)COMPOSITION/INFORMATION ON INGREDIENTS Components Material CAS Number % Potassium Peroxymonosulfate 70693-62-8 <50 Sulfamic Acid 5329-14-6 5-10 Potassium Persulfate 7727-21-1 <2 Unique Label Statements \_\_\_\_\_ HAZARDS IDENTIFICATION \_\_\_\_\_ Potential Health Effects Eye contact with product diluted in water according to package directions (1% solution) is not an eye irritant. Eye contact with dry powder may cause eye corrosion or ulceration. Severe eye damage may result if not immediately treated. Skin contact with product diluted in water according to package directions (1% solution) is not a skin irritant. Skin contact with dry powder may cause skin burns or ulceration. In rare cases, skin contact with dry powder may

### DuPont Material Safety Data Sheet

## (HAZARDS IDENTIFICATION - Continued)

cause an allergic skin reaction in sensitive individuals.

Ingestion of this product may cause gastritis, with stomach pain, nausea, vomiting, diarrhea, headache or weakness; possibly progressing to necrosis or hemorrhage with gross overexposure.

Inhalation of this product may cause nose bleed or irritation of the upper respiratory passages, with coughing, sneezing, runny nose and sore throat. Gross overexposure may cause ulceration of mucous membranes.

Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

```
FIRST AID MEASURES
First Aid
```

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for further treatment advice.

IF IN EYES: Hold eye open & rinse slowly & gently with water for 15-20 minutes. Remove contact lenses, if present after 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for further treatment advice.

IF INHALED: Move person to fresh air. If person in not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

IF SWALLOWED: Call Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

# \_\_\_\_\_ FIRE FIGHTING MEASURES Extinguishing Media Dry Powder (Sand or Met-L-X), CO2. Fire Fighting Instructions Evacuate personnel to a safe area. Wear self-contained breathing apparatus (SCBA) and full protective equipment. \_\_\_\_\_ ACCIDENTAL RELEASE MEASURES \_\_\_\_\_ Safeguards (Personnel) NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up. Spill Clean Up Sweep, shovel, vacuum or scoop up into suitable containers for disposal. Prevent tablets from becoming moist while awaiting disposal. Moist product must be kept away from combustible material and stored in a manner that allows suitable ventilation of the waste. \_\_\_\_\_ HANDLING AND STORAGE Handling (Personnel) Do not get in eyes, on skin or clothing. Avoid inhalation. Wash thoroughly after handling. Wash contaminated clothing prior to reuse. Storage Store in a cool, dry place. Keep containers tightly sealed and avoid coming into contact with moisture. ------EXPOSURE CONTROLS/PERSONAL PROTECTION Engineering Controls Use only with adequate ventilation. Personal Protective Equipment EYE/FACE PROTECTION

## (EXPOSURE CONTROLS/PERSONAL PROTECTION - Continued)

Wear coverall chemical splash goggles. Additionally, wear a face shield where the possibility exists for face contact due to splashing or spraying of material.

RESPIRATORS Wear NIOSH approved respiratory protection as appropriate.

### PROTECTIVE CLOTHING

Where there is potential for skin contact have available and wear as appropriate impervious gloves, apron, pants, jacket, hood and boots.

Exposure Guidelines

```
Applicable Exposure Limits
  Potassium Peroxymonosulfate
  PEL.
       (OSHA)
                      : None Established
  TLV
       (ACGIH)
                      : None Established
                     : 1 mg/m3, total dust, 8 & 12 Hr. TWA
  AEL * (DuPont)
  Sulfamic Acid
  PEL (OSHA)
                      : None Established
                      : None Established
       (ACGIH)
  TLV
                       : 0.5 mg/m3, 8 & 12 Hr. TWA
1.5 mg/m3, 15 minute TWA
  AEL * (DuPont)
  Potassium Persulfate
                        : 0.1 mg/m3, 8 Hr. TWA
  TLV (ACGIH)
  * AEL is DuPont's Acceptable Exposure Limit. Where governmentally
  imposed occupational exposure limits which are lower than the AEL
  are in effect, such limits shall take precedence.
        PHYSICAL AND CHEMICAL PROPERTIES
_____
Physical Data
  Boiling Point: Decomposes on heating
  Solubility in Water: ~12 tablets/litre @ 20 deg C
  pH: 2.5-3.0
  Form: Tablet
  Color: Yellow
  Odor: No distinct odor.
  Specific Gravity: ~1.07
```

```
_____
STABILITY AND REACTIVITY
             _____
Chemical Stability
  Stable at normal temperatures and storage conditions.
Incompatibility with Other Materials
  Incompatiblity with strong alkalies and moisture. When wet
  reacts slowly in solution to make small amount of
  hypochlorous acid or hypochlorite, depending on pH.
Decomposition
  Hazardous decomposition products are: sulfur dioxide and
  chlorine under extreme conditions if powder is allowed to
  become damp through incorrect storage or long exposure to
  the atmosphere.
Polymerization
  Polymerization will not occur.
 _____
DISPOSAL CONSIDERATIONS
         Waste Disposal
  Treatment, storage, transportation, and disposal must be in
  accordance with applicable Federal, State/Provincial, and Local
  regulations.
  _____
TRANSPORTATION INFORMATION
Shipping Information
 Not Regulated as a hazardous material by DOT, IMO, or IATA.
_____
REGULATORY INFORMATION
U.S. Federal Regulations
  TSCA Inventory Status : Listed.
```

NPCA-HMIS Rating	
Health	: 3
Flammability	: 0
Reactivity	: 0
Additional Informati	.on
EPA Reg. No. 7165	54-7
	Material Safety Data Sheet relates only to the
specific material	any other material or in any process.
specific material combination with	designated herein and does not relate to use i
specific material combination with Responsible for M	designated herein and does not relate to use i any other material or in any process.
specific material combination with Responsible for M >	. designated herein and does not relate to use i any other material or in any process. ISDS : MSDS Coordinator

End of MSDS

reliable. It is subject to revision as additional knowledge and experience is gained.

Page 6