Material Safety Data Sheet



QUIK FILL 310

Section 1. Chemical product and company identification

QUIK FILL 310 Trade name Cleaning product Product use

: Ecolab, Professional Products Division Supplier

> 370 Wabasha Street N St. Paul MN 55102 5105 Tomken Road Mississauga ON L4W 2X5

1-800-352-5326

: 903568 Code

Date of issue : 21-October-2005

> **EMERGENCY HEALTH INFORMATION: 1-800-328-0026** Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, information on ingredients

CAS number% by weight Name

alcohols, c9-11, ethoxylated 68439-46-3 7 - 13

Section 3. Hazards identification

Physical state : Liquid. (Liquid.) **Emergency overview** : CAUTION!

MAY CAUSE EYE AND SKIN IRRITATION.

Avoid contact with skin and clothing. Wash thoroughly after handling.

Routes of entry : Skin contact, Eye contact, Inhalation, Ingestion

Potential acute health effects

Eves : Moderately irritating to eyes. Skin : Moderately irritating to the skin.

Inhalation No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

See toxicological information (section 11)

Section 4. First-aid measures

: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and Eye contact

continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation

; Wash with soap and water. Get medical attention if irritation occurs. Wash clothing before Skin Contact

reuse.

Inhalation : If inhaled, remove to fresh air.

: Do not induce vomiting unless directed to do so by medical personnel. Never give anything by Ingestion

mouth to an unconscious person. If potentially dangerous quantities of this material have been

swallowed, call a physician immediately.

Section 5. Fire-fighting measures

Auto-ignition temperature : Not available.

Flash point : > 100°C Product does not support combustion.

Flammable limits

Upper: Not available. Lower: Not available.

Products of combustion : Not available.

: Use an extinguishing agent suitable for the surrounding fire. Fire-fighting media and

instructions

QUIK FILL 310 Page: 2/4

Dyke area of fire to prevent runoff.

No specific hazard.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Risk of explosion of the product in the presence of mechanical impact: Not available. Risk of explosion of the product in the presence of static discharge: Not available.

Section 6. Accidental release measures

Personal **Precautions** : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas.

Environmental precautions **Methods for**

cleaning up

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

: If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Section 7. Handling and storage

Handling

: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage

: Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, well-

ventilated area.

Store between 0 and 50°C

Section 8. Exposure controls, personal protection

Engineering

: Good general ventilation should be sufficient to control airborne levels.

controls

Personal protection

Eyes : Eye protection recommended.

Hands : For prolonged or repeated handling, use Impervious gloves. : No protective equipment is needed under normal use conditions. Skin : No protective equipment is needed under normal use conditions. Respiratory

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

: Liquid. (Liquid.) Physical state Colour : Orange. citrus (Slight.) Odour 7 (100%) Hq **Boiling/condensation point** : 100 °C Melting/freezing point : Not available. Specific gravity : 1 (Water = 1) Vapour pressure : Not applicable. : Not available. Vapour density : Not available. Odour threshold : Not available. **Evaporation rate** Viscosity : Dynamic: 30 cP LogK_{ow} : Not available.

: Easily dispersed in cold water, hot water. Dispersibility properties Solubility : Easily soluble in cold water, hot water.

QUIK FILL 310 Page: 3/4

Section 10. Stability and reactivity

Stability: The product is stable.

Conditions of instability: Not available.

Reactivity: Slightly reactive to reactive with oxidising agents.

Incompatibility with various: Not available.

substances

Hazardous Decomposition: Not available.

Products

Section 11. Toxicological information

Potential acute health effects

Eyes : Moderately irritating to eyes.Skin : Moderately irritating to the skin.

InhalationIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Irritancy of Product : Hazardous by WHMIS criteria.

Potential chronic health effects

Carcinogenic effects: No known significant effects or critical hazards.Mutagenic effects: No known significant effects or critical hazards.Teratogenic effects: No known significant effects or critical hazards.Reproductive effects: No known significant effects or critical hazards.Sensitization to Product: No known significant effects or critical hazards.

Synergistic products : Not available.

(toxicologically)

Toxicity data

Ingredient name
alcohols, c9-11, ethoxylatedTest
LD50Result
1378 mg/kgRoute
OralSpecies
Rat

Target organs : Not available.

Section 12. Ecological information

Products of degradation: These products are carbon oxides (CO, CO₂) and water, sulphur oxides (SO₂, SO₃

, etc.).

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
TDG Classification	Not regulated.	-	-	-	-

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

QUIK FILL 310 Page: 4/4

Section 15. Regulatory information

WHMIS: Class D-2B: Material causing other toxic effects (Toxic).

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

Section 16. Other information

Date of issue : 21-October-2005.

Responsible name : Regulatory Affairs

Date of previous issue : 24-September-2005.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.