

# Deep Clean Gel

*Removes Grease, Grime, Soap Scum, Hard Water Spots and Food Stains*

# STONE PRO

866.786.6310

[www.stoneproonline.com](http://www.stoneproonline.com)

- Best Suited Polished Stone with Calcium
- Heavy Alkaline Cleaner
- Neutralizes acidic powder residue
- Cleans Grout Joints on Polished Marble



**Product Description:** A unique cleaning formulation designed to clean Grease, Grime, Soap Scum, Hard Water Spots and other stains. Used for polished, honed, flamed and tumbled marble, granite, grout, limestone, travertine, natural stone and terrazzo surfaces. Will not harm polished stone. Non-acidic. Terrific for sanded and non-sanded grouts.

**Coverage:** Will cover approximately 200 to 2,000 ft.<sup>2</sup> per gallon dependant on the severity of damage to the marble or stone grout joints which has been heavily soiled, use at 2:1 ratio. Dilution rate may slightly reduce cleaning effectiveness. Light duty areas may be diluted up to 12:1.

**Directions:** Test product in an inconspicuous area to test suitability for intended use. Apply Deep Clean Gel to designated areas. For small areas, wipe, scrub and/or agitate product into surface using light duty, non-abrasive hand scrubber. For larger areas, apply product into designated areas. Use a tampico brush to agitate, simply scrub floor liberally. Now, let dwell, for best results, for approximately 2 to 10 minutes depending on severity. Dwell times allows dirt to release, remove dirt to surface. Wipe or wet-vacuum clean from surface. Rinse if needed. For porous surfaces, remove product using wet-vacuum for best results. This completely removes soil from crevices.

## SECTION I - PRODUCT IDENTIFICATION

TRADE NAME: Stone Pro Deep Clean Gel      PRODUCT CODE: SPDCG  
 CHEMICAL NAME: Alkaline cleaner      CAS #: Blend, no single CAS # applies  
 DOT HAZARD CLASS: Not regulated      DATE: February 19, 2005  
 DOT SHIPPER NAME: Not regulated

## SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	CAS #	TLV (UNITS)	PEL
2(butoxyethyl) Ethanol	<5	112345	None	None
Sodium Metasilicate	<5	6834-92-0	15 mg/m3	10 mg/m3

## SECTION III - PHYSICAL DATA

BOILING POINT: (F) 212      SOLUBILITY: Complete      pH: 13  
 VOC: 20%      VAPOR DENSITY: N/A      VAPOR PRESSURE: N/A  
 EVAPORATION RATE (WATER = 1): >1      SPECIFIC GRAVITY: 1.04  
 APPEARANCE: Clear      COLOR: Yellow liquid with lemon odor.

## SECTION IV - FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT: N/A  
 FLAMMABLE LIMITS: N/A      LOWER: N/A      UPPER: N/A  
 FIRE/EXPLOSION HAZARDS: None  
 EXTINGUISHING MEDIA: Foam, CO2, dry chemical  
 FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

## SECTION V - HEALTH HAZARD INFORMATION

PERMISSION TO EXPOSE LEVEL: 10  
 EYES: Will cause irritation and redness.  
 SKIN: Prolonged contact will cause irritation and redness.  
 INHALATION: Prolonged inhalation of mist will cause nasal and respiratory irritation.  
 INGESTION: Can cause gastrointestinal irritation, nausea, vomiting or diarrhea.  
 THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA  
 HMIS HEALTH HAZARD: Health = 1      Flammability = 0      Reactivity = 0      Other = NA  
 Ranking: 1 = Slight 2 = Moderate 3 = High 4 = Extreme

## FIRST AID

EYE CONTACT: Flush with water for 15 minutes lifting eyelids. Get medical attention immediately  
 SKIN CONTACT: Flush with water and treat with any moisturizing cream.  
 INHALATION: Move victim to fresh air. Administer artificial respiration if breathing ceases. Get medical attention immediately.  
 INGESTION: Do not induce vomiting. Give lots of water. Give milk of magnesia. Call a physician.

## **SECTION VI - REACTIVITY INFORMATION**

## **Deep Clean Gel**

STABILITY: Stable

REACTIVITY: None will occur

HAZARDOUS DECOMPOSITION INGREDIENTS: N/A

HAZARDOUS POLYMERIZATION: Will not occur

## **SECTION VII - SPILL, LEAK AND DISPOSAL PROCEDURES**

SMALL SPILLS: Mop, sweep or absorb. Transport to non-hazardous land fill.

LARGE SPILLS: Mop, sweep, or absorb. Transport to non-hazardous land fill.

DISPOSAL: Dispose of in accordance with federal, state, and local regulations.

## **SECTION VIII - SPECIAL PROTECTIVE EQUIPMENT**

EYE AND FACIAL: Wear chemical splash goggles.

SKIN: Vinyl, rubber, or nitrile gloves should be used.

RESPIRATORY: Provide OSHA approved mists respirator.

VENTILATION: Provide mechanical ventilation to keep TLV'S below recommended levels.

OTHER: Wear protective apron, boots, and clothing.

## **SECTION IX - SPECIAL PRECAUTIONS**

STORAGE: Store in cool dry well ventilated place

HANDLING: Avoid strong mineral acids.

LEGEND: ND, Not Determined; N/A Not Applicable; NA, Not Available.

## **NOTICE**

All information appearing herein is based upon data obtained from chemical manufacturers and or recognized technical sources. While the information is believed to be accurate, Snyder Manufacturing Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Snyder Manufacturing Corporation's control and therefore users are responsible for and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other or

Stone Pro 960 E. Discovery Lane, Anaheim, CA 92801

#### SECTION I - PRODUCT IDENTIFICATION

TRADE NAME: Stone Pro Deep Clean Gel      PRODUCT CODE: SPDCG  
CHEMICAL NAME: Alkaline cleaner      CAS #: Blend, no single CAS # applies  
DOT HAZARD CLASS: Not regulated      DATE: February 19, 2005  
DOT SHIPPING NAME: Not regulated

#### SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	CAS #	TLV (UNITS)	PEL
2(butoxyethoxy) Ethanol	<5	112345	None	None
Sodium Metasilicate	<5	6834-92-0	15 mg/m3	10 mg/m3

#### SECTION III - PHYSICAL DATA

BOILING POINT: (F) 212      SOLUBILITY: Complete      pH: 13  
VOC: 20.8 g/L      VAPOR DENSITY: N/A      VAPOR PRESSURE: N/A  
EVAPORATION RATE (WATER = 1): >1      SPECIFIC GRAVITY: 1.04  
APPEARANCE & ODOR: Yellow liquid with lemon odor.

#### SECTION IV - FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT: N/A  
FLAMMABLE LIMITS: N/A      LOWER: N/A      UPPER: N/A  
FIRE/EXPLOSION HAZARDS: None  
EXTINGUISHING MEDIA: Foam, CO2, dry chemical  
FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

#### SECTION V - HEALTH HAZARD INFORMATION

PERMISSIBLE EXPOSURE LEVEL: ND  
EYES: Will cause irritation and redness.  
SKIN: Prolonged contact will cause irritation and redness.  
INHALATION: Prolonged inhalation of mist will cause nasal and respiratory irritation.  
INGESTION: Can cause gastrointestinal irritation, nausea, vomiting or diarrhea.  
THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA  
HMIS HAZARD CLASS: Health = 1      Flammability = 0      Reactivity = 0      Other = NA  
Ranking: 0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme

#### FIRST AID

EYE CONTACT: Flush with water for 15 minutes lifting eyelids. Get medical attention immediately  
SKIN CONTACT: Wash with water and treat with any moisturizing cream.  
INHALATION: Remove victim to fresh air. Administer artificial respiration if breathing ceases. Get medical attention immediately.  
INGESTION: Do not induce vomiting. Give lots of water. Give milk of magnesia. Call a physician.

#### SECTION VI - REACTIVITY INFORMATION

STABILITY: Stable  
REACTIVITY: None will occur  
HAZARDOUS DECOMPOSITION INGREDIENTS: N/A  
HAZARDOUS POLYMERIZATION: Will not occur

**Stone Pro 960 E. Discovery Lane, Anaheim, CA 92801**

**SECTION VII - SPILL, LEAK AND DISPOSAL PROCEDURES**

**SMALL SPILLS:** Mop, sweep or absorb. Transport to non-hazardous land fill.

**LARGE SPILLS:** Mop, sweep, or absorb. Transport to non-hazardous land fill.

**DISPOSAL:** Dispose of in accordance with federal, state, and local regulations.

**SECTION VIII - SPECIAL PROTECTIVE EQUIPMENT**

**EYE AND FACIAL:** Wear chemical splash goggles.

**SKIN:** Vinyl, rubber, or nitrile gloves should be used.

**RESPIRATORY:** Provide OSHA approved mists respirator.

**VENTILATION:** Local mechanical ventilation to keep TLV'S below recommended levels.

**OTHER:** Wear protective apron, boots, and clothing.

**SECTION IX - SPECIAL PRECAUTIONS**

**STORAGE:** Store in cool dry well ventilated place

**HANDLING:** Avoid strong mineral acids.

**LEGEND: ND, Not Determined; N/A Not Applicable; NA, Not Available.**

**NOTICE**

All information appearing herein is based upon data obtained from chemical manufacturers and or recognized technical sources. While the information is believed to be accurate, Snyder Manufacturing Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Snyder Manufacturing Corporation's control and therefore users are responsible for and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process