

Stone Pro Material Safety Data Sheet
960 E. Discovery Lane, Anaheim, California

SECTION I - COMPANY & PRODUCT IDENTIFICATION

TRADE NAME: Stone Pro Finishing Touch PRODUCT CODE: N/A
CHEMICAL NAME: Silane emulsion CAS #: Mixture, no single CAS # applies
DATE: September 5, 2003

SECTION II - COMPOSITION FORMULA - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	TLV (UNITS)	PEL
Hydrocarbon propellant	68476-86-8	800 PPM	800 PPM

SECTION III - HAZARDS IDENTIFICATION

PERMISSIBLE EXPOSURE LEVEL: Undetermined
EYES: May cause mild eye irritation.
SKIN: Normal handling should not present any problems.
INHALATION: Breathing small amounts of this material during normal handling is not likely to cause harmful effects.
INGESTION: Swallowing small amounts of this material during normal handling is not likely to cause harmful effects.
THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA

SECTION IV - FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes lifting eyelids. Get medical attention.
SKIN CONTACT: Flush skin with water for 15 minutes. Remove and launder contaminated clothing before use.
INHALATION: Remove victim to fresh air. Administer artificial respiration if breathing ceases. Get medical attention immediately.
INGESTION: Do not induce vomiting. Call physician or transport to an emergency medical facility.

SECTION V - FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT: Level 1 Aerosol.
EXPLOSIVE LIMITS: LOWER: N/A UPPER: N/A
FIRE/EXPLOSION HAZARDS: Keep containers cool.
EXTINGUISHING MEDIA: Foam, CO2, dry chemical
FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode and full protective clothing. Use water spray to cool nearby containers and structures.
HMIS HAZARD CLASS: Health =0 Flammability =0 Reactivity =0 Other =NA
Ranking: 0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme

SECTION VI - ACCIDENTAL RELEASE PROCEDURES

SMALL SPILLS: Absorb liquid on vermiculite, floor absorbent or other absorbent material.
LARGE SPILLS: Eliminate all ignition sources. Prevent run off to drains or any bodies of water. Pump or vacuum material to containers for recovery. Absorb remaining material.

SECTION VII - HANDLING & STORAGE

STORAGE: Keep cool and dry. Empty containers may contain fumes. All hazard precautions on this data sheet should be taken when handling empty containers.
HANDLING: Sudden release of hot organic chemical vapors may result in ignition without the presence of obvious ignition sources.

Stone Pro Material Safety Data Sheet
960 E. Discovery Lane, Anaheim, California

SECTION VIII - EXPOSURE CONTROL/PERSONAL PROTECTION

EYE AND FACIAL: Wear safety glasses.

SKIN: No protection necessary under normal conditions.

RESPIRATORY: No protection necessary under normal conditions.

VENTILATION: Local mechanical ventilation to keep TLV'S and PEL below recommended levels

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A SOLUBILITY: Complete pH: 7.5

PERCENT VOLATILE: 0 VAPOR DENSITY: N/A VAPOR PRESSURE: N/A

EVAPORATION RATE (BUTYL ACETATE= 1): >5 SPECIFIC GRAVITY: 1.0 @60 deg F.

APPEARANCE & ODOR: Foamy aerosol spray. VOC: 0

SECTION X - STABILITY & REACTIVITY INFORMATION

STABILITY: Stable

REACTIVITY: N/A

HAZARDOUS DECOMPOSITION INGREDIENTS: CO₂, CO, and phosphorous compounds.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION XI - TOXICOLOGICAL INFORMATION

No toxicological information has been generated for this material

SECTION XII - ECOLOGICAL INFORMATION

This product has never been found to present any environmental or ecological problems. Use according to the instructions. Dispose of in a sanitary manner.

SECTION XIII - DISPOSAL CONSIDERATION

Dispose in accordance with federal, state and local regulations.

SECTION XIV - TRANSPORT INFORMATION

DOT INFORMATION- 49CFR 172.101:

DOT DESCRIPTION: Consumer Commodity ORM-D

SECTION XV - REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA – Intentional ingredients are listed; CERCLA RQ-40CFR 302.4 (a) – None listed; SARA 302 Components 40 CFR 355 Appendix A – None; Section 311/312 Hazard Class-40CFR 370.2 – Immediate () Delayed () Fire () Reactive () Sudden release of pressure (); SARA 313 Components 40CFR 372.65 – None; OSHA Process Safety Management 29CFR1910 – None listed; EPA Accidental Release Prevention 40CFR68 – None listed.

International Regulations:

ACQIN (Australia), DSL (Canada), ECL (South Korea), & EINECS (Europe) – Intentional ingredients are listed.

State & Local Regulations:

California Prop 65 - None

Stone Pro Material Safety Data Sheet
960 E. Discovery Lane, Anaheim, California

SECTION XVI - OTHER INFORMATION
--

Refer to product label for directions and any other cautions.

LEGEND: ND, Not Determined; N/A Not Applicable; NA, Not Available.

NOTICE

All information appearing herein is based upon data obtained from chemical manufacturers and or recognized technical sources. While the information is believed to be accurate, Snyder Manufacturing Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Snyder Manufacturing Corporation's control and therefore users are responsible for and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.