MATERIAL SAFETY DATA SHEET

EPA Reg. No. 33176-6-1658 EPA Est. No. 10807-GA-1
This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION								
NFPA Rating: Health-1; Flammability-1; Reactivity-0; Special HMIS Rating: Health-1; Flammability-1; Reactivity-0; Personal Protection-B								
Manufactured For: Hillyard Industries, Inc.	DOT Hazard Classification: ORM-D							
Address: 302 N. 4 th Street	Identity (trade name as used on label):							
Address: St. Joseph, MO 64501	GERMICIDAL FOAMING CLEANER/ Part# HIL0103954							
Phone: (816)-233-1321 ext. 8285 or http://www.hillyard.com	MSDS Number: A00251 Revision- 12							
EMERGENCY RESPONSE NUMBER: Chemtrec 1-800-424-9300	Date Prepared: 08/28/07 Prepared By: CH/IB							
NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA	Information Calls: (770)422-2071							
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION								
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen		
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		SEC CAR C. CAMPANICAN	III LIST	(ppm)	TLV (ppm)	Ref. Source **		
ISOBUTANE / PROPANE BLEND		75-28-5	No	800	800	d		
		74-98-6	No	1000	1000	d		
DIETHYLENE GLYCOL MONOBUTYL ETHER *		112-34-5	Yes	NE	NE	d		
O-PHENYLPHENOL	90-43-7	Yes	NE	NE	е			
WARNING: This product contains a chemical or che	known to the State	of Calif	ornia to ca	use cancer.				
*GLYCOL ETHER								
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS								
Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 1.0								
Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60	Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A							
Vapor Density (Air = 1): N/E				Evaporation Rate (= 1): N/E				
Solubility in Water: Completely soluble.	Water Reactive: No							
Appearance and Odor: White foam, light airy fragrance.								
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA								
FLAMMABILITY as per USA FLAME PROJECTION TEST A	uto Ign	ition Temperature	Flamm	ability Limits	in Air by %	in Volume:		
(aerosols): NOT CATEGORIZED AS FLAMMABLE		N/E	% LEL		% UEL	: N/E		
LASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide.								
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.								
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.								
SECTION 4 - REACTIVITY HAZARD DATA								
STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR								
Incompatibility (Mat. to avoid): Strong oxidizers. Conditions to Avoid: Open flame, welding arcs, heat.								
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, trace oxides of nitrogen.								
SECTION 5 - HEALTH HAZARD DATA PRIMARY POLITES OF ENTRY: 1 VINIALATION 1 INCESTION 1 VISUA APPORTION 1 INCESTION 1 VISUA APPORTION 1 INCESTION 1 VISUAL APPORTUNITY APPORTUNI								
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS ACUTE EFFECTS:								
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.								
Eye Contact: Irritation. Skin Contact: Mild irritation. Increased irritation with prolonged and repeated contact.								
Ingestion: Harmful if swallowed. Possible chemical pneumonitis if aspirated into lungs. Nausea.								
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause diarrhea, vomiting, gastrointestinal irritation. Lab								
animals have experienced kidney and lung damage with excessive exposure to diethylene glycol butyl ether.								
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.								
EMERGENCY FIRST AID PROCEDURES								
Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue								
rinsing eye. Call a poison control center or doctor for treatment advice.								
Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment								
advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.								
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. Ingestion: DO NOT INDUCE VOMITING. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to								
swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.								
SECTION 6 - CONTROL AND PROTECTIVE MEASURES								
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode.								
Protective Gloves: Latex or nitrile if skin easily irritated. Eye Protection: Safety glasses recommended.								
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.								
Other Protective Clothing & Equipment: None								
Hygienic Work Practices: Wash with soap and water after handling. Remove contaminated clothing.								
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE								
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. DO NOT FLUSH TO SEWER.								
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard. Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.								
Precautions To Be Taken In Handling & Storage: Do not contaminate water, food or feed by storage or disposal. Do not puncture or incinerate containers. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.								
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.								