

MATERIAL SAFETY DATA SHEET

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)

BRADY CARPET SHEEN READY TO USE

SECTION I

Manufacturer's Name

BRADY INDUSTRIES, INC.

Emergency Telephone Number

(800) 424-9300

Address (Number, Street, City, State & ZIP Code) Telephone Number for Information

4175 SOUTH ARVILLE

(702) 876-3990

LAS VEGAS, NEVADA 89103

Date Prepared

7/10/2002 Supercedes 03/24/01

Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity; Common Name(s))	CAS	OSHA PEL	ACGIH TLV	Recommended Other Limits	% (optional)
D-LIMONENE	CAS #5989-27-5	50PPM	50PPM		<5%
*2 BUTOXYETHANOL	CAS #111-76-2	25 PPM	25 PPM	NONE	<2%

*THIS CHEMICAL IS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 SARA TITLE III.

HAZARD RATING: HEALTH = 1**4-EXTREME FIRE = 1****3-HIGH REACTIVITY= 0****2-MODERATE SPECIFIC HAZARDS = N/A****1-SLIGHT****0-INSIGNIFICANT****DOT CLASS: COMBUSTIBLE LIQUID, N.O.S.****(D-LIMONENE MIXTURE)****COMBUSTIBLE, NA1993, PGIII****SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**

Boiling Point

212°F

Specific Gravity (H2O = 1)

1.00

Vapor Pressure (mm Hg)

Melting Point

NOT TESTED

Vapor Density

>1

Evaporation Rate (Butyl Acetate = 1)

NOT TESTED

Solubility in Water

SOLUBLE (SOME EMULSION PRODUCED) pH 10.4

Appearance and Odor

BLUE-GREY HAZY EMULSION

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)

145°F T.C.C.

Flammable Limits

LEL

UEL

1%

6%

Extinguishing Media

CARBON DIOXIDE, DRY CHEMICAL, FOAM

Special Fire Fighting Procedures

NONE

Unusual Fire and Explosion Hazards

NONE

(Reproduce locally)

OSHA 174, Sept. 1985

SECTION V - REACTIVITY DATA

Stability	Unstable	Conditions to Avoid	
	Stable	xxx	EXCESSIVE HEAT OR EXPOSED FLAMES

Incompatibility (Materials to Avoid)

STRONG ACIDS OR OXIDIZING AGENTS

Hazardous Decomposition or Byproducts

CARBON DIOXIDE, CARBON MONOXIDE

Hazardous	May Occur	Conditions to Avoid	
------------------	-----------	---------------------	--

Polymerization	Will Not Occur	xxx	NONE
-----------------------	----------------	-----	------

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	POSSIBLE	POSSIBLE	YES

Health Hazards (Acute and Chronic)

THIS IS A MODERATELY ALKALINE WHICH WILL CAUSE TISSUE AND EYE IRRITATION.**Emergency and First Aid Procedures**

SKIN: FLUSH WITH SOAP AND WATER. IF IRRITATION PERSISTS, CONTACT A DOCTOR.

EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

INHALATION: MOVE PATIENT TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NEEDED.

INGESTION: DO NOT INDUCE VOMITING. GIVE IMMEDIATE MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO LUNGS.

NOTE: DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled

SOAK UP IN ABSORBENT MATERIAL LIKE SAND OR VERMICULE. LITE AND PLACE IN A D.O.T. APPROVED CONTAINER. DIKE SPILL TO KEEP OUT OF SEWER SYSTEM.

Waste Disposal Method

CONTACT STATE OR LOCAL AUTHORITIES FOR DETAILS.

Precautions to Be Taken in Handling and Storing

STORE IN A COOL DRY AREA AND KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. WASH AFTER HANDLING.

Other Precautions

KEEP OUT OF REACH OF CHILDREN

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type)

NOT REQUIRED

Ventilation	Local Exhaust	Special
	NONE	NONE
	Mechanical (General)	Other
	NONE	NONE

Protective Gloves

RUBBER OR PLASTIC

Eye Protection

GLASSES OR GOGGLES

Other Protective Clothing or Equipment

RUBBER BOOTS AND RUBBER OR PLASTIC APRON

Work/Hygienic Practices

USE CARE AND COMMON SENSE
