MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY	(As	Used	on	Label	and	List)	
----------	-----	------	----	-------	-----	-------	--

BRADY GLASS CLEANER READY TO USE

SECTION I

Manufac	turer's	Name	
BRADY	INDUST	TRIES,	INC

Emergency Telephone Number (800) 424-9300

Address 4175 SC		•	City,	State	& ZIP	Code) Telephone	Number fo 876-399		
41/3 50	<u> /// </u>					(702)	010-399)	_
						Date Pre	epared		
LAS VEG	GAS, NE	VADA	89103			9/01/9)9		

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION Hazardous Components (Specific Chemical Identity; Common Name(s)) OSHA PEL ACGIH TLV Recommended % (optional) Other Limits ISOPROPYL ALCOHOL CAS #67-63-0 400PPM 500PPM NONE <10% HAZARD RATING: 0 HEALTH = 4-EXTREME 1 FIRE = 3-HIGH REACTIVITY = 0 SPECIFIC HAZARDS = 02-MODERATE 1-SLIGHT 0-INSIGNIFICANT SECTION TIT - PHYSICAL/CHEMICAL CHARACTERISTICS

SECTION III - PHISICAL/CHEMICAL CHAP	RACIERISIICS	
Boiling Point	Specific Gravity (H2	20 = 1)
212°F		0.98
Vapor Pressure (mm Hg)	Melting Point	
N/A		99.1
Vapor Density	Evaporation Rate (Bu	atyl Acetate = 1)
N/A		1.04
Solubility in Water		
COMPLETELY SOLUBLE IN WATER	pH CONC = 10.8	pH SOLUTION = 10.3
Appearance and Odor CLEAR LIQUID LIGHT BLUE IN COLOR WI	TH A MILD ALCOHOL	ODOR.
SECTION IV - FIRE AND EXPLOSION HAZE	ARD DATA	
Flash Point (Method Used)	Flammable Limits	LEL UEL
NONE		N/A N/A
Extinguishing Media SAND, DRY CHEMICAL, DRY FOAM, HALON,	. WATER	
Special Fire Fighting Procedures		
THIS PRODUCE WILL NOT BURN OR SUPPOR	RT	
Unusual Fire and Explosion Hazards COMBUSTION. NONE		
(Reproduce locally)		OSHA 174, Sept. 1985

SECTION V - F	REACTIVITY DATA	
		Conditions to Avoid
Stal		HEAT
Incompatibility	(Materials to Avoid)	
Hazardous Decomp	oosition or Byproducts	3
	Occur C	onditions to Avoid
Polymerization Will	. Not Occur XXX N	IONE
SECTION VI -	HEALTH HAZARD DAY	ТА
Route(s) of Entr		Inhalation? Skin? Ingestion?
	Acute and Chronic) ES, OR CONC. SOLU	TIONS SWALLOWED CAN CAUSE SLIGHT IRRITATIONS.
Emergency and Fi EYES:		A COOL WATER FOR 30 MINUTES. IF IRRITATION DEVELOPS, ICIAN IMMEDIATELY.
SKIN:	FLUSH EXPOSED A	AREA WITH LUKE WARM WATER. IF IRRITATION PERSISTS, ICIAN IMMEDIATELY.
INHALATION:	REMOVE PATIENT	
INGESTION:	DO <u>NOT</u> INDUCE V	VOMITING. HAVE PATIENT DRINK LARGE AMOUNT OF WATER ULT A PHYSICIAN IMMEDIATELY.
		GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
SECTION VII -	- PRECAUTIONS FOR	SAFE HANDLING AND USE
	en in Case Material is	
		H WATER TO AN INDUSTRIAL SEWER LINE.
LARGE SPILLS:		L WITH DIKES OF ABSORBENT MATERIALS SUCH AS CLAY,
	SAND OR VERMICUL	ITE. THIS MATERIAL IS NOT CONSIDERED HAZARDOUS AND D OF AS NON-HAZARDOUS REFUSE.
Waste Disposal M		
		RITIES FOR DETAILS
Precautions to E	Be Taken in Handling a	and Storing
Other Precaution KEEP OUT OF B	REACH OF CHILDREN	
SECTION VIII	- CONTROL MEASUR	ES
Respiratory Prot <u>NONE</u>	ection (Specify Type)	
Ventilation	Local Exhaust	Special
	Mechanical (Genera	l) Other
Protective Glove NONE	es	Eye Protection GLASSES OR GOGGLES
	e Clothing or Equipmen	
Work/Hygienic Pr		
WASH HAN	NDS AFTER HANDLIN	G. USE COMMON SENSE.