

IDENTITY (As Used on Label and List)
NON ACID BOWL CLEANER

SECTION I

Distributor's Name	Emergency Telephone Number
BRADY INDUSTRIES, INC.	(800) 424-9300
Address (Number, Street, City, State & ZIP Code)	Telephone Number for Information
4175 SOUTH ARVILLE	(702) 876-3990
	Date Prepared
LAS VEGAS, NEVADA 89103	3/17/98
	Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Recommended	% (optional)
			Other Limits	

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point	Specific Gravity (H2O = 1)
212 F	1.03
Vapor Pressure (mm Hg)	Melting Point
N/A	N/A
Vapor Density	Evaporation Rate (Butyl Acetate = 1)
N/A	1.03
Solubility in Water	pH
THIS PRODUCT IS 100% SOLUBLE IN WATER	12
Appearance and Odor	
CLEAR RED LIQUID WITH A BLAND ODOR.	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	Flammable Limits	LEL	UEL
NONE	N/A	N/A	N/A
Extinguishing Media			
SAND, DRY CHEMICAL, DRY FOAM, HALON, WATER			
Special Fire Fighting Procedures			
THIS PRODUCT WILL NOT BURN NOR SUPPORT COMBUSTION			
Unusual Fire and Explosion Hazards			
NONE			

(Reproduce locally) OSHA 174, Sept. 1985

SECTION V - REACTIVITY DATA

Stability	Unstable	Conditions to Avoid
	Stable	XXX

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

Hazardous May Occur Conditions to Avoid
Polymerization
Will Not Occur XXX
NONE

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	YES	YES	YES

Health Hazards (Acute and Chronic)

Emergency and First Aid Procedures

SKIN: FLUSH EXPOSED AREA WITH LUKE WARM WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN IMMEDIATELY.

EYES: FLUSH EYES FOR 30 MINUTES WITH COOL WATER. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN IMMEDIATELY.

INHALATION: REMOVE PATIENT TO CLEAN ATMOSPHERE AND ADMINISTER OXYGEN IF NECESSARY. CONSULT A PHYSICIAN IMMEDIATELY.

INGESTION: DO NOT INDUCE VOMITING. HAVE PATIENT DRINK LARGE AMOUNTS OF WATER OR MILK. CONSULT A PHYSICIAN IMMEDIATELY.

NOTE: DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled

SMALL SPILLS: FLUSH AREA WITH WATER TO AN INDUSTRIAL SEWER LINE.

LARGE SPILLS: CONTAINED SPILL WITH DIKES OF ABSORBENT MATERIALS SUCH AS CLAY, AND OR VERMICULITE. THIS MATERIAL IS NOT CONSIDERED HAZARDOUS AND MAY BE DISPOSED OF AS NON-HAZARDOUS REFUSE.

Waste Disposal Method

CONTACT STATE, AND LOCAL ENVIRONMENT AGENCIES FOR INFORMATION

Precautions to Be Taken in Handling and Storing

ALL HAZARDOUS MATERIALS MUST BE SOLIDIFIED AND DISPOSED OF IN AN EPA APPROVED CLASS ONE FACILITY

Other Precautions

KEEP CONTAINER CLOSED. KEEP OUT OF REACH OF CHILDREN.

SECTION VII - CONTROL MEASURES

Respiratory Protection (Specify Type)

NONE

Ventilation

Local Exhaust

Special

NONE

NONE

Mechanical (General)

Other

NOT REQUIRED

NONE

Protective Gloves

Eye Protection

NONE

PROPER EYE PROTECTION SUGGESTED IN CASE OF SPLASHING

Other Protective Clothing or Equipment

NONE

Work/Hygienic Practices

USE CARE AND COMMON SENSE
