

MATERIAL SAFETY DATA SHEET

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)

BRADY PLEX-A-GLASS CLEANER

SECTION I

Manufacturer's Name

BRADY INDUSTRIES, INC.

Emergency Telephone Number

(800) 424-9300

Address (Number, Street, City, State & ZIP Code) Telephone Number for Information

4175 SOUTH ARVILLE

(702) 876-3990

Date Prepared

LAS VEGAS, NEVADA 89103

6/14/96

Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Recommended	% (optional)
---	----------	-----------	-------------	--------------

Other Limits				
--------------	--	--	--	--

ISOPROPANOL	CAS #67-63-0	400PPM	500PPM	>1%
-------------	--------------	--------	--------	-----

HAZARD RATING:**4-EXTREME****3-HIGH****2-MODERATE****1-SLIGHT****0-INSIGNIFICANT****HEALTH = 1****FIRE = 0****REACTIVITY = 0****SPECIFIC HAZARDS = 1****SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**

Boiling Point

212°F

Specific Gravity (H2O = 1)

0.99

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density

N/A

Evaporation Rate (Butyl Acetate = 1)

1.04

Solubility in Water

COMPLETELY SOLUBLE

pH

10.8

Appearance and Odor

HAZY LIQUID, LIGHT BLUE IN COLOR WITH A BERRY ODOR.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)

200°F

Flammable Limits

N/A

LEL

N/A

UEL

N/A

Extinguishing Media

SAND, DRY CHEMICAL, DRY FOAM, HALON, WATER

Special Fire Fighting Procedures

THIS PRODUCT WILL NOT BURN OR SUPPORT COMBUSTION.

Unusual Fire and Explosion Hazards

EXCESSIVE HEAT PRODUCES CARBON DIOXIDE, CARBON MONOXIDE, AND AMMONIA FUMES.

(Reproduce locally)

OSHA 174, Sept. 1985

