MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

compared for opecific is	5quil emerico	0112 110.	1210 0072		
IDENTITY (As Used on L		17) N.T.			
	REAL CLE	AN			
SECTION I					
Manufacturer's Name	Emergency Telephone Number				
BRADY INDUSTRIES, IN					
Address (Number, Street,				mation	
4175 SOUTH ARVILLE					
	Date Prepared				
LAS VEGAS, NEVADA 8					
		Signatur	re of Preparer (o	ptional)	
SECTION II - HAZARDO					
Hazardous Components (Specific Ch	nemical Identity; Common Name	e(s)) OSHA PEL		nended r Limits	% (optional)
SODIUM METASILICATE	CAS #6834-92-0	15mg/M_3	10mg/M_3	NONE	<5%
	CAS #111-76-2	25PPM	25PPM	NONE	<3%
POTASSIUM HYDROXIDE		$2mq/M_3$			<5%
		211197113	211197113		
DOT CLASS: POTASSIUN	M HYDROXIDE, SOLU'	TTON	HAZARD RATING	~	
8, UN1814, PGIII		11011	4 = EXTREME	HEALT!	H = 2
0, 011101	, 10111		3 = HIGH		= 0
*THIS CHEMICAL IS SU	IR.TECT TO THE RED	ΩRΨ			-
REQUIREMENTS OF SEC					
REQUIREMENTS OF SEC	CIION 313 OF SANA		0 = INSIGNI		IIAZAND-N/A
SECTION III - PHYSIC	TAT /CHENTCAT CHAR	A COURT T COURT		FICANI	
Boiling Point	LAL/CHEMICAL CHAR		avity (H20 = 1)		
BOILING POINT	212°F	specific Gr	avity (nzo – 1)	1.05	
Vapor Pressure (mm Hg)	212 [Melting Poi	n†	1.05	
vapor rrossaro (mm rrg)	N/A	110101119 101		N/A	
Vapor Density	21,7 22	Evaporatio	on Rate (Butyl Ac		
-	N/A	*	• •	·	
Solubility in Water		рН			
	COMPLETELY SOLU	BLE		12.4	
Appearance and Odor CLEAR COLORLESS LIQU	JID WITH LEMON OD	OR			
SECTION IV - FIRE AN					
Flash Point (Method Used)		Flammable	Limits	LEL	UEL
NOT FLAMMABLE		N/A		N/A	N/A
Extinguishing Media		,		,	•
USE MEDIA APPROPRIAT	<u> TE FOR SURROUNDIN</u>	G FIRE			

Special Fire Fighting Procedures

Unusual Fire and Explosion Hazards

USE SELF-CONTAINED BREATHING EQUIPMENT

SECTION V - REACTIVITY DATA

Stability Unstable Conditions to Avoid

Stable XXX

HEAT

Incompatibility (Materials to Avoid)

STRONG ACIDS

Hazardous Decomposition or Byproducts

N/A

Hazardous May Occur Conditions to Avoid

Polymerization

Will Not Occur XXX

N/A

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? Skin? Ingestion?

POSSIBLE POSSIBLE YES

Health Hazards (Acute and Chronic)

THIS IS A MODERATELY ALKALINE PRODUCE WHICH CAN IRRITATE THE EYES OR THE MUCOUS

MEMBRANES IF SWALLOWED.

Emergency and First Aid Procedures

EYES: WASH WITH RUNNING WATER FOR 15 MINUTES. IF IRRITATION PERSISTS,

GET IMMEDIATE MEDICAL ATTENTION.

SKIN: WASH WITH SOAP AND WATER. USE A SKIN CREAM. CONTAMINATED

CLOTHING MUST BE WASHED BEFORE RE-USE.

INHALATION: MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF REQUIRED.

INGESTION: DO NOT INDUCE VOMITING. GIVE PLENTY OF WATER FOLLOWED BY ORANGE,

LEMON OR GRAPEFRUIT JUICE. GET IMMEDIATE MEDICAL ATTENTION.

NOTE: DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled

SMALL SPILL: SOAK UP IN ABSORBENT CLAY OR SAND AND PLACE IN APPROVED SALVAGE

CONTAINER.

LARGE SPILL: DIKE AND PUMP INTO SALVAGE CONTAINERS OR CONTACT HAZARDOUS WASTE

DISPOSAL COMPANY.

Waste Disposal Method

CONTACT STATE OR LOCAL AUTHORITIES FOR DETAILS.

Precautions to Be Taken in Handling and Storing

STORE IN COOL DRY AREA AND KEEP CONTAINER CLOSED WHEN NOT IN USE. WASH HAND

AFTER HANDLING.

Other Precautions

KEEP OUT OF REACH OF CHILDREN

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type)

NOT REQUIRED WITH GOOD VENTILATION

VentilationLocal ExhaustSpecialIF AVAILABLENONE

Mechanical (General) Other IF AVAILABLE NONE

Protective Gloves Eye Protection

RUBBER OR PLASTIC SAFETY GLASSES OR GOGGLES

Other Protective Clothing or Equipment

RUBBER/PLASTIC APRON

Work/Hygienic Practices

USE CARE AND COMMON SENSE