

# BRITE STAINLESS STEEL CLEANER

National Fire Protection Association (NFPA)	<div>Fire Hazard</div> <div>Health<div>4</div>Reactivity<div>10</div></div> <div>Specific Hazard</div>		Hazardous Material Information System (HMIS)	Health	1
				Fire Hazard	4
				Reactivity	0
Protective Clothing	None required.		Emergency Overview	Off-white. Aerosol. See Section 9. CAUTION: CONTENTS UNDER PRESSURE. May be mildly irritating to eyes. May be mildly irritating to skin.	

## Section 1. Chemical Product and Company Identification

<b>Product Name</b> <b>BRITE STAINLESS STEEL CLEANER</b>		<b>Code</b>	4763
<b>Product Use</b> Industrial/Institutional: Cleaning product.		<b>PMS#</b>	433377
<b>MSDS#</b> 126428001		<b>Validation Date</b>	04/19/2000
<b>U.S. Headquarters</b> Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	<b>Canadian Headquarters</b> Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	<b>Print Date</b>	04/20/2000
		<b>Supersedes</b>	04/12/2000.
		<b><u>In Case of</u></b>	(800) 851-7145
		<b><u>Emergency</u></b>	

## Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Propane	74-98-6	1-5	TWA: 1800 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 4508 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	Not available.
Isoparaffinic Hydrocarbon Solvent	64742-48-9	5-10	Not available.	Not available.
Isobutane	75-28-5	5-10	Not available.	VAPOR (LC50): Acute: 0.0057 ppm 0.25 hours [Rat].
Light Naphthenic Distillate	64741-44-2	10-30	Not available.	Not available.
Water	7732-18-5	60-100	Not available.	Not available.

## Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	
Eyes	May be mildly irritating to eyes.
Skin	May be mildly irritating to skin.
Inhalation	None known.
Ingestion	None known.
Medical Conditions	None known.
Aggravated by Overexposure:	
See Toxicological Information (section 11)	

## Section 4. First Aid Measures

Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Skin Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Inhalation	No specific first aid measures are required.
Ingestion	No specific first aid measures are required.

### Section 5. Fire Fighting Measures

Flammability of the Product	NFPA 30B Level 1 Aerosol.
Flash Points	< -7°C (propellant).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Aerosol product - Containers may rocket or explode in heat of fire.

### Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

### Section 7. Handling and Storage

Handling	Avoid contact with skin and eyes. Avoid breathing vapors or spray mists. . Use only in well-ventilated areas. Do not puncture or incinerate. Do not use or spray on floors. Do not let product overspray on to the floor as the product's ingredients could make the floor slippery. FOR INDUSTRIAL USE ONLY
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

### Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
Personal Protection	
<i>Eyes</i>	No special protective clothing is required.
<i>Hands</i>	No special protective clothing is required.
<i>Respiratory</i>	No special protective clothing is required.
<i>Feet</i>	No special protective clothing is required.
<i>Body</i>	No special protective clothing is required.

### Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid. (Aerosol.)
Odor	Mild.
Color	Off-white.
pH	Not available.
Specific Gravity	0.9
Solubility in water	Dispersible.

### Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Reactive with oxidizing agents.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

**Section 11. Toxicological Information**

Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat). DERMAL (LD50) Estimated to be greater than 2000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	Not available.

**Section 12. Ecological Information**

Not available.

**Section 13. Disposal Considerations**

Waste Information	No special precautions. Dispose of according to all federal, state and local regulations.
-------------------	---

**Section 14. Transport Information**
**DOT Classification**

DOT Proper Shipping Name	Consumer Commodity
DOT Class	ORM-D

**TDG Classification**

TDG Proper Shipping Name	Consumer Commodity
TDG Class	ORM-D


**Section 15. Regulatory Information**
**Reporting in this section is based on ingredients disclosed in Section 2**
**US Regulations**

<b>Federal</b>	Clean air act (CAA) 112 regulated flammable substances: Propane, Isobutane CERCLA: Hazardous substances.: Propane, Isobutane
<b>State</b>	New Jersey: Propane, Isobutane Massachusetts spill list: Propane, Isobutane Massachusetts RTK: Propane, Isobutane Pennsylvania RTK: Propane, Isobutane This product is not subject to the reporting requirements under California's Proposition 65.

**Registered Product Information** Not applicable.

**Canadian Regulations**

**WHMIS Classification** CLASS A: Compressed gas.  
CLASS B-5: Flammable aerosol.

**WHMIS Icon**


**Registered Product Information** Not applicable.

**Chemical Inventory Status** All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Section 16. Other Information**

**Other Special Considerations**

Not available.

**Version**

1

**Notice to Reader**

*This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*