

CONQ-R-DUST PRESSURIZED

National Fire Protection Association (NFPA)	<div><div>Fire Hazard</div><div>Health</div><div>Reactivity</div><div>Specific Hazard</div><div><div><div>4</div><div>1</div><div>0</div></div></div></div>	Hazardous Material Information System (HMIS)	<table><tr><td>Health</td><td>1</td></tr><tr><td>Fire Hazard</td><td>4</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health	1	Fire Hazard	4	Reactivity	0
Health	1								
Fire Hazard	4								
Reactivity	0								
Protective Clothing	None required.	Emergency Overview	Clear Yellow. Aerosol. See Section 9. CAUTION: CONTENTS UNDER PRESSURE. May be mildly irritating to eyes.						

Section 1. Chemical Product and Company Identification

Product Name	CONQ-R-DUST PRESSURIZED	Code	4751
Product Use	Industrial/Institutional: Cleaning product.	PMS#	433114
MSDS#	114750005	Validation Date	1/10/2001
U.S. Headquarters Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	Canadian Headquarters Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	Print Date	1/10/2001
		Supersedes	4/19/2000.
		<u>In Case of Emergency</u>	(800) 851-7145

Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Propane	74-98-6	1-5	TWA: 1800 (mg/m ³) from OSHA (PEL) [United States] TWA: 4508 (mg/m ³) from ACGIH (TLV) [United States]	Not available.
Sorbitan Monooleate Isobutane	1338-43-8 75-28-5	1-5 5-10	Not available. Not available.	Not available. VAPOR (LC50): Acute: 0.0057 ppm 0.25 hours [Rat].
Isoparaffinic Hydrocarbon Solvent Light Naphthenic Distillate	64742-48-9 64741-44-2	5-10 10-30	Not available. Not available.	Not available. Not available.
Water	7732-18-5	60-100	Not available.	Not applicable.

Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	<i>Eyes</i> May be mildly irritating to eyes.
	<i>Skin</i> Prolonged or repeated contact may dry skin and cause irritation.
	<i>Inhalation</i> May be irritating to nose, throat, and respiratory tract.
	<i>Ingestion</i> May be harmful if swallowed.
Medical Conditions Aggravated by Overexposure:	None known.
See Toxicological Information (section 11)	

Section 4. First Aid Measures

Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Skin Contact	Rinse with plenty of running water.
Inhalation	Remove to fresh air.
Ingestion	Immediately drink plenty of water. Do not induce vomiting! Immediately get medical attention.

Section 5. Fire Fighting Measures

Flammability of the Product	NFPA 30B Level 2 Aerosol.
Flash Points	CLOSED CUP: <-7°C (19.4°F).(propellant)
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes..
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Aerosol product - Containers may rocket or explode in heat of fire. Vapors may accumulate in low or confined areas.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling	Avoid contact with eyes. Avoid breathing vapors or spray mists. Use appropriate hygiene measures when handling product. FOR INDUSTRIAL USE ONLY. Use only in well-ventilated areas. Do not puncture or incinerate.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	No special ventilation requirements. General room ventilation is adequate.
Personal Protection	
<i>Eyes</i>	No special requirements under normal use conditions.
<i>Hands</i>	No special requirements under normal use conditions.
<i>Respiratory</i>	No special requirements under normal use conditions.
<i>Feet</i>	No special requirements under normal use conditions.
<i>Body</i>	No special protective clothing is required.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid. (Aerosol.)
Odor	Mild.
Color	Clear Yellow.
pH	Not available.
Specific Gravity	0.9
Solubility in water	Negligible.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information	If possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package or give to someone who can. Dispose of according to all federal, state and local regulations.
--------------------------	---

Section 14. Transport Information
DOT Classification

DOT Proper Shipping Name	Consumer Commodity
DOT Class	ORM-D

TDG Classification

TDG Proper Shipping Name	Consumer Commodity
TDG Class	ORM-D

Section 15. Regulatory Information
Reporting in this section is based on ingredients disclosed in Section 2
US Regulations

Federal	Clean air act (CAA) 112 regulated flammable substances: Propane, Isobutane CERCLA: Hazardous substances.: Propane, Isobutane
State	New Jersey: Propane, Isobutane, Light Naphthenic Distillate Massachusetts spill list: Propane, Isobutane Massachusetts RTK: Propane, Isobutane Pennsylvania RTK: Propane, Isobutane This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

Canadian Regulations

WHMIS Classification Not controlled under WHMIS (Canada).

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
----------------------------------	---

Section 16. Other Information

Other Special Considerations	Not available.
-------------------------------------	----------------

Version	1.01
----------------	------

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.