

Fire Hazard **National Fire Hazardous Material** Health 3 **Protection Information System** Fire Hazard 0 Health Reactivity Association (NFPA) (HMIS) Reactivity 1 Specific Hazard

Protective Clothing







Emergency Overview

Pink. Liquid. See Section 9.

DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.

Section 1. Chemical Product and Company Identification				
Product Name	CREW FOAMING ACID RESTROOM CLEANER		Code	4575
Product Use	Industrial/Institutional: Washroom care.		PMS#	430648
MSDS#	114458001	001		1/29/2002
U.S. Headquarters		Canadian Headquarters	Print Date	1/29/2002
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203	Supersedes	No Previous Validation.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Ethoxylated Oleyl Amine 2-Butoxyethanol	13127-82-7 111-76-2	1-5 1-5	Not available. OSHA (United States). TWA: 120 mg/m³ ACGIH (United States). TWA: 97 mg/m³	Not available. ORAL (LD50): Acute: 506 mg/kg [Rat]. DERMAL (LD50): Acute: 406 mg/kg [Rabbit]. VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat].
Phosphoric Acid	7664-38-2	10-30	OSHA (United States). TWA: 1 mg/m³ STEL: 3 mg/m³ ACGIH (United States). TWA: 1 mg/m³ STEL: 3 mg/m³	ORAL (LD50): Acute: 1530 mg/kg [Rat]. DERMAL (LD50): Acute: 2740 mg/kg [Rabbit].
Water	7732-18-5	60-100	Not available.	Not available.

Section 3. Hazards Identification			
Routes of Entry	Inhalation. Skin contact. Eye contact.		
Potential Acute Health Effects			
Eyes	Corrosive. May cause permanent damage including blindness.		
Skin	Corrosive. May cause permanent damage.		
Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract.			
Ingestion	Corrosive. May cause burns to mouth, throat, and stomach.		
Medical Conditions Aggravated by Overexposure:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.		
See Toxicological Information	(section 11)		



Section 4. First Aid Measures		
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medic attention immediately.	
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.	
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.	
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.	

Section 5. Fire Fighti	Section 5. Fire Fighting Measures		
Flammability of the Product Flash Points	None known. CLOSED CUP: >93°C (199.4°F).		
Products of Combustion	None known.		
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.		
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8.).		
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).		

Section 6. Accidental Release Measures			
Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).		
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.		

Section 7. Handling and Storage			
Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.		
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.		

Section 8. Exposure Controls/Personal Protection			
Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.		
Personal Protection			
Eyes	Chemical splash goggles.		
Hands Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.			
	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.		
Feet	Protective footwear.		
Body	If major exposure is possible, wear suitable protective clothing and footwear.		

Section 9. Physical and Chemical Properties Physical State and Appearance Liquid. Odor Fresh. Color Pink. pH <1.5 [Acidic.]</td> Specific Gravity 1.09 Boiling/Condensation Point >93°C (199.4°F)

0°C (32°F)

Melting/Freezing Point



Viscosity 1-10 cP (Dynamic).

Solubility in water Complete.

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Highly reactive with metals. Reactive with alkalis.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicolo	Section 11. Toxicological Information		
Acute toxicity	Corrosive.		
Effects of Chronic Exposure	None known.		

Section 12. Ecological Information

Not available.

Not available.

Other Toxic Effects

Section 13. Disposal Considerations

Waste Information Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose

of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Proper Please refer to the Bill of Lading/receiving documents for up to date shipping information. **Shipping Name**

TDG Classification

TDG Proper Shipping Name TDG Class Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 313 toxic chemical notification and release reporting: Phosphoric Acid

Clean Water Act (CWA) 311: Phosphoric Acid

CERCLA: Hazardous substances.: Phosphoric Acid, 2-Butoxyethanol

State New Jersey spill list: Phosphoric Acid, 2-Butoxyethanol

New Jersey: Phosphoric Acid, 2-Butoxyethanol

Massachusetts spill list: Phosphoric Acid, 2-Butoxyethanol Massachusetts RTK: Phosphoric Acid, 2-Butoxyethanol Pennsylvania RTK: Phosphoric Acid, 2-Butoxyethanol

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.
Information

Canadian Regulations

Canadian NPRI Canadian NPRI: Phosphoric Acid, 2-Butoxyethanol.

WHMIS Classification CLASS E: Corrosive liquid.



WHMIS Icon



Registered Product Not applicable.
Information

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1.01	

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.