

### **Material Safety Data Sheet**

## **ENDBAC II AEROSOL**

National Fire Protection Association (		Fire Health	Hazard Reactivity	Hazardous N Information (HMIS)	System	Health1Fire Hazard4Reactivity0
		Speci	fic Hazard			
Protective None Clothing	required.		Emergency Overview		NTENTS UNDE	Section 9. R PRESSURE. May cause eye
			Company Identification		Code	54746
Product Name			-			-
Product Use	Industrial/I	nstitutional: Di	sinfectant.		PMS#	436693
MSDS#	12474000	1			Validation Date	04/19/2000
U.S. Headquarters		Canadian Headquarters	5	Print Date	04/20/2000	
Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Johnson Wax Professi 100 Matheson Blvd. Ea Mississauga, Ontario L Phone: (905) 755-0913	ast, Suite 203 .4Z 2G7	Supersedes <u>In Case of</u> <u>Emergency</u>	04/12/2000. (800) 851-7145	

## Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
n-Alkyl Dimethyl Ethylbenzyl Ammonium Chlorides	68956-79-6	<0.1	Not available.	ORAL (LD50): Acute: 500 mg/kg [Rat].
n-Alkyl Dimethyl Benzyl Ammonium Chlorides	68391-01-5	<0.1	Not available.	ORAL (LD50): Acute: 500 mg/kg [Rat].
Butane	106-97-8	1-5	TWA: 1900 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 1900 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	Not available.
Propane	74-98-6	3-7	TWA: 1800 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 4508 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	Not available.
Isobutane	75-28-5	10-30	Not available.	VAPOR (LC50): Acute: 0.0057 ppm 0.25 hours [Rat].
Water	7732-18-5	10-30	Not available.	Not available.
Ethanol	64-17-5	30-60	TWA: 1880 (mg/m³) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 7060 mg/kg [Rat]. 3450 mg/kg [Mouse]. 6300 mg/kg [Rabbit]. VAPOR (LC50): Acute: 20000 ppm 10 hours [Rat]. 39 mg/m <sup>3</sup> 4 hours [Mouse].

Section 3. Hazards Identification			
Routes of Entry	Inhalation. Skin contact. Eye contact.		
Potential Acute Health Effects			
Eyes	May be mildly irritating to eyes.		
Skin	May be mildly irritating to skin.		
Inhalation	May be irritating to nose, throat, and respiratory tract.		
Ingestion	May be irritating to mouth, throat and stomach.		
Medical Conditions Aggravated by Overexposure:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.		
See Toxicological Information	(section 11)		

Continued on Next Page

#### **Johnson Wax PROFESSIONAL** ENDBAC II AEROSOL

#### Section 4. First Aid Measures

Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Skin Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.
Ingestion	Immediately drink plenty of water. Seek immediate medical attention.

#### Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	NFPA 30B Level 2 Aerosol. < 7°C (propellant).
<b>Products of Combustion</b>	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8.).
Special Remarks on Fire and Explosion Hazards	Aerosol product - Containers may rocket or explode in heat of fire.

#### Section 6. Accidental Release Measures

<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8.).	
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.	

# Section 7. Handling and Storage Handling Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Use only in well-ventilated areas. Do not puncture or incinerate. FOR INDUSTRIAL USE ONLY. Storage Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

#### Section 8. Exposure Controls/Personal Protection

Engineering Controls	No special ventilation requirements. General room ventilation is adequate.

Personal Protection

*Eyes* No special protective clothing is required.

Hands No special requirements under normal use conditions.

Respiratory No special protective clothing is required.

Feet No special protective clothing is required.

Body If major exposure is possible, wear suitable protective clothing.

#### Section 9. Physical and Chemical Properties

-	·
Physical State and Appearance	Liquid. (Aerosol.)
Odor	Mild. Alcohol like.
Color	Clear Colorless.
рН	9 to 10 [Basic.]
Specific Gravity	0.72
Vapor Density	1 Air = 1
<b>Evaporation Rate</b>	<1
Solubility in water	Appreciable.

# Ohnson wax Professional

**ENDBAC II AEROSOL** 

,	
Stability and Reactivity	The product is stable.
<b>Conditions of Instability</b>	Excessive heat.
Incompatibility with Various Substances	Reactive with oxidizing agents.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

#### Section 11. Toxicological Information

Acute toxicity Not available. Effects of Chronic Exposure None known. **Other Toxic Effects** Not available.

#### Section 12. Ecological Information

Not available.

#### Section 13. Disposal Considerations

Waste Information

PESTICIDAL WASTE - Observe all applicable Federal/Provincial/State regulations and Local/Municipal ordinances regarding disposal of pesticide wastes.

#### Section 14. Transport Information

DOT Classification	
DOT Class	Not applicable.
UN/NA	
DOT Special Considerations	
TDG Classification	
TDG Proper Shipping Name	Aerosols
<b>TDG Class</b>	CLASS 2.1: Flammable gas.
PIN/NIP	UN1950
TDG Special Considerations	Limited Quantity

#### Section 15. Regulatory Information

Reporting in this section	is based on ingredients disclosed in Section 2
US Regulations	
Federal	Not applicable.
State	Not applicable.
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
<b>Canadian Regulations</b>	
WHMIS Classification	Exempt - regulated under the P.C.P. Act.
WHMIS Icon	
Registered Product Information	P.C.P.: 13584
Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

#### **Johnson Wax PROFESSIONAL** ENDBAC II AEROSOL

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1	
Notice to Reader		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.