

www.jwp.com

FINAL STEP/J-512 SANITIZER

National Fire Protection Association (NF		1 Reactivity	Hazardous Information (HMIS)		Health3Fire Hazard0Reactivity0
Protective Clothing		Hazard Emergency Overview	DANGER. CC	quid. See Sectio RROSIVE. CA R FATAL IF SW	USES EYE AND SKIN BURNS
Section 1. Chemical Product and Company Identification					
Product Name	FINAL STEP/J-512 SAI	NITIZER		Code	53762
Product Use	Industrial/Institutional: Sanitizer. This product is intended to diluted prior to use.		ended to be	PMS#	412087
MSDS#	113761001			Validation Date	e 10/24/2000
U.S. Headquarters Ca		Canadian Headquarters		Print Date	10/24/2000
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203		Supersedes	4/19/2000.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address:		Mississauga, Ontario L4 Phone: (905) 755-0913 (888) 746-5971	Z 2G7	<u>In Case of</u> <u>Emergency</u>	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Ethyl Alcohol	64-17-5	0.1-1	TWA: 1900 (mg/m ³) from OSHA (PEL) [United States] TWA: 1880 (mg/m ³) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 7060 mg/kg [Rat]. VAPOR (LC50): Acute: 20000 ppm 10 hours [Rat].
n-Alkyl Dimethyl Benzyl Ammonium Chlorides	68391-01-5	5	Not available.	Not available.
n-Alkyl Dimethyl Ethylbenzyl Ammonium Chlorides	68956-79-6	5	Not available.	Not available.

Section 3. Hazards Identification		
Routes of Entry	Inhalation. Skin contact. Eye contact.	
Potential Acute Health Effec	zts	
Ey	ves Corrosive. May cause permanent damage including blindness.	
SI	kin Corrosive. May cause permanent damage.	
Inhalati	on May cause irritation and corrosive effects to nose, throat and respiratory tract.	
Ingesti	on Corrosive. May cause burns to mouth, throat, and stomach.	
Medical Conditions Aggravated by Overexposur	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may re: be more susceptible to irritating effects.	
See Toxicological Information	on (section 11)	



Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Notes to Physician	Probable mucosal damage may contraindicate the use of gastric lavage.

Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. None known.
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

Section 6. Accidental Release Measures Personal Precautions and Clean-up Methods Put on appropriate personal protective equipment (see Section 8.). In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
Personal Protection	
Eyes	Chemical splash goggles.
Hands	Chemical resistant gloves. Includes: Gloves, elbow length butyl rubber.
	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Feet	No special requirements under normal use conditions.
Body	If major exposure is possible, wear suitable protective clothing and footwear.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Bland.
Color	Clear Pink.
рН	6 to 8 [Neutral.]
Specific Gravity	1.02
Boiling/Condensation Point	>93°C (199.4°F)
Melting/Freezing Point	0°C (32°F)
Solubility in water	Complete.

Continued on Next Page

INSON WAX OFESSIONA

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	None known.	
Hazardous Decomposition Products	None known.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information

Acute toxicity ORAL (LD50) Estimated to be between 500 and 5000 mg/kg (rat). Effects of Chronic Exposure None known. Other Toxic Effects

None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Class Not applicable.

TDG Classification

Not regulated

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

Canadian Regulations

WHMIS Classification WHMIS Class E: Corrosive liquid.



Registered Product Not applicable.

Information

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Johnson wax PROFESSIONAL

FINAL STEP/J-512 SANITIZER

Section 16. Other Information		
Other Special Considerations	MSDS Serial Range: 001-002.	
Version	1.02	

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.