

FOAMING DISINFECTANT CLEANER

National Fire Protection Association (NFPA)	<div><div><div>Fire Hazard</div><div>Health</div><div>Reactivity</div><div>Specific Hazard</div></div><div><div><div>4</div><div>1</div><div>0</div></div></div></div>	Hazardous Material Information System (HMIS)	<table><tr><td>Health</td><td>1</td></tr><tr><td>Fire Hazard</td><td>4</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health	1	Fire Hazard	4	Reactivity	0
Health	1								
Fire Hazard	4								
Reactivity	0								
Protective Clothing	None required.	Emergency Overview	White. Aerosol. See Section 9. CAUTION:CONTENTS UNDER PRESSURE.Causes eye irritation.						

Section 1. Chemical Product and Company Identification

Product Name	FOAMING DISINFECTANT CLEANER	Code	5268
Product Use	Industrial/Institutional: Disinfectant.	PMS#	448708
MSDS#	126862002	Validation Date	8/20/2001
U.S. Headquarters Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	Canadian Headquarters Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	Print Date	8/20/2001
		Supersedes	8/20/2001.
		In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
n-Alkyl Dimethyl Benzyl Ammonium Chlorides	68391-01-5	0.106	Not available.	Not available.
n-Alkyl Dimethyl Ethylbenzyl Ammonium Chlorides	68956-79-6	0.106	Not available.	Not available.
Dipropylene Glycol Methyl Ether	34590-94-8	1-5	TWA: 600 STEL: 900 (mg/m ³) from OSHA (PEL) [United States] SKIN TWA: 606 STEL: 909 (mg/m ³) from ACGIH (TLV) [United States] SKIN Not available.	ORAL (LD50): Acute: 5119 mg/kg [Rat]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit].
Isobutane	75-28-5	1-5	Not available.	VAPOR (LC50): Acute: 0.0057 ppm 0.25 hours [Rat].

Section 3. Hazards Identification

Routes of Entry	Eye contact. Skin contact Inhalation.
Potential Acute Health Effects	
Eyes	May be moderately irritating to eyes.
Skin	May be mildly irritating to skin.
Inhalation	None known.
Ingestion	None known.
Medical Conditions	Persons with pre-existing skin disorders may be more susceptible to irritating effects.
Aggravated by Overexposure:	
See Toxicological Information (section 11)	

Section 4. First Aid Measures

Eye Contact	Flush immediately with plenty of water. If irritation persists, get medical attention.
Skin Contact	Flush immediately with plenty of water. If irritation persists, get medical attention.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.
Ingestion	Immediately drink plenty of water. Seek medical attention.

Section 5. Fire Fighting Measures

Flammability of the Product	NFPA 30B Level 1 Aerosol.
Flash Points	<-7°C (20°F) (propellant).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes..
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Aerosol product - Containers may rocket or explode in heat of fire.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin or clothing. After handling, always wash hands thoroughly with soap and water. Use only with adequate ventilation. Do not puncture or incinerate. FOR INDUSTRIAL USE ONLY
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C (120F). Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	No special ventilation requirements. General room ventilation is adequate.
Personal Protection	
Eyes	No special requirements under normal use conditions.
Hands	No special requirements under normal use conditions. For prolonged or repeated contact with skin: Neoprene gloves. Rubber gloves.
Respiratory	No special requirements under normal use conditions.
Feet	No special requirements under normal use conditions.
Body	No special protective clothing is required.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Aerosol.
Odor	Characteristic.
Color	White.
pH	11.8 to 12.4 [Basic.]
Specific Gravity	0.98
Solubility in water	Complete.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information	If possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package or give to someone who can. Dispose of according to all federal, state and local regulations.
--------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 14. Transport Information
DOT Classification

DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
DOT Class	
UN/NA	
DOT Special Considerations	

TDG Classification

TDG Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG Class	
PIN/NIP	
TDG Special Considerations	

Section 15. Regulatory Information
Reporting in this section is based on ingredients disclosed in Section 2
US Regulations

Federal	Clean air act (CAA) 112 regulated flammable substances: Isobutane CERCLA: Hazardous substances.: Isobutane
State	New Jersey: Dipropylene Glycol Methyl Ether, Isobutane Massachusetts spill list: Isobutane Massachusetts RTK: Dipropylene Glycol Methyl Ether, Isobutane Pennsylvania RTK: Dipropylene Glycol Methyl Ether, Isobutane This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information EPA Registration Number: 70627-35

Canadian Regulations

WHMIS Classification Not applicable.

WHMIS Icon

Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special Considerations Not available.

Version 1.04

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.