

# **Material Safety Data Sheet**

# **FREEDOM SC**

National Fire Protection Association (NF	PA) H	Fire Hazar calth 300 Specific Ha	Reactivity		Hazardous I Information (HMIS)		Health3Fire Hazard0Reactivity0
Protective Clothing			Emer <sub>i</sub> Overv	view	Yellow. Liquid. DANGER. CO HARMFUL OR	RROSIVE. (	CAUSES EYE AND SKIN BUR
Section 1. Che		-	oany Identific	ation		Code	4629
Product Name Product Use	FREEDOM S		aro			Coue PMS#	433204
MSDS#	126060001		arc.			Validation D	
U.S. Headquarters Johnson Wax Profes 8310 16th Street Sturtevant, Wisconsi Phone: (888) 352-22 MSDS Internet Addre www.jwp.com	n 53177-0902 49	J 1 N F	Canadian Headqu lohnson Wax Pro 00 Matheson Bly Aississauga, Ont Phone: (905) 755 888) 746-5971	ofessior vd. Eas ario L42	t, Suite 203 Z 2G7	Print Date Supersedes <u>In Case of</u> <u>Emergency</u>	04/20/2000 04/12/2000. (800) 851-7145
Section 2. Con	position and	d Informatio	n on Ingredie % by Weight	ents	Exposuro I :	its	LC50/LD50
Ingredients		CA5 #	76 by weight		Exposure Lin	iits	

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Surfactant	173536-74-8	1-5	Not available.	Not available.
Tall Oil Fatty Acid	61790-12-3	1-5	Not available.	Not available.
Glycol Ether	112-25-4	10-30	Not available.	ORAL (LD50): Acute: 830 mg/kg [Rat]. DERMAL (LD50): Acute: 810 mg/kg [Rabbit].
Solvent	100-51-6	10-30	Not available.	ORAL (LD50): Acute: 1230 mg/kg [Rat]. DERMAL (LD50): Acute: 2000 mg/kg [Rabbit].
Monoethanolamine	141-43-5	30-60	TWA: 8 STEL: 15 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 7.5 STEL: 15 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	0 01 1

 Section 3. Hazards Identification

 Routes of Entry
 Inhalation. Skin contact. Eye contact.

 Potential Acute Health Effects
 Eyes
 Corrosive. May cause permanent damage including blindness.

 Skin
 Corrosive. May cause permanent damage.

 Inhalation
 May cause irritation and corrosive effects to nose, throat and respiratory tract.

 Ingestion
 Corrosive. May cause burns to mouth, throat, and stomach.

 Medical Conditions Aggravated by Overexposure:
 Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

 See Toxicological Information (section 11)

# Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

# Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. CLOSED CUP: >93.3°C (199.9°F).
<b>Products of Combustion</b>	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

### Section 6. Accidental Release Measures

<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

# Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

# Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
Personal Protection	
Eyes	Chemical splash goggles.
Hands	Chemical resistant gloves. Includes: Neoprene gloves.
	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Feet	Protective footwear.
Body	If major exposure is possible, wear suitable protective clothing and footwear.

## Section 9. Physical and Chemical Properties

Physical State and	Liquid.
Appearance	
Odor	Mild.
Color	Yellow. (Light.)
рН	12 [Basic.]
Specific Gravity	0.98
Solubility in water	Complete.

#### **Material Safety Data Sheet**

**FREEDOM SC** 



ESSIONAL

ohnson wax

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
<b>Conditions of Instability</b>	None known.	
Incompatibility with Various Substances	Reactive with oxidizing agents, acids. Do not mix with any other chemicals or products unless specified by label.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion. Toxic decomposition products include: Oxides of nitrogen.	
Hazardous Polymerization	Will not occur.	

#### Section 11. Toxicological Information

Corrosive. Acute toxicity Effects of Chronic Exposure None known. Other Toxic Effects Not available.

#### Section 12. Ecological Information

Not available.

#### Section 13. Disposal Considerations

Waste Information


Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

#### Section 14. Transport Information

<b>DOT Classification</b>
---------------------------

DOT Proper         Corrosive liquid, basic, organic, n.o.s. ( Monoethanolamine )           Shipping Name         Corrosive liquid, basic, organic, n.o.s. ( Monoethanolamine )	
DOT Class Class 8: Corrosive material	
UN/NA UN3267	
Packing Group	
Packing Group    TDG Classification	
TDG Classification         TDG Proper       Corrosive liquid, basic, organic, n.o.s. ( Monoethanolamine )	
TDG Classification         TDG Proper         Corrosive liquid, basic, organic, n.o.s. ( Monoethanolamine )         Shipping Name	

#### Section 15. Regulatory Information





FREEDOM SC

Registered Product Not applicable. Information

**Chemical Inventory Status** 

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information	
Other Special Considerations	MSDS Serial Range: 001-002.
Version	1
Notice to Reader	haan propared using data from sources considered technically reliable. It does not constitute a warranty express or implied

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.