

GLANCE SC (SUPER CONCENTRATE)

National Fire Protection Association (N	(FPA) Health Specific L	1 Reactivity	Hazardous Information (HMIS)		Health3Fire Hazard0Reactivity0
Clothing Clothing Overview DANGER.				JSES EYE AND SKIN BURNS ALLOWED.	
Section 1. Chemical Product and Company Identification					
Product Name	GLANCE SC (SUPER (CONCENTRATE)		Code	4701
Product Use	Industrial/Institutional: Cleaning product. This product is inten- to be diluted prior to use.		ct is intended	PMS#	430043
MSDS#	114700004			Validation Date	2/15/2001
U.S. Headquarters	U.S. Headquarters Canadian Headqu			Print Date	2/15/2001
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203	Supersedes	12/8/2000.	
Sturtevant, Wisconsin 53177-0902 Mis Phone: (888) 352-2249 Pho		Mississauga, Ontario L4 Phone: (905) 755-0913 (888) 746-5971	4Z 2G7	<u>In Case of</u> <u>Emergency</u>	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Sodium Xylene Sulfonate Sodium Lauryl Sulfate	1300-72-7 151-21-3	1-5 1-5	Not available. Not available.	Not available. ORAL (LD50): Acute: 1288 mg/kg [Rat]. DUST (LC50): Acute: >3900 mg/m ³ 1 hours [Rat].
Ammonium Hydroxide	1336-21-6	3-7	Not available.	ORAL (LD50): Acute: 350 mg/kg [Rat].
2-Butoxyethanol	111-76-2	10-30	TWA: 120 (mg/m ³) from OSHA (PEL) [United States] TWA: 97 (mg/m ³) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 506 mg/kg [Rat]. DERMAL (LD50): Acute: 406 mg/kg [Rabbit]. VAPOR (LC50): Acute: 450 ppm 4 hours [Rat].
Water	7732-18-5	60-100	Not available.	Not available.

Section 3. Hazards Identification			
Routes of Entry	Eye contact. Skin contact Inhalation.		
Potential Acute Health Effects			
Eyes	Corrosive. May cause permanent damage including blindness.		
Skin	Skin Corrosive. May cause permanent damage.		
Inhalation	Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract.		
Ingestion	Corrosive. May cause burns to mouth, throat, and stomach.		
Medical Conditions Aggravated by Overexposure:	Persons with pre-existing skin disorders may be more susceptable to irritating effects.		
See Toxicological Information (section 11)			

Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Do not induce vomiting! Immediately drink 1-2 glasses of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. None.
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8.).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
Personal Protection	
Eyes	Chemical splash goggles.
Hands	Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.
Respiratory	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Feet	Protective footwear.
Body	If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Liquid.
Ammoniacal.
Blue.
11.3 to 11.9 [Basic.]
1.0
>93°C (200°F)
0°C (32°F)

Continued on Next Page



GLANCE SC (SUPER CONCENTRATE)

Viscosity		
Solubility	in	water

<10 cP (Dynamic). Complete.

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Slightly reactive to reactive with oxidizing agents, acids. Do not mix with any other chemicals or products unless specified by label.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.	
Hazardous Polymerization	Will not occur.	

Section 11.	Toxicological	Information
Acute toxicity	Corro	sive.

Effects of Chronic ExposureNone known.Other Toxic EffectsNone known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification	
DOT Proper Shipping Name	Consumer Commodity
DOT Class	ORM-D
TDG Classification	
TDG Proper Shipping Name	Consumer Commodity
TDG Class	ORM-D

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2				
US Regulations				
Federal	Clean Water Act (CWA) 311: Ammonium Hydroxide CERCLA: Hazardous substances.: Ammonium Hydroxide, 2-Butoxyethanol			
State	New Jersey spill list: Ammonium Hydroxide, 2-Butoxyethanol New Jersey: Ammonium Hydroxide, 2-Butoxyethanol New Jersey toxic catastrophe prevention act: Ammonium Hydroxide Massachusetts spill list: Ammonium Hydroxide, 2-Butoxyethanol Massachusetts RTK: Ammonium Hydroxide, 2-Butoxyethanol Pennsylvania RTK: Ammonium Hydroxide, 2-Butoxyethanol			
	This product is not subject to the reporting requirements under California's Proposition 65.			
Registered Product Information	Registered Product Not applicable. Information			
Canadian Regulations				
Canadian NPRI	Canadian NPRI: 2-Butoxyethanol.			
WHMIS Classification	WHMIS Class E: Corrosive liquid.			



GLANCE SC (SUPER CONCENTRATE)



Registered Product Not applicable.

WHMIS Icon

 Information

 Chemical Inventory Status
 All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1.02	
Notice to Reader		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.