

# **GO-GETTER SC (SUPERCONCENTRATE)**

**Fire Hazard National Fire Hazardous Material** Health 3 Protection **Information System** 0 **Fire Hazard** 0 Health Reactivity Association (NFPA) (HMIS) Reactivity 0 Specific Hazard Red. Liquid. See Section 9. Protective Emergency DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. Clothing Overview HARMFUL OR FATAL IF SWALLOWED. Section 1. Chemical Product and Company Identification 4971 Code Product Name **GO-GETTER SC (SUPERCONCENTRATE)** Industrial/Institutional: Cleaning product. PMS# 407978 Product Use MSDS# 114310002 Validation Date 2/1/2001 **U.S. Headquarters Canadian Headquarters Print Date** 2/1/2001 Johnson Wax Professional Johnson Wax Professional 4/19/2000. Supersedes 8310 16th Street 100 Matheson Blvd. East, Suite 203 Sturtevant, Wisconsin 53177-0902 Mississauga, Ontario L4Z 2G7 In Case of (800) 851-7145 Phone: (888) 352-2249 Phone: (905) 755-0913 or Emergency MSDS Internet Address: (888) 746-5971 www.jwp.com

#### Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Polyacrylic Acid Monoethanolamine	141-43-5	1-5 10-30	Not available. TWA: 8 STEL: 15 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 7.5 STEL: 15 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	Not available. ORAL (LD50): Acute: 1720 mg/kg [Rat]. DERMAL (LD50): Acute: 1018 mg/kg [Rabbit].
Alkoxylated Linear Alcohols Dipropylene Glycol Methyl Ether	68439-50-9 34590-94-8	10-30 10-30	Not available. TWA: 600 STEL: 900 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] SKIN TWA: 606 STEL: 909 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States] SKIN	Not available. ORAL (LD50): Acute: 5119 mg/kg [Rat]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit].
Water	7732-18-5	30-60	Not available.	Not applicable

#### Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	
Eyes	Corrosive. May cause permanent damage including blindness.
Skin	Corrosive. May cause permanent damage.
Inhalation	May cause irritation and corrosive effects to nose, throat and respiratory tract.
Ingestion	Corrosive. May cause burns to mouth, throat, and stomach.
Medical Conditions Aggravated by Overexposure:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.
See Toxicological Information	(section 11)

# Johnson wax PROFESSIONAL

# Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Do not induce vomiting! Immediately drink 1-2 glasses of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.

# Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. CLOSED CUP: >93°C (200°F).
<b>Products of Combustion</b>	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8.).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

# Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

# Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

# Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
Personal Protection	
Eyes	Chemical splash goggles.
Hands	Chemical resistant gloves. Includes: Neoprene gloves.
	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Feet	Protective footwear.
Body	If major exposure is possible, wear suitable protective clothing and footwear.

# Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Fragrance like.
Color	Red.
pH	>11 [Basic.]
Specific Gravity	1.03
Solubility in water	Complete.

# Ohnson wax PROFESSIONAL

# **GO-GETTER SC (SUPERCONCENTRATE)**

Section 10. Stability a	and Reactivity
Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Reactive with acids.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

### Section 11. Toxicological Information

Acute toxicity Corrosive. Effects of Chronic Exposure None known. **Other Toxic Effects** None known.

# Section 12. Ecological Information

Not available.

# Section 13. Disposal Considerations

Waste Information

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

#### Section 14. Transport Information

.:e 4.

DOT Cla	ssification	
	DOT Proper Shipping Name	Corrosive liquid, basic, organic, n.o.s. ( Monoethanolamine )
Ι	DOT Class	Class 8: Corrosive material
τ	UN/NA	UN3267
I	Packing Group	II
TDG Cla	assification	
	TDG Proper Shipping Name	Corrosive liquid, basic, organic, n.o.s. ( Monoethanolamine )
T	TDG Class	Class 8: Corrosive material
F	PIN/NIP	UN3267

### Section 15. Regulatory Information

Reporting in this section i	is based on ingredients disclosed in Section 2
US Regulations	
State	New Jersey: Monoethanolamine, Dipropylene Glycol Methyl Ether Massachusetts spill list: Monoethanolamine Massachusetts RTK: Monoethanolamine, Dipropylene Glycol Methyl Ether Pennsylvania RTK: Monoethanolamine, Dipropylene Glycol Methyl Ether
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
Canadian Regulations	
WHMIS Classification	CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive liquid.
WHMIS Icon	
Continued on Next F	<sup>5</sup> age

Page: 3/4



# **GO-GETTER SC (SUPERCONCENTRATE)**

Registered Product Not applicable. Information

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information	
Other Special Considerations	Not available.
Version	1.01
lotice to Reader	

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.