

GOOD SENSE SC - SUMMER FESTIVAL

National Fire		Fire Haza	nrd	Hazardous		Health 1
Protection Association (N	FDA) H	ealth	Reactivity	Information (HMIS)	n System	Fire Hazard 0
Association (N.	FFA) II		Reactivity	(11115)		Reactivity 0
		Specific Ha	azard			
Protective	0		Emer			
Clothing	21		Overv	view CAUTION:	May cause e	ye and skin irritation.
Section 1. Ch	emical Produ	ct and Com	pany Identific	ation		
Product Name	GOOD SEN	SE SC - SUN	MER FESTIV	AL	Code	5392
Product Use	Industrial/Instited diluted prior to		re. This produc	t is intended to be	PMS#	444438
MSDS#	113918001				Validation I	Date 9/11/2001
U.S. Headquarters			Canadian Headqu		Print Date	9/11/2001
Johnson Wax Profe 8310 16th Street	essional		Johnson Wax Pro	ofessional vd. East, Suite 203	Supersedes	3/5/2001.
Sturtevant, Wiscon			Mississauga, Ont	ario L4Z 2G7	In Case of	(800) 851-7145
Phone: (888) 352-2 MSDS Internet Add			Phone: (905) 755 (888) 746-5971	-0913 or	Emergency	
www.jwp.com			~ /			
Section 2. Co	mposition an	d Informatio	on on Ingredie	ents		
Ingredients		CAS #	% by Weight	Exposure Lir	nits	LC50/LD50
Fragrance			1-5	Not available.		Not available.
Sodium Xylene Sul		1300-72-7 68439-46-3	1-5 5-10	Not available.		Not available. ORAL (LD50): Acute: 1378
		1300-72-7 68439-46-3	1-5 5-10	Not available. Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50):
Sodium Xylene Sul Alcohol Ethoxylates			-			ORAL (LD50): Acute: 1378
Sodium Xylene Sul Alcohol Ethoxylates Water	3	68439-46-3 7732-18-5	5-10	Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Sodium Xylene Sul Alcohol Ethoxylates	s zards Identifi	68439-46-3 7732-18-5 cation	5-10	Not available. Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha	s zards Identifi Eye o	68439-46-3 7732-18-5 cation	5-10 60-100	Not available. Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha Routes of Entry	s zards Identifi Eye ci Ith Effects	68439-46-3 7732-18-5 cation	5-10 60-100 ontact Inhalation.	Not available. Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha Routes of Entry	s zards Identifi Eye cu Ith Effects <i>Eyes</i> May b	68439-46-3 7732-18-5 cation ontact. Skin co	5-10 60-100 ontact Inhalation.	Not available. Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha Routes of Entry Potential Acute Hea	zards Identifi Eye co Ith Effects <i>Eyes</i> May b Skin May b	68439-46-3 7732-18-5 cation ontact. Skin co we mildly irritatin we mildly irritatin	5-10 60-100 ontact Inhalation.	Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha Routes of Entry Potential Acute Hea	s zards Identifi Eye co Ith Effects Eyes May b Skin May b Inhalation May b	68439-46-3 7732-18-5 cation ontact. Skin co be mildly irritating be irritating to n	5-10 60-100 ontact Inhalation. ng to eyes. ng to skin.	Not available. Not available.		ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha Routes of Entry Potential Acute Hea	zards Identifi Eye co Ith Effects Eyes May b Skin May b Inhalation May b Ingestion May b Perso	68439-46-3 7732-18-5 cation ontact. Skin co be mildly irritating be irritating to more irritating to more	5-10 60-100 ontact Inhalation. ng to eyes. ng to skin. ose, throat, and r nouth, throat and	Not available. Not available.	eptable to irri	ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit]. Not available.
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha Routes of Entry Potential Acute Hea Medical Conditions	s zards Identifi Eye co Ith Effects Eyes May b Skin May b Inhalation May b Inpestion May b Perso	68439-46-3 7732-18-5 cation ontact. Skin co be mildly irritating be irritating to more irritating to more ns with pre-exist	5-10 60-100 ontact Inhalation. ng to eyes. ng to skin. ose, throat, and r nouth, throat and	Not available. Not available. espiratory tract. stomach.	eptable to irri	ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit]. Not available.
Sodium Xylene Sul Alcohol Ethoxylates Water Section 3. Ha Routes of Entry Potential Acute Hea Medical Conditions Aggravated by Over	s zards Identifi Eye co Ith Effects Eyes May b Skin May b Inhalation May b Ingestion May b Perso rexposure: formation (section	68439-46-3 7732-18-5 cation ontact. Skin co be mildly irritating be irritating to m be irritating to m ns with pre-exit	5-10 60-100 ontact Inhalation. ng to eyes. ng to skin. ose, throat, and r nouth, throat and	Not available. Not available. espiratory tract. stomach.	eptable to irri	ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit]. Not available.

Section 4.1113	
Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Skin Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.
Ingestion	Immediately drink 1-2 glasses of water or milk. Get medical attention.

Johnson wax PROFESSIONAL

Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. Higher than 93.3°C (200°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Special Remarks on Fire and Explosion Hazards	None known.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

	controls/Personal Protection
Engineering Controls	No special ventilation requirements. General room ventilation is adequate.
Personal Protection	
Eyes	Safety glasses recommended.
	No special requirements under normal use conditions. For prolonged or repeated contact with skin: Neoprene gloves. Rubber gloves.
Respiratory	No special requirements under normal use conditions.
Feet	No special requirements under normal use conditions.
Body	If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Floral.
Color	Colorless.
рН	6 to 6.2 [Acidic.]
Specific Gravity	1.005
Melting/Freezing Point	0°C (32°F)
Solubility in water	Complete.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Johnson wax PROFESSIONAL

Section 11. Toxicolog	gical Information
Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	None known.
Section 12. Ecologica	al Information
Not available.	
Section 13. Disposal	Considerations
Waste Information	No special precautions. Dispose of according to all federal, state and local regulations.
Section 14. Transpor	t Information
DOT Classification	
Not regulated	
TDG Classification	
Not regulated	
Section 15. Regulato	ry Information
Reporting in this section	ry Information is based on ingredients disclosed in Section 2
	is based on ingredients disclosed in Section 2
Reporting in this section US Regulations	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65.
Reporting in this section	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65.
Reporting in this section US Regulations Registered Product	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65.
Reporting in this section US Regulations Registered Product Information Canadian Regulations	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65.
Reporting in this section US Regulations Registered Product Information Canadian Regulations	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65. Not applicable. CLASS D-2B: Material causing other toxic effects (TOXIC).
Reporting in this section US Regulations Registered Product Information Canadian Regulations WHMIS Classification	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65. Not applicable. CLASS D-2B: Material causing other toxic effects (TOXIC). Not applicable.
Reporting in this section US Regulations Registered Product Information Canadian Regulations WHMIS Classification WHMIS Icon Registered Product	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65. Not applicable. CLASS D-2B: Material causing other toxic effects (TOXIC). Not applicable.
Reporting in this section US Regulations Registered Product Information Canadian Regulations WHMIS Classification WHMIS Icon Registered Product Information	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65. Not applicable. CLASS D-2B: Material causing other toxic effects (TOXIC). Not applicable. All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Reporting in this section US Regulations Registered Product Information Canadian Regulations WHMIS Classification WHMIS Icon Registered Product Information Chemical Inventory Status Section 16. Other Inf	is based on ingredients disclosed in Section 2 This product is not subject to the reporting requirements under California's Proposition 65. Not applicable. CLASS D-2B: Material causing other toxic effects (TOXIC). Not applicable. All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.