

J-SHOP 500 CLEANER

National Fire Protection Association (N	Fire Ha (FPA) Health 3 Specific I	1 Reactivity	Hazardous Information (HMIS)	System	Health3Fire Hazard0Reactivity1
Protective Clothing	<mark>()</mark> 🔶 🎇	Emergency Overview	DANGER. CO	Green. Liquid. S RROSIVE. CAU RFATAL IF SWA	JSES EYE AND SKIN BURNS.
Section 1. Ch	nemical Product and Cor	mpany Identification			
Product Name	J-SHOP 500 CLEANER			Code	5130
Product Use	Industrial/Institutional: Floor care.			PMS#	433142
MSDS#	115130004			Validation Date	04/19/2000
U.S. Headquarters		Canadian Headquarters		Print Date	04/20/2000
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203		Supersedes	04/12/2000.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address:		Mississauga, Ontario L4 Phone: (905) 755-0913 (888) 746-5971	1Z 2G7	<u>In Case of</u> Emergency	(800) 851-7145

www.jwp.com	

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Alkylphenoxy Polyethoxyethanol	26027-38-3	1-5	Not available.	Not available.
Sodium Hydroxide	1310-73-2	1-5	CEIL: 2 (mg/m ³) from OSHA	Not available.
			(PEL) [United States]	
			STEL: 2 (mg/m ³) from ACGIH	
			(TLV) [United States]	
Potassium Carbonate	584-08-7	1-5	Not available.	ORAL (LD50): Acute: 1870
				mg/kg [Rat].
Tetrasodium Salt of EDTA	64-02-8	1-5	Not available.	Not available.
Sodium silicate	1344-09-8	1-5	Not available.	Not available.
Water	7732-18-5	60-100	Not available.	Not applicable.

Section 3. Hazards Identification

Inhalation. Skin contact. Eye contact.
Corrosive. May cause permanent damage including blindness.
Corrosive. May cause permanent damage.
May cause irritation and corrosive effects to nose, throat and respiratory tract.
Corrosive. May cause burns to mouth, throat, and stomach.
Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.
(section 11)

J-SHOP 500 CLEANER

Section 4. First Aid Measures

Johnson wax PROFESSIONAL

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. Not available.
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
Personal Protection	
Eyes	Chemical splash goggles.
Hands	Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.
	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Feet	Protective footwear.
Body	If major exposure is possible, wear suitable protective clothing and footwear.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Mild.
Color	Clear Yellow. Green.
рН	>12.5 [Basic.]
Specific Gravity	1
Boiling/Condensation Point	100°C (212°F)
Solubility in water	Complete.

ohnson wax PROFESSIONAL

J-SHOP 500 CLEANER

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Reactive with oxidizing agents, acids.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information

Acute toxicity ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat). Effects of Chronic Exposure None known. **Other Toxic Effects**

Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information


DOT Cla sifi ati

DOT CI	assification	
	DOT Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide , Sodium silicate)
	DOT Class	Class 8: Corrosive material
	UN/NA	UN3266
	Packing Group	II
TDG C	lassification	
	TDG Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide , Sodium silicate)
	TDG Class	Class 8: Corrosive material
	PIN/NIP	UN3266
	Packing Group	II

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2			
US Regulations			
Federal	Clean Water Act (CWA) 311: Sodium Hydroxide CERCLA: Hazardous substances.: Sodium Hydroxide		
State	New Jersey spill list: Sodium Hydroxide New Jersey: Sodium Hydroxide Massachusetts spill list: Sodium Hydroxide Massachusetts RTK: Sodium Hydroxide Pennsylvania RTK: Sodium Hydroxide		
	This product is not subject to the reporting requirements under California's Proposition 65.		
Registered Product Information	Not applicable.		
Canadian Regulations			
Canadian NPRI	Canadian NPRI: Alkylphenoxy Polyethoxyethanol.		

Continued on Next Page



Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1	
as to the accuracy	been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to ble information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws	

and regulations.