




# J-SPRAY CREW RESTROOM DEODORIZING CLEANER CONCENTRATE

<div>National Fire Protection Association (NFPA)</div>	<div><div>Fire Hazard</div><div>Health</div><div>Reactivity</div><div><div><div>1</div><div>3</div><div>0</div></div></div></div>	<div>Hazardous Material Information System (HMIS)</div> <div><div>Health</div><div>3</div><div>Fire Hazard</div><div>2</div><div>Reactivity</div><div>0</div></div>
<div>Specific Hazard</div>		
<div>Protective Clothing</div> <div><div></div><div></div><div></div></div>	<div>Emergency Overview</div> <div>Purple. Liquid. See Section 9. DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.</div>	

## Section 1. Chemical Product and Company Identification

Product Name	J-SPRAY CREW RESTROOM DEODORIZING CLEANER CONCENTRATE	Code	4603
Product Use	Industrial/Institutional: Cleaning product. This product concentrate must be diluted through SC Johnson Professional branded dispensing equipment.	PMS#	461983
MSDS#	126640002	Validation Date	04/19/2000
U.S. Headquarters Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	Canadian Headquarters Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	Print Date	04/20/2000
		Supersedes	04/12/2000.
		In Case of Emergency	(800) 851-7145

## Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Ethyl Alcohol	64-17-5	1-5	TWA: 1900 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 1880 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 7060 mg/kg [Rat]. VAPOR (LC50): Acute: 20000 ppm 10 hours [Rat].
Fragrance		1-5	Not available.	Not available.
Isopropyl Alcohol	67-63-0	1-5	TWA: 980 STEL: 1225 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 983 STEL: 1230 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 5045 mg/kg [Rat]. DERMAL (LD50): Acute: 12800 mg/kg [Rabbit]. VAPOR (LC50): Acute: 16000 ppm 8 hours [Rat].
Tripotassium Salt of EDTA	17572-97-3	1-5	Not available.	Not available.
n-Alkyl Dimethyl Benzyl Ammonium Chloride	68424-85-1	1-5	Not available.	ORAL (LD50): Acute: 426 mg/kg [Rat].
Di-N-Alkyl Dimethyl Ammonium Chloride	68424-95-3	1-5	Not available.	Not available.
Alkylphenoxy Polyethoxyethanol	26027-38-3	5-10	Not available.	Not available.
Water	7732-18-5	60-100	Not available.	Not applicable.

## Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	
<u>Eyes</u>	Corrosive. May cause permanent damage including blindness.
<u>Skin</u>	Corrosive. May cause permanent damage.
<u>Inhalation</u>	May cause irritation and corrosive effects to nose, throat and respiratory tract.
<u>Ingestion</u>	Corrosive. May cause burns to mouth, throat, and stomach.

**J-SPRAY CREW RESTROOM DEODORIZING CLEANER  
 CONCENTRATE**

<b>Medical Conditions</b>	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may
<b>Aggravated by Overexposure:</b>	be more susceptible to irritating effects.
<b>See Toxicological Information (section 11)</b>	

**Section 4. First Aid Measures**

<b>Eye Contact</b>	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
<b>Skin Contact</b>	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
<b>Inhalation</b>	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
<b>Ingestion</b>	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Section 5. Fire Fighting Measures**

<b>Flammability of the Product</b>	Although this product has a flash point below 200 Deg. F, it is an aqueous solution containing an alcohol and does not sustain combustion.
<b>Flash Points</b>	CLOSED CUP: 54°C (129.2°F).
<b>Products of Combustion</b>	None known.
<b>Fire Fighting Media and Instructions</b>	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide.
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8).
<b>Special Remarks on Fire and Explosion Hazards</b>	Corrosive material (See sections 8 and 10). Material may burn in heat of fire.

**Section 6. Accidental Release Measures**

<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8).
<b>Environmental Precautions and Clean-up Methods</b>	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

**Section 7. Handling and Storage**

<b>Handling</b>	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY. Use only in well-ventilated areas.
<b>Storage</b>	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. Keep away from heat, sparks and flame. KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls/Personal Protection**

<b>Engineering Controls</b>	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.
<b>Personal Protection</b>	
<i>Eyes</i>	Chemical splash goggles.
<i>Hands</i>	Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.
<i>Respiratory</i>	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
<i>Feet</i>	Protective footwear.
<i>Body</i>	If major exposure is possible, wear suitable protective clothing and footwear.

**Section 9. Physical and Chemical Properties**

Physical State and Appearance	Liquid.
Odor	Fresh.
Color	Purple. (Dark.)
pH	7 [Neutral.]
Specific Gravity	1
Boiling/Condensation Point	>100°C (212°F)
Melting/Freezing Point	<0°C (32°F)
Evaporation Rate	1
Solubility in water	Complete.

**Section 10. Stability and Reactivity**

Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Reactive with oxidizing agents, acids.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

**Section 11. Toxicological Information**

Acute toxicity	Corrosive.
Effects of Chronic Exposure	None known.
Other Toxic Effects	Not available.

**Section 12. Ecological Information**

Not available.

**Section 13. Disposal Considerations**

Waste Information	Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.
-------------------	--

**Section 14. Transport Information**

DOT Classification	
DOT Proper Shipping Name	Corrosive liquids, n.o.s. ( Quaternary ammonium compound. )
DOT Class	Class 8: Corrosive material
UN/NA	UN1760
Packing Group	III
DOT Special Considerations	Limited Quantity

TDG Classification

**J-SPRAY CREW RESTROOM DEODORIZING CLEANER  
CONCENTRATE**
**Section 15. Regulatory Information**

Reporting in this section is based on ingredients disclosed in Section 2

**US Regulations**
**Federal** SARA 313 toxic chemical notification and release reporting: Isopropyl Alcohol  
CERCLA: Hazardous substances.: Ethyl Alcohol, Isopropyl Alcohol

**State** New Jersey spill list: Isopropyl Alcohol  
New Jersey: Ethyl Alcohol, Isopropyl Alcohol  
Massachusetts spill list: Ethyl Alcohol, Isopropyl Alcohol  
Massachusetts RTK: Ethyl Alcohol, Isopropyl Alcohol  
Pennsylvania RTK: Ethyl Alcohol, Isopropyl Alcohol

This product is not subject to the reporting requirements under California's Proposition 65.

**Registered Product  
Information** Not applicable.

**Canadian Regulations**
**Canadian NPRI** Canadian NPRI: Alkylphenoxy Polyethoxyethanol.

**WHMIS Classification** WHMIS Class E: Corrosive liquid.

**WHMIS Icon**

**Registered Product  
Information** Not applicable.

**Chemical Inventory Status** All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Section 16. Other Information**
**Other Special  
Considerations** Not available.

**Version** 1

**Notice to Reader**

*This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*