

## JP OPTIMUM FRYER BOIL OUT

National Fire
Protection
Association (NFPA)

Health
Fire Hazard
Information System
(HMIS)

Health
3

Fire Hazard

O

Reactivity

O

Reactivity

Specific Hazard

Protective Clothing





**Emergency Overview** 

White. Powder. See Section 9.

DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.

Section 1. Chemical Product and Company Identification				
Product Name	JP OPTIMUM FRYER BOIL OUT		Code	48085
<b>Product Use</b>	Industrial/Institutional: Specialty chemical. This product is intended to be diluted prior to use.		PMS#	433386
MSDS#	126466001		Validation Date	2/11/2002
U.S. Headquarters Johnson Wax Professional 8310 16th Street		Canadian Headquarters Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	Print Date	2/11/2002
			Supersedes	1/29/2002.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com			In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	<b>Exposure Limits</b>	LC50/LD50
Alkylphenoxy Polyethoxyethanol	26027-38-3	1-5	Not available.	Not available.
Sodium Polyacrylate	9003-04-7	1-5	Not available.	ORAL (LD50): Acute: >40000 mg/kg [Rat].
Water	7732-18-5	10-30	Not available.	Not applicable.
Sodium Tripolyphosphate	7758-29-4	10-30	Not available.	ORAL (LD50): Acute: 3120 mg/kg [Rat].
Sodium Metasilicate	6834-92-0	30-60	Not available.	ORAL (LD50): Acute: 770 mg/kg [Rat].

	[r.ed]		
Section 3. Hazards Identification			
Routes of Entry	Inhalation. Skin contact. Eye contact.		
Potential Acute Health Effects	S		
Eye	s Corrosive. May cause permanent damage including blindness.		
Skii	n Corrosive. May cause permanent damage.		
Inhalatio	Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract.		
Ingestion	Corrosive. May cause burns to mouth, throat, and stomach.		
Medical Conditions Aggravated by Overexposure	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.		
See Toxicological Information	(section 11)		

Section 4. First	Section 4. First Aid Measures		
<b>Eye Contact</b>	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.		
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.		
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.		
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.		

Section 5. Fire Fighti	Section 5. Fire Fighting Measures		
Flammability of the Product Flash Points	None known. Not available.		
<b>Products of Combustion</b>	None known.		
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.		
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8).		
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).		

Section 6. Accidental Release Measures		
<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8).	
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.	

Section 7. Handling and Storage		
Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY. Avoid breathing dust.	
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.	

Section 8. Exposure Controls/Personal Protection		
<b>Engineering Controls</b>	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.	
Personal Protection		
Eyes	Chemical splash goggles.	
Hands Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.		
Respiratory	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.	
Feet	Protective footwear.	
Body	If major exposure is possible, wear suitable protective clothing and footwear.	

Section 9. Physical and Chemical Properties		
Physical State and Appearance	Solid. (Powder.)	
Odor	Mild.	
Color	White.	
pН	12.7 [Basic.] (1% solution)	
Specific Gravity	0.79	
Solubility in water	Complete.	

### JP OPTIMUM FRYER BOIL OUT

Section 10. Stability and Reactivity			
Stability and Reactivity	The product is stable.		
Conditions of Instability	None known.		
Incompatibility with Various Substances	Reactive with acids.		
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion. Toxic decomposition products include: Oxides of sodium.		
Hazardous Polymerization	Will not occur.		

Section 11. Toxicolo	Section 11. Toxicological Information	
Acute toxicity	Corrosive.	
<b>Effects of Chronic Exposure</b>	None known.	

### Section 12. Ecological Information

Not available.

Not available.

Other Toxic Effects

### Section 13. Disposal Considerations

Waste Information Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

# DOT Classification DOT Proper Shipping Name Please refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Proper Shipping Name

**TDG Class** 

TDG Classification

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

### Section 15. Regulatory Information

### Reporting in this section is based on ingredients disclosed in Section 2

**US Regulations** 

Federal Clean Water Act (CWA) 311: Sodium Tripolyphosphate

CERCLA: Hazardous substances.: Sodium Tripolyphosphate

State New Jersey spill list: Sodium Tripolyphosphate New Jersey: Sodium Tripolyphosphate

Massachusetts spill list: Sodium Tripolyphosphate Massachusetts RTK: Sodium Tripolyphosphate Pennsylvania RTK: Sodium Tripolyphosphate

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.
Information

**Canadian Regulations** 

Canadian NPRI Canadian NPRI: Alkylphenoxy Polyethoxyethanol.


WHMIS Classification CLASS E: Corrosive solid.

WHMIS Icon



Registered Product Not applicable.

Information





### JP OPTIMUM FRYER BOIL OUT

**Chemical Inventory Status** 

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1.02	

### **Notice to Reader**

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.