

# LINOBASE LINOLEUM SEALER

Fire Hazard **National Fire** Health **Hazardous Material** 1 **Protection Information System** 0 Fire Hazard 0 Health Reactivity Association (NFPA) (HMIS) 0 Reactivity Specific Hazard

Protective None required. Emergency Opaque White. Liquid. See Section 9.

Clothing

Overview

CAUTION: May be mildly irritating to eyes. May be mildly irritating to skin.

Section 1. Chemical Product and Company Identification				
<b>Product Name</b>	LINOBASE LINOI	LINOBASE LINOLEUM SEALER		4189
<b>Product Use</b>	Industrial/Institutional: Floor care.		PMS#	446676
MSDS#	114142001		Validation Date	7/3/2001
U.S. Headquarters	S	Canadian Headquarters	Print Date	7/3/2001
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203	Supersedes	No Previous Validation.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	<b>Exposure Limits</b>	LC50/LD50
Waxes Dipropylene Glycol Methyl Ether	68441-17-8 34590-94-8	1-5 1-5	Not available.  OSHA (United States). Skin  TWA: 600 mg/m³  STEL: 900 mg/m³  ACGIH (United States). Skin  TWA: 606 mg/m³  STEL: 909 mg/m³	Not available. ORAL (LD50): Acute: 5119 mg/kg [Rat]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit].
Diethylene Glycol Ethyl Ether	111-90-0	1-5	Not available.	ORAL (LD50): Acute: 5540 to 9740 mg/kg [Rat].
Acrylic Polymers Water	7732-18-5	10-30 60-100	Not available. Not available.	Not available. Not available.

Section 3. Hazards Identification		
Routes of Entry	Inhalation. Skin contact. Eye contact.	
<b>Potential Acute Health Effects</b>		
Eyes	May be mildly irritating to eyes.	
Skin	May be mildly irritating to skin.	
Inhalation	None known.	
Ingestion	None known.	
Medical Conditions Aggravated by Overexposure:	None known.	
See Toxicological Information	(section 11)	



Section 4. First Aid Measures		
Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.	
Skin Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.	
Inhalation	No specific first aid measures are required.	
Ingestion	No specific first aid measures are required.	

Section 5. Fire Fighting	Section 5. Fire Fighting Measures		
Flammability of the Product Flash Points	None known. CLOSED CUP: >93°C (200°F).		
<b>Products of Combustion</b>	None known.		
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.		
Special Remarks on Fire and Explosion Hazards	None known.		

Section 6. Accidental Release Measures			
<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8.).		
<b>Environmental Precautions</b> and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.		

Section 7. Handling and Storage		
Handling	Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY.	
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.	

Section 8. Exposure Controls/Personal Protection		
<b>Engineering Controls</b>	ngineering Controls No special ventilation requirements. General room ventilation is adequate.	
<b>Personal Protection</b>		
	Eyes No special requirements under normal use conditions.	
	Hands No special requirements under normal use conditions.	
Respiratory No special requirements under normal use conditions.		
	Feet No special requirements under normal use conditions.	
	Body No special protective clothing is required.	

Section 9. Physical and Chemical Properties		
Physical State and Appearance	Liquid.	
Odor	Mild.	
Color	Opaque White.	
pН	7.7 [Basic.]	
Specific Gravity	1.03	
<b>Boiling/Condensation Point</b>	>100°C (212°F)	
Melting/Freezing Point	0°C (32°F)	
Solubility in water	Complete.	

#### LINOBASE LINOLEUM SEALER

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Slightly reactive to reactive with oxidizing agents.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.	
<b>Hazardous Polymerization</b>	Will not occur.	

Section 11. Toxicological Information	
Acute toxicity  ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).  DERMAL (LD50) Estimated to be greater than 2000 mg/kg.	
<b>Effects of Chronic Exposure</b>	None known.
Other Toxic Effects	None known.

### Section 12. Ecological Information

Not available.

## Section 13. Disposal Considerations

Waste Information No special precautions. Dispose of according to all federal, state and local regulations.

#### Section 14. Transport Information

DOT Classification

Not regulated

TDG Classification

Not regulated

### Section 15. Regulatory Information

#### Reporting in this section is based on ingredients disclosed in Section 2

**US Regulations** 

Federal SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Ethyl Ether

CERCLA: Hazardous substances.: Diethylene Glycol Ethyl Ether

State New Jersey spill list: Diethylene Glycol Ethyl Ether

New Jersey: Diethylene Glycol Ethyl Ether, Dipropylene Glycol Methyl Ether

Massachusetts RTK: Dipropylene Glycol Methyl Ether

Pennsylvania RTK: Diethylene Glycol Ethyl Ether, Dipropylene Glycol Methyl Ether

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

Canadian Regulations

WHMIS Classification Not controlled under WHMIS (Canada).

WHMIS Icon



Registered Product Not applicable. Information

**Chemical Inventory Status** 

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.



# **LINOBASE LINOLEUM SEALER**

Section 16. Other Information		
Other Special Considerations	MSDS Serial Range: 1-2	
Version	1.01	

### **Notice to Reader**

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.