

Material Safety Data Sheet

LIQUID SANITIZER

	LI		ANITIZEF	K			
National Fire	Fire Haza	ard Hazardous Mate			rial Health 3		
Protection	lealth	Reactivity	Information	n System	Fire Hazard	0	
Association (NFPA) ¹		Reactivity	(HMIS)		Reactivity	0	
	Specific Ha	azard					
Protective Clothing		Emer Overv	view DANGER. CO	ORROSIVE.	tion 9. CAUSES EYE AND SK SWALLOWED.	IN BURNS	
Section 1. Chemical Produ	ict and Com	pany Identific	ation				
Product Name LIQUID SAI	NITIZER			Code	3847		
Product Use Industrial/Insti	tutional: Carpet	care. Sanitizer.		PMS#	433351		
MSDS# 126356001				Validation I	Date 04/19/2000		
U.S. Headquarters		Canadian Headqu		Print Date	04/20/2000		
Johnson Wax Professional 8310 16th Street		Johnson Wax Pro	ofessional vd. East, Suite 203	Supersedes	edes 04/12/2000.		
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Mississauga, Ont Phone: (905) 755 (888) 746-5971	ario L4Z 2G7	<u>In Case of</u> <u>Emergency</u>	(800) 851-714	5	
Section 2. Composition ar	d Informatio	on on Ingredie	nts				
Ingredients	CAS #	% by Weight	Exposure Li	mits	LC50/LD50)	
n-Alkyl Dimethyl Benzyl Ammonium Chloride	68424-85-1	0.8	Not available.		ORAL (LD50): Acute: [Rat].	426 mg/kg	
Di-N-Alkyl Dimethyl Ammonium Chloride	68424-95-3	1.2	Not available.		Not available.		
Sodium Metasilicate	6834-92-0	1-5	Not available.		ORAL (LD50): Acute: [Rat].	770 mg/kg	
Section 3. Hazards Identif	cation						
Routes of Entry Inhala	ation. Skin conta	act. Eye contact.					
Potential Acute Health Effects							
	sive. May caus	e permanent darr	age including blindne	SS.			
·		e permanent dam					
		•	ects to nose, throat an	d respiratory	tract.		
			, throat, and stomach.				
Medical Conditions Indivi Aggravated by Overexposure: be me				ima, chronic	bronchitis, emphysema	a, etc., may	
See Toxicological Information (sectio							
Section 4. First Aid Measu	res						
	diately flush e		water for at least 15	5 minutes, ke	eeping eyelids open. G	Set medical	
		·	for at least 15 minute	es. Get medic	cal attention immediatel	у.	
			h air. Get medical atte				
			ely drink plenty of v ntion immediately.	water. Neve	r give anything by m	outh to an	
	-		-	astric lavage.	Use only as directed.		

Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. CLOSED CUP: >93°C (199.4°F).
Products of Combustion	Products of combustion: Amines. Organic materials. Oxides of carbon. Oxides of nitrogen.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8.).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protection

Eyes Chemical splash goggles. Face shield.

Hands Chemical resistant gloves. Includes: Gloves, elbow length butyl rubber.

Respiratory If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Feet Protective footwear.

Body If major exposure is possible, wear suitable protective clothing and footwear.

Section 9. Physical and Chemical Properties

,				
Physical State and Appearance	Liquid.			
Odor	Characteristic.			
Color	Colorless.			
рН	12.5 to 13.5 [Basic.]			
Specific Gravity	1.07			
Boiling/Condensation Point	>93°C (199.4°F)			
Melting/Freezing Point	<0°C (32°F)			
Evaporation Rate	1			
Solubility in water	Complete.			

ohnson wax PROFESSIONAL

LIQUID SANITIZER

Section 10. Stability	and Reactivity
Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Not available.
Hazardous Decomposition Products	None known.
Hazardous Polymerization	Will not occur.
Section 11. Toxicolo	gical Information
Acute toxicity	ORAL (LD50) Estimated to be between 500 and 5000 mg/kg (rat).

DERMAL (LD50) Estimated to be greater than 2000 mg/kg (rabbit). Effects of Chronic Exposure None known. **Other Toxic Effects**

Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information

PESTICIDAL WASTE - Observe all applicable Federal/Provincial/State regulations and Local/Municipal ordinances regarding disposal of pesticide wastes. Do not reuse container.

Section 14. Transport Information

DOT Classification

Not regulated

TDG Classification

Not regulated

Section 15. Regulatory Information

Reporting in this section	is based on ingredients disclosed in Section 2
US Regulations	
Federal	CERCLA: Hazardous substances.: Ethyl Alcohol
State	New Jersey: Ethyl Alcohol Massachusetts spill list: Ethyl Alcohol Massachusetts RTK: Ethyl Alcohol Pennsylvania RTK: Ethyl Alcohol
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	EPA Registration Number: 6836-108-70627
Canadian Regulations	
Canadian NPRI	Not applicable.
WHMIS Classification	Not applicable.
WHMIS Icon	
Registered Product Information	Not applicable.
Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Johnson Wax PROFESSIONAL LIQUID SANITIZER

Section 16. Other Information			
Other Special Considerations	Not available.		
Version	1		
Notice to Reader			

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.