

# Material Safety Data Sheet

# **PAN CLEAN**

National Fire Protection Association (NFPA)	Fire Haz	eard D Reactivity	Hazardous Information (HMIS)		Health1Fire Hazard1Reactivity0
	Specific H	lazard			
Protective None required. Clothing		Emer Overv	gency Clear Blue. Li view CAUTION: Ma		ection 9. and skin irritation.
Section 1. Chemical Produ	uct and Con	npany Identific	ation		
Product Name PAN CLEAN Code 3838					
Product Use Industrial/Institutional: Cleaning product. PMS# 425898				425898	
MSDS# 113837001				Validation I	Date 04/19/2000
U.S. Headquarters Canadian Headquarters		arters	Print Date	04/19/2000	
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971		Supersedes	04/12/2000.
Stor for Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com				<u>In Case of</u> <u>Emergency</u>	(800) 851-7145
Section 2. Composition ar	nd Informati	on on Ingredie	ents		
Ingredients	CAS #	% by Weight	Exposure Li	nits	LC50/LD50
Ethyl Alcohol	64-17-5	3-7	TWA: 1900 (mg/m <sup>3</sup> ) OSHA (PEL) [United TWA: 1880 (mg/m <sup>3</sup> ) ACGIH (TLV) [United	States] from	ORAL (LD50): Acute: 7060 mg/kg [Rat]. VAPOR (LC50): Acute: 20000 ppm 10 hours [Rat].
Sodium Lauryl Ether Sulfate	9004-82-4	3-7	Not available.	Jolalesj	ORAL (LD50): Acute: 1600
Sodium Dodecylbenzene Sulfonate	25155-30-0	15-40	Not available.		mg/kg [Rat]. ORAL (LD50): Acute: 438 mg/kg [Rat].
Water	7732-18-5	40-70	Not available.		Not applicable.
Section 3. Hazards Identif	ication				
Routes of Entry Inhal	ation. Skin con	tact. Eye contact.			
Potential Acute Health Effects					
	be mildly irritati	na to eves.			
· <u> </u>	be mildly irritati				
Inhalation None	-	<u> </u>			
Ingestion None					
Medical Conditions None known. Aggravated by Overexposure:					
See Toxicological Information (section	See Toxicological Information (section 11)				
Section 4. First Aid Measures					
		vith plenty of wate	r. Get medical attentio	n if irritation	occurs.
, v	Flush immediately with plenty of water. Get medical attention if irritation occurs. Flush immediately with plenty of water. Get medical attention if irritation occurs.				
	No specific first aid measures are required.				
Ingestion No specific first aid measures are required.					



PAN CLEAN

### Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	Although this product has a flash point below 200 Deg. F, it is an aqueous solution containing an alcohol and does not sustain combustion. CLOSED CUP: 57°C (134.6°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide.
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	None.

#### Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).	
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.	

#### Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. FOR INDUSTRIAL USE ONLY
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

#### Section 8. Exposure Controls/Personal Protection

Engineering Controls No special ventilation requirements. General room ventilation is adequate.

**Personal Protection** 

*Eyes* No special protective clothing is required.

Hands No special protective clothing is required.

Respiratory No special protective clothing is required.

Feet No special protective clothing is required.

Body No special protective clothing is required.

#### Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Fragrance like.
Color	Clear Blue.
рН	6.8 to 7.1 [Neutral.]
Specific Gravity	1.06
<b>Boiling/Condensation Point</b>	>93°C (199.4°F)
Melting/Freezing Point	2°C (35.6°F)
Solubility in water	Complete.

#### Section 10. Stability and Reactivity

-	
Stability and Reactivity	The product is stable.
<b>Conditions of Instability</b>	None known.
Incompatibility with Various Substances	Not available.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion. Toxic decomposition products include: Oxides of sodium.
Hazardous Polymerization	Will not occur.

## Johnson wax PROFESSIONAL PAN CLEAN

Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
Effects of Chronic Exposure Other Toxic Effects	Note valiable.
Other Toxic Effects	
Section 12. Ecologica	al Information
Not available.	
Section 13. Disposal	Considerations
Waste Information	Undiluted product is regulated under environmental and transportation laws as an ignitable waste. Dispose of according to all federal, state and local regulations.
Section 14. Transport	t Information
DOT Classification	
DOT Special Considerations	Combustible non-bulk exemption.
TDG Classification	
Not regulated	
Section 15. Regulator	ry Information
Section 15. Regulator	
Reporting in this section	ry Information is based on ingredients disclosed in Section 2
Reporting in this section US Regulations	is based on ingredients disclosed in Section 2
Reporting in this section US Regulations	
Reporting in this section US Regulations Federal	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate
Reporting in this section US Regulations Federal	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate
Reporting in this section US Regulations Federal	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate
Reporting in this section US Regulations Federal	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate
Reporting in this section US Regulations Federal	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate
Reporting in this section US Regulations Federal	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Pennsylvania RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate This product is not subject to the reporting requirements under California's Proposition 65.
Reporting in this section US Regulations Federal State Registered Product	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Pennsylvania RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate This product is not subject to the reporting requirements under California's Proposition 65.
Reporting in this section US Regulations Federal State Registered Product Information Canadian Regulations	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Pennsylvania RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate This product is not subject to the reporting requirements under California's Proposition 65.
Reporting in this section US Regulations Federal State Registered Product Information Canadian Regulations	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Pennsylvania RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate This product is not subject to the reporting requirements under California's Proposition 65. Not applicable.
Reporting in this section US Regulations Federal State Registered Product Information Canadian Regulations WHMIS Classification	is based on ingredients disclosed in Section 2 Clean Water Act (CWA) 311: Sodium Dodecylbenzene Sulfonate CERCLA: Hazardous substances.: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate New Jersey spill list: Sodium Dodecylbenzene Sulfonate New Jersey: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts spill list: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Massachusetts RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate Pennsylvania RTK: Ethyl Alcohol, Sodium Dodecylbenzene Sulfonate This product is not subject to the reporting requirements under California's Proposition 65. Not applicable. CLASS D-2B: Material causing other toxic effects (TOXIC).

#### Johnson wax PROFESSIONAL PA

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1	
Notice to Reader		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.