

# **Material Safety Data Sheet**

# **PRE-EMULSIFIER**

| National Fire<br>Protection<br>Association (N               | NFPA) Health 2                | lazard<br>0<br>0<br>Reactivity<br>c Hazard                        | Hazardous<br>Information<br>(HMIS) |   | Health2Fire Hazard0Reactivity0     |
|---|-------------------------------|---|------------------------------------|---|------------------------------------|
| Protective Clothing   |                               | Emergency<br>Overview   | WARNING:                           | ss. Liquid. See S<br>CAUSES EYE<br>SWALLOWED. | ection 9.<br>E AND SKIN IRRITATION |
| Section 1. Cl   | hemical Product and Co        | ompany Identification   | 1                                  | -   |                                    |
| Product Name  | PRE-EMULSIFIER                |   |                                    | Code  | 3852                               |
| Product Use   | Industrial/Institutional: Car | pet care.   |                                    | PMS#  | 433350                             |
| MSDS#   | 126355001                     |   |                                    | Validation Date                               | 04/19/2000                         |
| U.S. Headquarters   |                               | Canadian Headquarters   | Canadian Headquarters              |   | 04/20/2000                         |
| Johnson Wax Prot<br>8310 16th Street                        | fessional                     | Johnson Wax Profession<br>100 Matheson Blvd. Ea                   |                                    | Supersedes                                    | 04/12/2000.                        |
| Sturtevant, Wiscon<br>Phone: (888) 352-<br>MSDS Internet Ad | 2249                          | Mississauga, Ontario L<br>Phone: (905) 755-0913<br>(888) 746-5971 | 4Z 2G7                             | <u>In Case of</u><br><u>Emergency</u>         | (800) 851-7145                     |

## Section 2. Composition and Information on Ingredients

| Ingredients  | CAS #                 | % by Weight | Exposure Limits                  | LC50/LD50  |
|--|-----------------------|-------------|----------------------------------|--|
| Sodium Xylene Sulfonate<br>Diethylene Glycol Butyl Ether | 1300-72-7<br>112-34-5 | 1-5<br>5-10 | Not available.<br>Not available. | Not available.<br>ORAL (LD50): Acute: 5660<br>mg/kg [Rat]. DERMAL (LD50):<br>Acute: 2700 mg/kg [Rabbit]. |
| Alcohol Ethoxylates                                      | 68439-46-3            | 5-10        | Not available.                   | ORAL (LD50): Acute: 1378<br>mg/kg [Rat]. DERMAL (LD50):<br>Acute: >2000 mg/kg [Rabbit].                  |
| Tripropylene Glycol Methyl Ether                         | 25498-49-1            | 5-10        | Not available.                   | ORAL (LD50): Acute: 3300<br>mg/kg [Rat].   |
| Water  | 7732-18-5             | 60-100      | Not available.                   | Not applicable.  |

# Section 3. Hazards Identification

www.jwp.com

| Routes of Entry                 | Inhalation. Skin contact. Eye contact.   |
|---------------------------------|--|
| Potential Acute Health Effects  |  |
| Eyes                            | May be severely irritating to eyes.  |
| Skin                            | May be severely irritating to skin.  |
| Inhalation                      | May be irritating to nose, throat, and respiratory tract.  |
| Ingestion                       | May be irritating to mouth, throat and stomach.  |
| Aggravated by Overexposure:     | Persons with pre-existing skin disorders may be more susceptable to irritating effects. Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects. |
| See Toxicological Information ( | (section 11)   |

### Section 4. First Aid Measures

Johnson wax PROFESSIONAL

| Eye Contact  | Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention. |
|--------------|---|
| Skin Contact | Flush immediately with plenty of water for at least 15 minutes. Get medical attention.                          |
| Inhalation   | If breathing is difficult: Remove to fresh air. Get medical attention.  |
| Ingestion    | Immediately drink plenty of water. Get medical attention.   |

# Section 5. Fire Fighting Measures

| Flammability of the Product<br>Flash Points   | None known.<br>Not available.   |
|---|---|
| <b>Products of Combustion</b>                 | None known.   |
| Fire Fighting Media<br>and Instructions       | Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used. |
| Special Remarks on Fire and Explosion Hazards | None known.   |

### Section 6. Accidental Release Measures

| <b>Personal Precautions</b>                       | Put on appropriate personal protective equipment (see Section 8).  |
|---|--|
| Environmental Precautions<br>and Clean-up Methods | In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up. |

### Section 7. Handling and Storage

| Handling | Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY. |
|----------|---|
| Storage  | Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.  |

### Section 8. Exposure Controls/Personal Protection

| -                           |   |
|-----------------------------|---|
| <b>Engineering Controls</b> | No special ventilation requirements. General room ventilation is adequate.  |
| Personal Protection         |   |
| Ey                          | es Safety glasses with side shields.  |
| Han                         | ds Chemical resistant gloves. Includes: Neoprene gloves.                    |
| Respirato                   | ry No special protective clothing is required.                              |
| Fé                          | No special protective clothing is required.                                 |
| Во                          | <i>dy</i> If major exposure is possible, wear suitable protective clothing. |
|                             |   |

# Section 9. Physical and Chemical Properties

| Physical State and<br>Appearance | Liquid.          |
|----------------------------------|------------------|
| Odor                             | Characteristic.  |
| Color                            | Clear Colorless. |
| рН                               | 5.7 [Acidic.]    |
| Specific Gravity                 | 1.01             |
| Solubility in water              | Complete.        |

#### Johnson wax PROFESSIONAL

PRE-EMULSIFIER

| Section 10. Stability a                    | and Reactivity  |
|--|---|
| Stability and Reactivity                   | The product is stable.  |
| Conditions of Instability                  | None known.   |
| Incompatibility with Various<br>Substances | Not available.  |
| Hazardous Decomposition<br>Products        | When exposed to fire: Produces normal products of combustion. |
| Hazardous Polymerization                   | Will not occur.   |

#### Section 11. Toxicological Information

 Acute toxicity
 ORAL (LD50

 Effects of Chronic Exposure
 None known.

ORAL (LD50) Estimated to be between 2500 and 5000 mg/kg (rat). Sure None known.

Other Toxic Effects Not available.

### Section 12. Ecological Information

Not available.

#### Section 13. Disposal Considerations

Waste Information

No special precautions. Dispose of according to all federal, state and local regulations.

### Section 14. Transport Information

DOT Classification

Not regulated

#### TDG Classification

Not regulated

#### Section 15. Regulatory Information

**Reporting in this section is based on ingredients disclosed in Section 2** US Regulations

Federal CERCLA: Hazardous substances.: Diethylene Glycol Butyl Ether

State New Jersey spill list: Diethylene Glycol Butyl Ether
 New Jersey: Diethylene Glycol Butyl Ether
 Pennsylvania RTK: Diethylene Glycol Butyl Ether
 This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

**Canadian Regulations** 

WHMIS Classification CLASS D-2B: Material causing other toxic effects (TOXIC).



Registered Product Not applicable.

Information

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

### **Johnson wax PROFESSIONAL** PRE-EMULSIFIER

| Section 16. C                   | Other Information |  |  |
|---------------------------------|-------------------|--|--|
| Other Special<br>Considerations | Not available.    |  |  |
| Version                         | 1                 |  |  |
| Notice to Reader                |                   |  |  |

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.