

## **Material Safety Data Sheet**

# **RUST REMOVER**

		П					
National Fire		Fire Haza	rd	Hazardous		Health	3
Protection		ealth	Reactivity	Informatio	n System	Fire Hazard	0
Association (N	(FPA) II		Reactivity	(HMIS)		Reactivity 1	1
		Specific Ha	zard				
Protective Clothing			Emer; Overv		ORROSIVE.	Section 9. CAUSES EYE AND SKIN BU SWALLOWED.	JRN
Section 1. Ch	nemical Produ	ct and Com	pany Identific	ation			
Product Name	RUST REMO	OVER			Code	3697	
Product Use	Industrial/Institu	utional: Carpet	care.		PMS#	432311	
MSDS#	126337001				Validation I	Date 04/19/2000	
U.S. Headquarters			Canadian Headqu		Print Date	04/20/2000	
Johnson Wax Prof 8310 16th Street	essional		Johnson Wax Pro	ofessional vd. East, Suite 203	Supersedes	04/12/2000.	
Sturtevant, Wiscon Phone: (888) 352-2 MSDS Internet Ado www.jwp.com	2249	r F	Mississauga, Ont Phone: (905) 755 888) 746-5971	tario L4Z 2G7	<u>In Case of</u> <u>Emergency</u>	(800) 851-7145	
Section 2. Co	omposition and	d Informatio	n on Ingredie	ents			
Ingredients		CAS #	% by Weight	Exposure Li	mits	LC50/LD50	
Hydrochloric Acid Water		7647-01-0 7732-18-5	5-10 60-100	Not available. Not available.		Not available. Not applicable.	
Section 3. Ha	zards Identifio	cation					
Routes of Entry	Inhala	tion. Skin conta	act. Eye contact.				
Potential Acute Hea	alth Effects						
	Eyes Corros	sive. May cause	e permanent dam	hage including blindne	ess.		
	Skin Corros	sive. May cause	e permanent dam	nage.			
	Inhalation May c	ause irritation a	and corrosive effe	ects to nose, throat ar	nd respiratory	tract.	
	Ingestion Corros	sive. May cause	e burns to mouth	, throat, and stomach			
Medical Conditions Aggravated by Ove					nma, chronic	bronchitis, emphysema, etc.,	ma
See Toxicological In	nformation (section	11)					
Section 4. Fin	rst Aid Measui	res					
Eye Contact		diately flush ey on immediately		water for at least 1	5 minutes, ke	eeping eyelids open. Get me	edica
Skin Contact	Flush	immediately wi	th plenty of water	r for at least 15 minut	es. Get medio	cal attention immediately.	
Inhalation	lf brea	thing is difficult	Remove to fres	h air. Get medical att	ention immed	liately.	

#### Section 5. Fire Fighting Measures

_	
Flammability of the Product	None known.
Flash Points	Not available.
<b>Products of Combustion</b>	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8.).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

### Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

#### Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.

## Section 8. Exposure Controls/Personal Protection

**Engineering Controls** Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

**Personal Protection** 

Eyes Chemical splash goggles.

Hands Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.

 Respiratory
 If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2

 requirements must be followed whenever workplace conditions warrant a respirator's use.

 Feet

 Protective footwear.

Body If major exposure is possible, wear suitable protective clothing and footwear.

## Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Acrid.
Color	Clear Yellow.
рН	<1 [Acidic.]
Specific Gravity	1.05
Solubility in water	Complete.

#### Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
<b>Conditions of Instability</b>	None known.
Incompatibility with Various Substances	Avoid mixing with: Chlorine products. Mixing with other cleaning products may produce toxic gas. Ventilate if possible.
Hazardous Decomposition Products	When exposed to fire: May form an acid mist.
<b>Hazardous Polymerization</b>	Will not occur.

#### **Johnson wax PROFESSIONAL** RUST REMOVER

## Section 11. Toxicological Information

Acute toxicity

ORAL (LD50) Between 1000 and 2500 mg/kg (rat). Corrosive.

Effects of Chronic Exposure None known.

Other Toxic Effects Not available.

## Section 12. Ecological Information

Not available.

## Section 13. Disposal Considerations

Waste Information Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

## Section 14. Transport Information

DOT	Classification
-----	----------------

DOT Classification	
DOT Proper Shipping Name	Consumer Commodity
DOT Class	ORM-D
TDG Classification	
TDG Proper Shipping Name	Consumer Commodity
TDG Class	ORM-D

## Section 15. Regulatory Information

Reporting in this section	is based on ingredients disclosed in Section 2
US Regulations	
Federal	SARA 313 toxic chemical notification and release reporting: Hydrochloric Acid Clean Water Act (CWA) 311: Hydrochloric Acid Clean air act (CAA) 112 accidental release prevention: Hydrochloric Acid CERCLA: Hazardous substances.: Hydrochloric Acid
State	New Jersey spill list: Hydrochloric Acid New Jersey: Hydrochloric Acid New Jersey toxic catastrophe prevention act: Hydrochloric Acid Massachusetts RTK: Hydrochloric Acid Pennsylvania RTK: Hydrochloric Acid
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
<b>Canadian Regulations</b>	
WHMIS Classification	CLASS D-2B: Material causing other toxic effects (TOXIC). CLASS E: Corrosive liquid.
WHMIS Icon	
Registered Product Information	Not applicable.
Chemical Inventory Status	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

## Johnson wax PROFESSIONAL RUST REMOVER

Section 16. Other Information			
Other Special Considerations	Not available.		
Version	1		
Notice to Reader			

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.