

SCULPTURE TERRAZZO FLOOR SEALER

| National Fire Protection Association () | | Fire Ha | 1 Reactivity | Hazardous Informatio (HMIS) | | Health1Fire Hazard0Reactivity0 |
|--|--------------------|--|-----------------------------------|---------------------------------------|------------------|---|
| Protective None Clothing | required. | Specific 1 | Hazard Emerge Overvie | | /lay be mildly i | ion. See Section 9. rritating to eyes. May be mildly |
| Section 1. C Product Name | | | mpany Identifica ZO FLOOR SEAL | | Code | 14648 |
| Product Use | Industrial/Institu | utional: Floor | care. | | PMS# | 456967 |
| MSDS# | F-00013001 | | | | Validation Dat | te 5/1/2002 |
| U.S. Headquarters | | Canadian Headquar | ters | Print Date | 5/1/2002 | |
| Johnson Wax Professional | | Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971 | | Supersedes | 4/26/2002. | |
| 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com | | | | <u>In Case of</u> <u>Emergency</u> | (800) 851-7145 | |
| Section 2. C | composition and | d Informat | ion on Ingredien | ts | | |
| Ingredients | | CAS # | % by Weight | Exposure Li | mits | LC50/LD50 |

| Ingredients | CAS # | % by Weight | Exposure Limits | LC50/LD50 |
|----------------------------------|------------|-------------|---|---|
| Tributoxyethyl phosphate | 78-51-3 | 1-5 | Not available. | ORAL (LD50): Acute: 3000 mg/kg [Rat]. 3000 mg/kg [Guinea pig]. 500 mg/kg [Mouse]. |
| Ethylene Copolymer | 67892-91-5 | 1-5 | Not available. | Not available. |
| Dipropylene Glycol Methyl Ether | 34590-94-8 | 1-5 | OSHA (United States). Skin TWA: 600 mg/m ³ STEL: 900 mg/m ³ ACGIH (United States). Skin TWA: 606 mg/m ³ STEL: 909 mg/m ³ | ORAL (LD50): Acute: 5119 mg/kg [Rat]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit]. |
| Acrylic Polymers (Non-Hazardous) | | 10-30 | Not available. | Not available. |
| Water | 7732-18-5 | 60-100 | Not available. | Not available. |

Section 3. Hazards Identification

| Routes of Entry | Inhalation. Skin contact. Eye contact. |
|---|--|
| Potential Acute Health Effects | |
| Eyes | May be mildly irritating to eyes. |
| Skin | May be mildly irritating to skin. |
| Inhalation | None known. |
| Ingestion | None known. |
| Medical Conditions Aggravated by Overexposure: | None known. |
| See Toxicological Information | (section 11) |

Johnson wax PROFESSIONAL

SCULPTURE TERRAZZO FLOOR SEALER

Section 4. First Aid Measures

| Eye Contact | Flush immediately with plenty of water. Get medical attention if irritation occurs. | |
|--------------|---|--|
| Skin Contact | Flush immediately with plenty of water. Get medical attention if irritation occurs. | |
| Inhalation | No specific first aid measures are required. | |
| Ingestion | No specific first aid measures are required. | |

Section 5. Fire Fighting Measures

| Flammability of the Product | None known. |
|--|---|
| Flash Points | CLOSED CUP: >93°C (200°F). |
| Products of Combustion | None known. |
| Fire Fighting Media and Instructions | Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used. |
| Special Remarks on Fire and Explosion Hazards | None known. |

Section 6. Accidental Release Measures

| Personal Precautions | Put on appropriate personal protective equipment (see Section 8). |
|---|--|
| Environmental Precautions and Clean-up Methods | In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up. |

Section 7. Handling and Storage

| Handling | Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. |
|----------|--|
| Storage | Protect from freezing. Store in a dry, cool and well-ventilated area. KEEP OUT OF REACH OF CHILDREN. |

Section 8. Exposure Controls/Personal Protection

| Engineering Controls | No special ventilation requirements. General room ventilation is adequate. | |
|----------------------------|--|--|
| Personal Protection | | |
| | Eyes No special requirements under normal use conditions. | |
| 1 | Hands No special requirements under normal use conditions. | |
| Respi | ratory No special requirements under normal use conditions. | |
| | Feet No special requirements under normal use conditions. | |
| | <i>Body</i> No special protective clothing is required. | |

| Section 9. Physical and Chemical Properties | |
|---|---------------------|
| Physical State and Appearance | Liquid. (Emulsion.) |
| Odor | Ammoniacal. |
| Color | Translucent. Opaque |
| pH | 8.5 [Basic.] |
| Specific Gravity | 1.02 |
| Solubility in water | Dispersible. |

Johnson wax PROFESSIONAL

SCULPTURE TERRAZZO FLOOR SEALER

| Section 10. Stability | and Reactivity |
|--|---|
| Stability and Reactivity | The product is stable. |
| Conditions of Instability | None known. |
| Incompatibility with Various Substances | None known. |
| Hazardous Decomposition Products | When exposed to fire: Produces normal products of combustion. |
| Hazardous Polymerization | Will not occur. |
| Section 11. Toxicolog | gical Information |
| Acute toxicity | ORAL (LD50) Greater than 5000 mg/kg (rat). |
| Effects of Chronic Exposure | None known. |
| Other Toxic Effects | None known. |
| Section 12. Ecologica | al Information |
| Not available. | |
| Section 13. Disposal | Considerations |
| Waste Information | No special precautions. Dispose of according to all federal, state and local regulations. |
| Section 14. Transpor | t Information |
| DOT Classification | |
| DOT Proper Shipping Name | Please refer to the Bill of Lading/receiving documents for up to date shipping information. |
| TDG Classification | |
| TDG Proper Shipping Name | Please refer to the Bill of Lading/receiving documents for up to date shipping information. |
| Section 15. Regulato | ry Information |
| Reporting in this section US Regulations | is based on ingredients disclosed in Section 2 |
| | CADA 242 toxic chamical actification and relaces reporting. Tributowistkyl pheaphote |
| | SARA 313 toxic chemical notification and release reporting: Tributoxyethyl phosphate |
| State | New Jersey spill list: Tributoxyethyl phosphate New Jersey: Tributoxyethyl phosphate, Dipropylene Glycol Methyl Ether Massachusetts RTK: Tributoxyethyl phosphate, Dipropylene Glycol Methyl Ether Pennsylvania RTK: Tributoxyethyl phosphate, Dipropylene Glycol Methyl Ether |
| | This product is not subject to the reporting requirements under California's Proposition 65. |
| Registered Product Information | Not applicable. |
| Canadian Regulations | |
| WHMIS Classification | Not controlled under WHMIS (Canada). |
| WHMIS Icon | |
| Registered Product Information | Not applicable. |
| Chemical Inventory Status | All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. |
| | |



SCULPTURE TERRAZZO FLOOR SEALER

| Section 16. Other Information | | |
|---------------------------------|---|--|
| Other Special Considerations | | |
| Version | 1 | |
| | | |

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.